



2021 Taxonomic update of phylum *Negarnaviricota* (*Riboviria*: *Orthornavirae*), including the large orders *Bunyavirales* and *Mononegavirales*

Jens H. Kuhn¹ · Scott Adkins² · Bernard R. Agwanda^{211,212} · Rim Al Kubrusli³ · Sergey V. Alkhovsky (Альховский Сергей Владимирович)⁴ · Gaya K. Amarasinghe⁵ · Tatjana Avšič-Županc⁶ · María A. Ayllón^{7,197} · Justin Bahl⁸ · Anne Balkema-Buschmann⁹ · Matthew J. Ballinger¹⁰ · Christopher F. Basler¹¹ · Sina Bavari¹² · Martin Beer¹³ · Nicolas Bejerman¹⁴ · Andrew J. Bennett¹⁵ · Dennis A. Bente¹⁶ · Éric Bergeron¹⁷ · Brian H. Bird¹⁸ · Carol D. Blair¹⁹ · Kim R. Blasdel²⁰ · Dag-Ragnar Blystad²¹ · Jamie Bojko^{22,198} · Wayne B. Borth²³ · Steven Bradfute²⁴ · Rachel Breyta^{25,199} · Thomas Briese²⁶ · Paul A. Brown²⁷ · Judith K. Brown²⁸ · Ursula J. Buchholz²⁹ · Michael J. Buchmeier³⁰ · Alexander Bukreyev³¹ · Felicity Burt³² · Carmen Büttner³ · Charles H. Calisher³³ · Mengji Cao (曹孟籍)³⁴ · Inmaculada Casas³⁵ · Kartik Chandran³⁶ · Rémi N. Charrel³⁷ · Qi Cheng³⁸ · Yuya Chiaki (千秋祐也)³⁹ · Marco Chiapello⁴⁰ · Il-Ryong Choi⁴¹ · Marina Ciuffo⁴⁰ · J. Christopher S. Clegg⁴² · Ian Crozier⁴³ · Elena Dal Bó⁴⁴ · Juan Carlos de la Torre⁴⁵ · Xavier de Lamballerie³⁷ · Rik L. de Swart⁴⁶ · Humberto Debat^{47,200} · Nolwenn M. Dheilly⁴⁸ · Emiliano Di Cicco⁴⁹ · Nicholas Di Paola⁵⁰ · Francesco Di Serio⁵¹ · Ralf G. Dietzgen⁵² · Michele Digiaro⁵³ · Olga Dolnik⁵⁴ · Michael A. Drebot⁵⁵ · J. Felix Drexler⁵⁶ · William G. Dundon⁵⁷ · W. Paul Duprex⁵⁸ · Ralf Dürrwald⁵⁹ · John M. Dye⁵⁰ · Andrew J. Easton⁶⁰ · Hideki Ebihara (海老原秀喜)⁶¹ · Toufic Elbeaino⁶² · Koray Ergünay⁶³ · Hugh W. Ferguson²¹³ · Anthony R. Fooks⁶⁴ · Marco Forgia⁶⁵ · Pierre B. H. Formenty⁶⁶ · Jana Fránová⁶⁷ · Juliana Freitas-Astúa⁶⁸ · Jingjing Fu (付晶晶)⁶⁹ · Stephanie Furl⁷⁰ · Selma Gago-Zachert⁷¹ · George Fú Gão (高福)²¹⁴ · María Laura García⁷² · Adolfo García-Sastre⁷³ · Aura R. Garrison⁵⁰ · Thomas Gaskin^{74,3} · Jean-Paul J. Gonzalez^{75,201} · Anthony Griffiths⁷⁶ · Tony L. Goldberg⁷⁷ · Martin H. Groschup⁷⁸ · Stephan Günther⁷⁹ · Roy A. Hall⁸⁰ · John Hammond⁸¹ · Tong Han (韓彤)⁶⁹ · Jussi Hepojoki^{82,202} · Roger Hewson⁸³ · Jiang Hong (洪健)⁸⁴ · Ni Hong (洪竟)⁸⁵ · Seiji Hongo (本郷誠治)²¹⁵ · Masayuki Horie (堀江真行)^{86,203} · John S. Hu²³ · Tao Hu³⁸ · Holly R. Hughes⁸⁷ · Florian Hüttner³ · Timothy H. Hyndman⁸⁸ · M. Ilyas⁸⁹ · Risto Jalkanen⁹⁰ · Dàohóng Jiāng (姜道宏)⁹¹ · Gilda B. Jonson⁹² · Sandra Junglen^{93,204} · Fujio Kadono (上遠野富士夫)⁹⁴ · Karia H. Kaukinen⁹⁵ · Michael Kawate²³ · Boris Klempa⁹⁶ · Jonas Klingström⁹⁷ · Gary Kobinger²¹⁶ · Igor Koloniuk⁶⁷ · Hideki Kondō (近藤秀樹)⁹⁸ · Eugene V. Koonin⁹⁹ · Mart Krupovic¹⁰⁰ · Kenji Kubota (久保田健嗣)¹⁰¹ · Gael Kurath¹⁰² · Lies Laenen^{103,205} · Amy J. Lambert⁸⁷ · Stanley L. Langevin¹⁰⁴ · Benhur Lee¹⁰⁵ · Elliot J. Lefkowitz¹⁰⁶ · Eric M. Leroy¹⁰⁷ · Shaorong Li (李邵蓉)¹⁰⁸ · Longhui Li (李龙辉)⁸⁵ · Jiànróng Lǐ (李建荣)¹⁰⁹ · Huazhen Liu (刘华珍)⁸⁵ · Igor S. Lukashevich¹¹⁰ · Piet Maes¹⁰³ · William Marciel de Souza¹¹¹ · Marco Marklewitz^{93,206} · Sergio H. Marshall¹¹² · Shin-Yi L. Marzano¹¹³ · Sebastien Massart¹¹⁴ · John W. McCauley¹¹⁵ · Michael Melzer¹¹⁶ · Nicole Mielke-Ehret¹¹⁷ · Kristina M. Miller⁹⁵ · Tobi J. Ming¹¹⁸ · Ali Mirazimi¹¹⁹ · Gideon J. Mordecai¹²⁰ · Hans-Peter Mühlbach¹¹⁷ · Elke Mühlberger⁷⁶ · Rayapati Naidu¹²¹ · Tomohide Natsuaki (夏秋知英)¹²² · José A. Navarro¹²³ · Sergey V. Netesov (Нетесов Сергей Викторович)¹²⁴ · Gabriele Neumann¹²⁵ · Norbert Nowotny^{126,207} · Márcio R. T. Nunes²¹⁷ · Alejandro Olmedo-Velarde²³ · Gustavo Palacios⁵⁰ · Vicente Pallás¹²⁷ · Bernadett Pályi¹²⁸ · Anna Papa (Άννα Παπά)¹²⁹ · Sofia Paraskevopoulou (Σοφία Παρασκευοπούλου)¹³⁰ · Adam C. Park^{23,208} · Colin R. Parrish¹³¹ · David A. Patterson¹³² · Alex Pauvolid-Corrêa^{133,209} · Janusz T. Pawęska¹³⁴ · Susan Payne¹³⁵ · Carlotta Peracchio⁴⁰ · Daniel R. Pérez¹³⁶ · Thomas S. Postler¹³⁷ · Liying Qi (齐立莹)¹³⁸ · Sheli R. Radoshitzky¹³⁹ · Renato O. Resende¹⁴⁰ · Carina A. Reyes¹⁴¹ · Bertus K. Rima¹⁴² · Gabriel Robles Luna¹⁴¹ · Víctor Romanowski¹⁴³ · Paul Rota²¹⁸ · Dennis Rubbenstroth¹⁴⁴ · Luisa Rubino¹⁴⁵ · Jonathan A. Runstadler¹⁴⁶

Communicated by Tim Skern.

Extended author information available on the last page of the article

Sead Sabanadzovic¹⁴⁷ · Amadou Alpha Sall²¹⁹ · Maria S. Salvato¹⁴⁸ · Rosemary Sang¹⁴⁹ · Takahide Sasaya (笹谷孝英)¹⁵⁰ · Angela D. Schulze¹⁵¹ · Martin Schwemmle¹⁵² · Mang Shi (施莽)¹⁵³ · Xiǎohóng Shí (石晓宏)¹⁵⁴ · Zhènglǐ Shí (石正丽)¹⁵⁵ · Yoshifumi Shimomoto (下元祥史)¹⁵⁶ · Yukio Shirako¹⁵⁷ · Stuart G. Siddell¹⁵⁸ · Peter Simmonds¹⁵⁹ · Manuela Sironi¹⁶⁰ · Guy Smagghe¹⁶¹ · Sophie Smither¹⁶² · Jin-Won Song (송진원)¹⁶³ · Kirsten Spann¹⁶⁴ · Jessica R. Spengler¹⁶⁵ · Mark D. Stenglein¹⁶⁶ · David M. Stone¹⁶⁷ · Jari Sugano²³ · Curtis A. Suttle¹⁶⁸ · Amy Tabata⁹⁵ · Ayato Takada (高田礼人)¹⁶⁹ · Shigeharu Takeuchi (竹内繁治)¹⁷⁰ · David P. Tchouassi¹⁴⁹ · Amy Teffer¹⁷¹ · Robert B. Tesh¹⁷² · Natalie J. Thornburg¹⁷³ · Yasuhiro Tomitaka (富高保弘)¹⁷⁴ · Keizō Tomonaga (朝長啓造)¹⁷⁵ · Noël Tordo¹⁷⁶ · Baldwyn Torto¹⁴⁹ · Jonathan S. Towner^{177,196} · Shinya Tsuda (津田新哉)⁹⁴ · Changchun Tu (涂长春)¹⁷⁸ · Massimo Turina¹⁷⁹ · Ioannis E. Tzanetakis¹⁸⁰ · Janice Uchida²³ · Tomio Usugi (宇杉富雄)¹⁰¹ · Anna Maria Vaira⁴⁰ · Marta Vallino⁴⁰ · Bernadette van den Hoogen¹⁸¹ · Arvind Varsani^{182,210} · Nikos Vasilakis (Νίκος Βασιλάκης)¹⁷² · Martin Verbeek¹⁸³ · Susanne von Bargen³ · Jiro Wada (和田治郎)¹ · Victoria Wahl¹⁸⁴ · Peter J. Walker¹⁸⁵ · Lin-Fa Wang (王林发)¹⁸⁶ · Guoping Wang (王国平)⁸⁵ · Yanxiang Wang (王雁翔)⁸⁵ · Yaqin Wang (王亚琴)³⁸ · Muhammad Waqas¹⁸⁷ · Tàiyún Wèi (魏太云)¹⁸⁸ · Shaohua Wen (温少华)⁸⁵ · Anna E. Whitfield¹⁸⁹ · John V. Williams¹⁹⁰ · Yuri I. Wolf⁹⁹ · Jiangxiang Wu (吴建祥)³⁸ · Lei Xu (徐雷)¹³⁸ · Hironobu Yanagisawa (柳澤広宣)¹⁹¹ · Caixia Yang (杨彩霞)⁶⁹ · Zuokun Yang (杨作坤)⁸⁵ · F. Murilo Zerbini¹⁹² · Lifeng Zhai (翟立峰)¹⁹³ · Yong-Zhen Zhang (张永振)^{220,221} · Song Zhang (张松)³⁴ · Jinguo Zhang (张靖国)¹⁹⁴ · Zhe Zhang (张哲)⁸⁵ · Xueping Zhou (周雪平)¹⁹⁵

Published online: 31 August 2021

This is a U.S. government work and not under copyright protection in the U.S.; foreign copyright protection may apply 2021, corrected publication 2021

Abstract

In March 2021, following the annual International Committee on Taxonomy of Viruses (ICTV) ratification vote on newly proposed taxa, the phylum *Negarnaviricota* was amended and emended. The phylum was expanded by four families (*Aliusviridae*, *Crepuscuviridae*, *Myriaviridae*, and *Natareviridae*), three subfamilies (*Alpharhabdovirinae*, *Betarhabdovirinae*, and *Gammarhabdovirinae*), 42 genera, and 200 species. Thirty-nine species were renamed and/or moved and seven species were abolished. This article presents the updated taxonomy of *Negarnaviricota* as now accepted by the ICTV.

Introduction

Phylum *Negarnaviricota* was established in 2019 by the International Committee on Taxonomy of Viruses (ICTV) for negative-sense RNA viruses that can be connected evolutionarily through the possession of virally encoded RNA-directed RNA polymerases (RdRps). The phylum includes two subphyla, *Haploviricotina* and *Polyploviricotina*, for negative-sense RNA viruses that encode RdRps with or without mRNA capping activity, respectively. The two subphyla include four classes (*Chunquiviricetes*, *Milneviricetes*, *Monjiviricetes*, and *Yunchangviricetes*) and two classes (*Ellioviricetes* and *Insthoviricetes*), respectively [56, 93, 109]. The phylum was last amended/emended in 2020 [57]. Here, we present the changes that were proposed to the phylum via official taxonomic proposals (TaxoProps) in 2020 and accepted by the ICTV in March 2021 (https://talk.ictvonline.org/files/ictv_official_taxonomy_updates_since_the_8th_report/). These changes are now part of the official ICTV taxonomy.

[ictvonline.org/files/ictv_official_taxonomy_updates_since_the_8th_report/](https://talk.ictvonline.org/files/ictv_official_taxonomy_updates_since_the_8th_report/)). These changes are now part of the official ICTV taxonomy.

Taxonomic changes above the phylum rank

The type species concept was abolished throughout virus taxonomy (TaxoProp 2020.001G.A.v1.Abolish_type_species).

Taxonomic changes within order *Jingchuvirales* (*Haploviricotina*: *Monjiviricetes*)

The order *Jingchuvirales* was thoroughly revised (TaxoProps 2020.026M.A.v1.Jingchuvirales and 2020.030M.R.Negarnaviricota_corrections). Four new families were created:

- *Aliusviridae*: genus *Obscuruvirus*, including a single species, *Obscuruvirus quintum*, was created for Atrato chu-like virus 5 (ACIV-5), discovered in culicid mosquitoes (*Psorophora albipes* (Theobald, 1907)) sampled in Colombia [unpublished, GenBank #MN661033]. Genus *Ollusvirus* was created for species *Beetle mivirus*, *Shayang mivirus*, and *Taiyuan mivirus*, which were moved from *Chuviridae*: *Mivirus* and renamed *Ollusvirus coleopteri*, *Ollusvirus shayangense*, and *Ollusvirus taiyuanense*, respectively. Five new species were included in the genus:

- o *Ollusvirus culvertonense* for Culverton virus (CvV), discovered by high-throughput sequencing (HTS) in a Hercules' flea (*Macropsylla hercules* Rothschild, 1905) sampled in Timbillica State Forest, New South Wales, Australia [41];
 - o *Ollusvirus hanchengense* for Hanchéng leafhopper mivirus (HLMV), discovered by HTS in a leafhopper (*Psammotettix alienus* (Dahlbom 1850)) sampled in Hanchéng (韩城市), Shaanxi/Shānxī Province (陕西省), China [39];
 - o *Ollusvirus hymenopteri* for hymenopteran chu-related virus 123 (HCrv-123) discovered by HTS in a cleptoparasitic bee (*Dioxys cincta* (Jurine, 1807)) sampled in Lacs des Millefonds, Alpes-Maritimes, France [49];
 - o *Ollusvirus insectii* for hymenopteran chu-related virus 126 (HCrv-126), discovered by HTS in a crabronid wasp (*Oxybelus bipunctatus* Olivier, 1812) sampled in Battenberg, Rhineland-Palatinate (Rheinland-Pfalz), Germany [49]; and
 - o *Ollusvirus scaldisense* for Scaldis River bee virus (SRBV), discovered by HTS in a European orchard bee (*Osmia cornuta* (Latreille, 1805)) sampled in Ghent, Flemish Region (Vlaams Gewest), Belgium [88];
 - *Crepuscuviridae*: a single genus, *Aqualarivirus*, including a single species, *Aqualarivirus sialis*, was created for megalopteran chu-related virus 119 (MCrv-119), discovered by HTS in a corydalid fly sampled in Bejuma, Carabobo State (Estado Carabobo), Venezuela [49];
 - *Myriaviridae*: a single genus, *Myriavirus*, was created for species *Myriapod mivirus*, which was moved from *Chuviridae: Mivirus* and renamed *Myriavirus myriapedis*; and
 - *Natareviridae*: a single genus, *Charybdivirus*, was created for species *Charybdis mivirus*, which was moved from *Chuviridae: Mivirus* and renamed *Charybdivirus charybdis*.
- In family *Chuviridae*, 13 new genera were created:
- Genus *Boscovirus* was created for species *Hippoboscid mivirus* and *Louse fly mivirus*, which were moved from *Chuviridae: Mivirus* and renamed *Boscovirus hippoboscidae* and *Boscovirus hypoboscidae*, respectively;
 - Genus *Chuvivirus* was created for species *Brunnich mivirus* and *Crab mivirus*, which were moved from *Chuviridae: Mivirus* and renamed *Chuvivirus brunnich* and *Chuvivirus canceris*, respectively;
 - Genus *Culicidavirus* was created for species *Imjin mivirus* and *Mosquito mivirus*, which were moved from *Chuviridae: Mivirus* and renamed *Culicidavirus imjinense* and *Culicidavirus culicidae*, respectively. Two new species were created:
 - o *Culicidavirus culicis* for *Culex* mosquito virus 5 (CIMV-5), discovered by HTS in a *Culex* mosquito sampled in the USA [86]; and
 - o *Culicidavirus quitotaense* for *Culex* mosquito virus 4 (CIMV-4), discovered by HTS in a culicid mosquito (*Culex* sp.) sampled in the USA [86];
 - Genus *Doliivirus* was created for a single new species, *Doliivirus culisetae*, for Mos8Chu0 chuvirus (MoCV), discovered by HTS in culicid mosquitoes (*Culiseta minnesotae* Barr, 1957) sampled in the USA [unpublished; GenBank #KX924630];
 - Genus *Demapteravirus* was created for a single new species, *Demapteravirus demapteri*, for demapteran chu-related virus 142 (DCrv-142), discovered by HTS in earwigs (*Gonolabis marginalis* (Dohrn, 1864)) sampled in Tsukuba (つくば市), Ibaraki Prefecture (茨城県), Japan [49];
 - Genus *Morsusvirus* was created for species *Argas mivirus*, which was moved from *Chuviridae: Mivirus* and renamed *Morsusvirus argatis*;
 - Genus *Nigecruvirus* was created for a single new species, *Nigecruvirus ixodes*, for blacklegged tick chuvirus-2 (BITC-2), discovered by HTS in a deer tick (*Ixodes scapularis* Say, 1821) sampled in the USA [100];
 - Genus *Odonatavirus* was created for species *Odonate mivirus*, which was moved from *Chuviridae: Mivirus* and renamed *Odonatavirus fabricii*. Two new species were created:
 - o *Odonatavirus draconis* for odonatan chu-related virus 137 (OCrv-137), discovered by HTS in a common flatwing (*Austroargiolestes icteromelas* (Selys, 1862)) sampled in Uriarra State Forest, Australian Capital Territory, Australia [49]; and
 - o *Odonatavirus odontis* for odonatan chu-related virus 136 (OCrv-136), discovered by HTS in a whitewater rockmaster (*Diphlebia lestoides* (Selys, 1853)) sampled in Gibraltar Creek, Australian Capital Territory, Australia, [49];
 - Genus *Pediavirus* was created for species *Barnacle mivirus*, which was moved from *Chuviridae: Mivirus* and renamed *Pediavirus cirripedis*;
 - Genus *Piscichuvirus* was created for species *Sanxia mivirus*, which was moved from *Chuviridae: Mivirus* and renamed *Piscichuvirus sanxiaense*. Three new species were created:

- o *Piscichuvirus franki* for Herr Frank virus 1 (HFrV-1), discovered by HTS in a Brazilian boa constrictor (*Boa constrictor* Linnaeus, 1758) [3];
 - o *Piscichuvirus lycodontis* for Guāngdōng red-banded snake chuvirus-like virus (GRSCV), discovered by HTS in a colubrid snake (*Lycodon rufozonatus* (Cantor, 1842) sampled in China [92]; and
 - o *Piscichuvirus wenlingense* for Wēnlíng fish chu-like virus (WFCIV), discovered by HTS in a longspine snipefish (*Macroramphosus scolopax* (Linnaeus, 1758)) sampled in China [92];
- Genus *Pterovirus* was created for a single new species, *Pterovirus chulinense*, for hymenopteran chu-related virus OKIAV147 (HCrV-147), discovered by HTS in an aphelinid wasp (*Aphelinus abdominalis* (Dalman, 1820)) in a laboratory culture of wasps of unknown geographical origin [49];
 - Genus *Scarabeuvirus* was created for species *Cockroach mivirus*, *Hubei odonate mivirus*, *Hubei mivirus*, and *Lishi mivirus*, which were moved from *Chuviridae: Mivirus* and renamed *Scarabeuvirus blattae*, *Scarabeuvirus dentati*, *Scarabeuvirus hubeiense*, and *Scarabeuvirus lishiense*, respectively. A new species, *Scarabeuvirus lampyris*, was created for *Lampyris noctiluca* chuvirus-like virus 1 (LNCIV-1), discovered by HTS in a common glow-worm (*Lampyris noctiluca* (Linnaeus, 1767)) sampled in Finland [102]; and
 - Genus *Taceavirus* was created for species *Wenling mivirus*, which was moved from *Chuviridae: Mivirus* and renamed *Taceavirus wenlingense*.

In chuvirid genus *Mivirus*, three new species were created:

- *Mivirus genovaense* for Genoa virus (GeV), discovered by HTS in an Australian paralysis tick (*Ixodes holocyclus* Neumann, 1899) sampled in New South Wales, Australia [42];
- *Mivirus karukeraense* for Karukera tick virus (KtV), discovered by HTS in ixodid ticks sampled in Guadeloupe/Martinique, France [38]; and
- *Mivirus rhipicephali* for brown dog tick mivirus 1 (BDTMV-1), discovered by HTS in brown dog ticks (*Rhipicephalus sanguineus* (Latreille, 1806)) sampled in Trinidad and Tobago [87].

Six mivirus species were renamed:

- *Lonestar mivirus* → *Mivirus amblyommae*;
- *Bole mivirus* → *Mivirus boleense*;
- *Changping mivirus* → *Mivirus changpingense*;
- *Dermacentor mivirus* → *Mivirus dermacentoris*;

- *Suffolk mivirus* → *Mivirus suffolkense*; and
- *Wuhan mivirus* → *Mivirus wuhanense*.

Four mivirus species were deleted:

- *Crustacean mivirus*;
- *Hermit mivirus*;
- *Lacewing mivirus*; and
- *Xinzhou mivirus*.

Taxonomic changes within order *Mononegavirales* (*Haploviricotina: Monjiviricetes*)

Family *Mymonaviridae*

Family *Mymonaviridae* was thoroughly revised. Seven new genera were established:

- Genus *Auricularimonavirus* was established for one new species, *Auricularimonavirus auriculariae*, for *Auricularia heimuer* negative-stranded RNA virus 1 (AhNRSV-1), discovered in a jelly fungus (*Auricularia heimuer* F. Wu, B. K. Cui & Y. C. Dai 2014) sampled in China [unpublished; GenBank #MT259204];
- Genus *Botrytimonavirus* was established for one new species, *Botrytimonavirus botrytidis*, for *Botrytis cinerea* negative-stranded RNA virus 7 (BcNSRV-7), discovered in gray mold (*Botrytis cinerea* Pers. (1794)) sampled in Italy and Spain [84]. Species *Dadou sclerotimonavirus* and *Drop sclerotimonavirus* were moved from *Mymonaviridae: Sclerotimonavirus* and renamed *Botrytimonavirus glycinis* and *Botrytimonavirus sclerotiniae*, respectively. *Sclerotinia sclerotiorum* negative-stranded RNA virus 2-A (SsNSRV-2-A) and *Sclerotinia sclerotiorum* negative-stranded RNA virus 4-A (SsNSRV-4-A), both discovered by HTS in cottony rot fungi (*Sclerotinia sclerotiorum* (Lib.) de Bary (1884)) sampled in Australia [72], were moved into species *Botrytimonavirus sclerotiniae*;
- Genus *Lentimonavirus* was established for *Lentinula hubramonavirus*, which was moved from *Mymonaviridae: Hubramonavirus* and renamed *Lentimonavirus lentinulae*;
- Genus *Penicillimonavirus* was established for ten novel species:
 - o *Penicillimonavirus alphapenicillii* for *Penicillium adametzoides* negative-stranded RNA virus 1 (PaNSRV-1), discovered by HTS in a fungus (*Penicillium*

- adametzioides* S. Abe ex G. Smith 1963) sampled in Spresiano, Veneto Region, Italy [73];
- o *Penicillimonavirus alphaplasmaparae* for *Plasmopara viticola* lesion associated mononegambivirus 1 (PvaMV-1), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy [17];
 - o *Penicillimonavirus betapenicillii* for *Penicillium glabrum* negative-stranded RNA virus 1 (PgRIV-1), discovered by HTS in a fungus (*Penicillium glabrum* (Wehmer) Westling, (1911)) sampled in Spresiano, Veneto Region, Italy [73];
 - o *Penicillimonavirus betaplasmaparae* for *Plasmopara viticola* lesion associated mononegambivirus 2 (PvaMV-2) and *Plasmopara viticola* lesion associated mononegambivirus 4 (PvaMV-4), both discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy (PvaMV-2 and PvaMV-4) and Spain (PvaMV-2) [17];
 - o *Penicillimonavirus deltaplasmaparae* for *Plasmopara viticola* lesion associated mononegambivirus 5 (PvaMV-5), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy [17];
 - o *Penicillimonavirus epsilonplasmoparae* for *Plasmopara viticola* lesion associated mononegambivirus 6 (PvaMV-6), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy and Spain [17];
 - o *Penicillimonavirus etaplasmaparae* for *Plasmopara viticola* lesion associated mononegambivirus 9 (PvaMV-9), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy [17];
 - o *Penicillimonavirus gammaplasmaparae* for *Plasmopara viticola* lesion associated mononegambivirus 3 (PvaMV-3), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy [17];
 - o *Penicillimonavirus kilnbarnense* for Kiln Barn virus (KBV), discovered by HTS in a spotted wing drosophila (*Drosophila suzukii* (Matsumura, 1931)) sampled in the UK [70]; and
 - o *Penicillimonavirus zetaplasmaparae* for *Plasmopara viticola* lesion associated mononegambivirus 7 (PvaMV-7), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy [17];
- Genus *Phyllomonavirus* was established for one new species, *Phyllomonavirus gysingense*, for Gysing virus (GYSV), discovered by HTS in culicid mosquitoes (*Culex* sp.) or associated fungi sampled in Sweden [80]. Species *Phyllosphere sclerotimonavirus* was moved from *Myomonaviridae: Sclerotimonavirus* and renamed *Phyllomonavirus phyllosphaerae*;
 - Genus *Plasmopamonavirus* was established for one new species, *Plasmopamonavirus plasmoparae*, for *Plasmopara viticola* lesion associated mononegambivirus 8 (PvaMV-8), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Spain [17]; and
 - Genus *Rhizomonavirus* was established for one new species, *Rhizomonavirus mali*, for apple virus B (APPV-B), discovered by HTS in apple trees (*Malus domestica* Borkh., 1803) sampled in Washington, USA [110].
- Genus *Hubramonavirus* was expanded by one new species, *Hubramonavirus terrae*, for H2BulkLitter1223 virus, discovered by HTS in grassland soil collected in Hopland, California, USA [98]. Species *Hubei hubramonavirus* was renamed as *Hubramonavirus hubeiense* (TaxoProp 2020.004F.A.v1.Mymona). Species *Hubei sclerotimonavirus* was deleted (TaxoProp 2020.006M.A.v1.Corrections).
- Genus *Sclerotimonavirus* was expanded by eight novel species (TaxoProp 2020.004F.A.v1.Mymona):
- *Sclerotimonavirus alphaclarireediae* for *Sclerotinia homoeocarpa* TSA contig 1 (ShTSA-1) and *Sclerotinia homoeocarpa* TSA contig 2 (ShTSA-2), both discovered by data mining of transcriptome shotgun assemblies (TSAs) of a fungus (*Sclerotinia homoeocarpa* (Bennett, 1937)) [54];
 - *Sclerotimonavirus alphaplasmaparae* for *Plasmopara viticola* lesion associated mymonavirus 1 (PvaMV-1), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy [17];
 - *Sclerotimonavirus alternariae* for *Alternaria tenuissima* negative-stranded RNA virus 1 (AtNsRV-1), discovered by HTS in a fungus (*Alternaria tenuissima* Samuel Paul Wiltshire (1933)) sampled in Spresiano, Veneto Region, Italy [73];
 - *Sclerotimonavirus betaclarireediae* for *Sclerotinia homoeocarpa* TSA contig 3 (ShTSA-3), discovered by data mining of transcriptome shotgun assemblies (TSAs)

of a fungus (*Sclerotinia homoeocarpa* (Bennett, 1937)) [54];

- *Sclerotimonavirus betaplasmoparae* for Plasmopara viticola lesion associated mononeg virus 2 (PvaMV-2), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy and Spain [17];
- *Sclerotimonavirus botrytidis* for Botrytis cinerea mymonavirus 1 (BcMyV-1), discovered by HTS in a gray mold (*Botrytis cinerea* Pers. (1794)) [40] and Sclerotinia sclerotiorum negative-stranded RNA virus 7 (SsNSRV-7), discovered by HTS in cottony rot fungi (*Sclerotinia sclerotiorum* (Lib.) de Bary (1884)) [72] sampled in Australia;
- *Sclerotimonavirus penicillii* for Penicillium cairnsense negative-stranded RNA virus 1 (PcNsRV-1), discovered by HTS in a fungus (*Penicillium cairnsense* Houbraken, J.; Frisvad, J.C.; Cole, T.; Samson, R.A. 2011) sampled in Spresiano, Veneto Region, Italy [73]; and
- *Sclerotimonavirus terrae* for H4BulkLitter234 virus, discovered by HTS in grassland soil collected in Hopland, California, USA [98].

Species *Glycine sclerotimonavirus*, *Illinois sclerotimonavirus*, and *Sclerotinia sclerotimonavirus* were renamed as *Sclerotimonavirus fusarii*, *Sclerotimonavirus illinoisense*, and *Sclerotimonavirus sclerotinae*, respectively. Sclerotinia sclerotiorum negative-stranded RNA virus 1-A (SsNSRV-1-A) and Sclerotinia sclerotiorum negative-stranded RNA virus 3-A (SsNSRV-3-A), both discovered by HTS in cottony rot (*Sclerotinia sclerotiorum* (Lib.) de Bary (1884)) sampled in Australia [72], were moved into the species *Sclerotimonavirus sclerotinae*.

Family Nyamiviridae

One new genus, *Formivirus*, was established for four novel species (TaxoProp 2020.024M.A.v1. Nyamiviridae_Ingen_5nsp):

- *Chalybion formivirus* for hymenopteran orino-related virus OKIAV87 (HORV-87), discovered by HTS in a blue mud dauber (*Chalybion californicum* (Saussure, 1867)) sampled in Tennessee, USA [49];
- *Exsecta formivirus* for Formica exsecta virus 4 (FeV-4), discovered by HTS in a narrow-headed ant (*Formica exsecta* Nylander, 1846) sampled on Hanko Peninsula (Hankoniemi), southwestern Finland [23];
- *Fusca formivirus* for Formica fusca virus 1 (FfusV-1), discovered by HTS in a formicid ant (*Formica fusca* Linnaeus, 1758) collected in Cambridge, East of England, UK [52]; and

- *Gorytes formivirus* for hymenopteran orino-related virus OKIAV85 (HORV-85), discovered by HTS in a sand wasp (*Gorytes laticinctus* (Lepelletier, 1832)) collected in Albersweiler, Rhineland-Palatinate (Rheinland-Pfalz), Germany in 2011 [49].

Genus *Nyavirus* was expanded by one species, *Jacinto nyavirus*, for San Jacinto virus (SJCIV) isolated from a common starling (*Sturnus vulgaris* Linnaeus, 1758) sampled in Harris County, Texas [104] (TaxoProp 2020.024M.A.v1. Nyamiviridae_Ingen_5nsp).

Family Paramyxoviridae

Genus *Metaavulavirus* was expanded by one species, *Avian metaavulavirus 22*, for avian paramyxovirus 22 (APMV-22) isolated from turtle doves (*Streptopelia tranquebarica* (Hermann, 1804)) sampled in Taiwan [64] (TaxoProp 2020.011M.A.v1.Metaavulavirus_1nsp).

Species *Avian orthovulavirus 21* [sic] was deleted (TaxoProp 2020.006M.A.v1.Corrections).

Family Rhabdoviridae

Family *Rhabdoviridae* was split into three subfamilies:

- *Alpharhabdovirinae* for genera *Almendravivirus*, *Alphanemrhavirus*, *Arurhavirus*, *Barhavirus*, *Calighravirus*, *Curiovirus*, *Ephemerovirus*, *Hapavirus*, *Ledantevirus*, *Lostrhavirus*, *Lyssavirus*, *Mousrhavirus*, *Ohlsrhavirus*, *Perhabdovirus*, *Sawgrhavirus*, *Sigmavirus*, *Sprivivirus*, *Sripuvirus*, *Sunrhavirus*, *Tibrovirus*, *Tupavirus*, *Vesiculovirus*, and *Zarhavirus*;
- *Betarhabdovirinae* for genera *Alphanucleorhabdovirus*, *Betanucleorhabdovirus*, *Cytorhabdovirus*, *Dichorhavirus*, *Gammanucleorhabdovirus*, and *Varicosavirus*; and
- *Gammarhabdovirinae* for genus *Novirhabdovirus* (TaxoProp 2020.016M.A.v1.Rhabdoviridae_3subfam).

Three new genera were included in subfamily *Alpharhabdovirinae*:

- Genus *Alphapapravirus*, including two novel species (TaxoProp 2020.014M.A.v1. Alphapapravirus_1gen2sp):
 - *Hubei alphapapravirus* for Hubei lepidoptera virus 2 (HbLV-2), discovered by HTS in insects (Lepidoptera) sampled in Húběi Province (湖北省), China [91]; and
 - *Pararge alphapapravirus* for Pararge aegeria rhabdovirus (PAeRV), discovered by HTS in speckled wood (*Pararge aegeria* (Linnaeus, 1758)) in

- Belgium [65]. Lepidopteran rhabdo-related virus OKIAV-12 [49] is a junior synonym of PAeRV;
- Genus *Alpharicinrhavirus*, including three novel species (TaxoProp 2020.001M.A.v1.Alpharicinrhavirus):
 - *Blanchseco alpharicinrhavirus* for Blanchseco virus (BCOV), discovered by HTS in ixodid ticks (*Amblyomma ovale* Koch, 1844) sampled in Trinidad and Tobago [87];
 - *Bole alpharicinrhavirus* for Bole tick virus 2 (BITV-2), discovered by HTS in ixodid ticks (*Hyalomma asiaticum* Schulze et Schlottke, 1929) sampled in Bólè (博乐市), Xīnjiāng Uygur Autonomous Region (新疆维吾尔自治区), China [61];
 - *Wuhan alpharicinrhavirus* for Wuhan tick virus 1 (WhTV-1), discovered by HTS in Asian blue ticks (*Rhipicephalus microplus* (Canestrini, 1888)) sampled in Wúhàn (武汉市), Húběi Province (湖北省), China [61]. *Rhipicephalus* associated rhabdo-like virus (RaRLV/YN-rhabdoV1) [90] is a junior synonym of WhTV-1; and
 - Genus *Merhavirus*, including two novel species (TaxoProp 2020.015M.A.v1.Merhavirus_1gen2nsp):
 - *Merida merhavirus* for Merida virus (MERDV), discovered in southern house mosquitoes (*Culex quinquefasciatus* Say, 1823), black salt marsh mosquitoes (*Aedes taeniorhynchus* (Wiedemann, 1821)), and *Aedes trivittatus* (Coquillett, 1902) mosquitoes sampled on Yucatán Peninsula, Mexico [75]. *Culex* rhabdovirus (CXRV) [86] and Merida-like virus Turkey (MLVT) [28] are junior synonyms of MERDV; and
 - *Tritaeiorhynchus merhavirus* for *Culex* tritaeiorhynchus rhabdovirus (CTRV) isolated from culicid mosquitoes (*Aedes taeniorhynchus* (Wiedemann, 1821)) sampled in Chiba (千葉市), Chiba Prefecture (千葉県), Japan [58].
- Seven new genera, not assigned to a subfamily, were included in the family:
- Genus *Alphacrustrhavirus*, including two new species (TaxoProps 2020.023M.A.v1.Rhabdoviridae_7ngen_16nsp and 2020.030M.R.Negarnaviricota_corrections):
 - *Wenling alphacrustrhavirus* for Wenling crustacean virus 10 (WICV-10), discovered by HTS in a pool of marine crustaceans of multiple families sampled in Zhèjiāng Province (浙江省), China [91]; and
 - *Zhejiang alphacrustrhavirus* for Wenling crustacean virus 11 (WICV-11), discovered by HTS in a pool of marine crustaceans of multiple families sampled in Zhèjiāng Province (浙江省), China [91];
 - Genus *Alphadrosrhavirus*, including two new species (TaxoProp 2020.023M.A.v1.Rhabdoviridae_7ngen_16nsp):
 - *Hubei alphadrosrhavirus* for Wuhan house fly virus 2 (WhHFV-2), discovered by HTS in houseflies (*Musca domestica* Linnaeus, 1758) collected in Húběi Province (湖北省), China [61]; and
 - *Shayang alphadrosrhavirus* for Shayang fly virus 3 (SyFV-3), discovered by HTS in oriental latrine flies (*Chrysomya megacephala* (Fabricius, 1794)) collected in Húběi Province (湖北省), China [61];
 - Genus *Alphahymrhavirus*, including four new species (TaxoProp 2020.023M.A.v1.Rhabdoviridae_7ngen_16nsp):
 - *Cinereus alphahymrhavirus* for hymenopteran rhabdo-related virus 38 (HyRRV-38), discovered in a TSA of a leaden spider wasp (*Pompilus cinereus* Fabricius, 1798) collected in Birkenheide, Rhineland-Palatinate (Rheinland-Pfalz), Germany [49];
 - *Hirtum alphahymrhavirus* for hymenopteran rhabdo-related virus 109 (HyRRV-109), discovered in a TSA of a cricket hunter wasp (*Chlorion hirtum* (Kohl, 1885)) collected in Ein Bokek (עֵין בּוֹכֵק), Israel [49];
 - *Neglectus alphahymrhavirus* for *Lasius neglectus* virus 2 (LnegV-2), discovered in the transcriptome of an ant (*Lasius neglectus* Van Loon, Boomsma & Andrásfalvy, 1990) sampled in the UK [52]; and
 - *Radians alphahymrhavirus* for hymenopteran rhabdo-related virus 46 (HyRRV-46) discovered in a TSA of a cuckoo wasp (*Chrysura radians* (Harris, 1776)) collected in Turlin, Italy, in 2012 [49];
 - Genus *Betahymrhavirus*, including two new species (TaxoProp 2020.023M.A.v1.Rhabdoviridae_7ngen_16nsp):
 - *Austriaca betahymrhavirus* for hymenopteran rhabdo-related virus 23 (HyRRV-23), discovered in a TSA of a cuckoo wasp (*Chrysura austriaca* (Fabricius, 1804)) collected in Battenberg, Rhineland-Palatinate (Rheinland-Pfalz), Germany [49]. Hymenopteran rhabdo-related virus 22 (HyRRV-22) [49] is a junior synonym of HyRVV-23; and
 - *Heterodontonyx betahymrhavirus* for hymenopteran rhabdo-related virus 24 (HyRRV-24), discovered in

a TSA of a spider wasp (*Heterodontonyx* sp.) collected in Western Australia [49];

- Genus *Betanemrhavirus*, including two new species (TaxoProp 2020.023M.A.v1.Rhabdoviridae_7ngen_16nsp):
 - *Hubei betanemrhavirus* for Hubei rhabdo-like virus 9 (HbRLV-9) detected in large pig roundworms (*Ascaris suum* (Goeze, 1782)) sampled in Húběi Province (湖北省), China [91]; and
 - *Shayang betanemrhavirus* for Shayang ascaridia galli virus 2 (SyAGV-2) detected in roundworms (*Ascaridia galli* Schrank, 1788 and *Ascaris suum* (Goeze, 1782)) sampled in Húběi Province (湖北省), China, [91];
- Genus *Betapapravirus*, including two new species (TaxoProp 2020.023M.A.v1.Rhabdoviridae_7ngen_16nsp):
 - *Frugiperda betapapravirus* for Spodoptera frugiperda rhabdovirus (SfruRV) isolated originally in the Sf9 cell line derived from a fall armyworm (*Spodoptera frugiperda* (J. E. Smith, 1797)) [67]; and
 - *Sylvina betapapravirus* for lepidopteran rhabdo-related virus 34 (LeRRV-34), discovered in a TSA of an orange moth (*Triodia sylvina* (Linnaeus, 1761)) collected in Hóhbeck, Lower Saxony (Niedersachsen), Germany [49]; and
- genus *Betaricinrhavirus*, including two new species (TaxoProp 2020.023M.A.v1.Rhabdoviridae_7ngen_16nsp):
 - *Chimay betaricinrhavirus* for Chimay rhabdovirus (CRV), discovered by HTS in castor bean ticks (*Ixodes ricinus* (Linnaeus, 1758)) sampled in Belgium [unpublished; GenBank #MF975531]; and
 - *Scapularis betaricinrhavirus* for blacklegged tick rhabdovirus 1 (BLTRV-1), discovered by HTS in deer ticks (*Ixodes scapularis* Say, 1821) sampled in Connecticut and New York, USA [100].

Genus *Alphanucleorhabdovirus* was expanded by two species (TaxoProp 2020.013M.A.v1.Plant_rhabdoviruses_9nsp):

- *Constricta yellow dwarf alphanucleorhabdovirus* for constricta yellow dwarf virus (CYDV) first isolated from potato (*Solanum tuberosum* L.) in New Jersey, USA [11]. Potato yellow dwarf virus New Jersey (PYDV-New Jersey) is a junior synonym of CYDV [48]; and

- *Peach alphanucleorhabdovirus* for peach virus 1 (PeV1), discovered by HTS in peach (*Prunus persica* L.) trees sampled in China [115];

Genus *Betanucleorhabdovirus* was expanded by three species (TaxoProp 2020.013M.A.v1.Plant_rhabdoviruses_9nsp):

- *Apple betanucleorhabdovirus* for apple rootstock virus A (ApRVA), discovered by HTS in apple (*Malus* spp.) trees in North Gyeongsang Province (경상북도), South Korea [4];
- *Cardamom betanucleorhabdovirus* for cardamom vein clearing virus (CdVCV), discovered by HTS in green cardamon (*Elettaria cardamomum* (L.) Maton) sampled in India [9]; and
- *Pepper betanucleorhabdovirus* for Zhuye pepper nucleorhabdovirus (ZPNRV), discovered by HTS in winged prickly ash (*Zanthoxylum armatum* DC. v. *novemfolium*) sampled in China [15].

Genus *Cytorhabdovirus* was expanded by five species (TaxoProps 2020.004M.A.v1.Cytorhabdovirus_3nsp and 2020.013M.A.v1.Plant_rhabdoviruses_9nsp):

- *Strawberry cytorhabdovirus 1* for strawberry virus 1 (StrV-1) and strawberry-associated virus 1 (SaV-1), discovered by HTS in garden strawberries (*Fragaria × ananassa* Duchesne and *Fragaria vesca* var. *semperflorans* 'Rujana') and woodland strawberries (*Fragaria vesca* L.) sampled in China [25] and the Czech Republic [31];
- *Trichosanthes cytorhabdovirus* for Trichosanthes associated rhabdovirus 1 (TrARV1) identified in the transcriptome of cucurbit flowering plant (*Trichosanthes krilowii* Maxim.) sampled in China [37];
- *Trifolium pratense cytorhabdovirus A* for Trifolium pratense virus A (TpVA) isolated from red clovers (*Trifolium pratense* L.) sampled in Hladké Žitovice, Moravian-Silesian Region (Moravskoslezský kraj), Czech Republic [32];
- *Trifolium pratense cytorhabdovirus B* for Trifolium pratense virus B (TpVB), discovered by HTS in red clovers (*Trifolium pratense* L.) sampled in Boršov nad Vltavou, South Bohemia Region (Jihočeský kraj), Czech Republic [32]; and
- *Yerba mate cytorhabdovirus* for yerba mate virus A (YmVA), discovered by HTS in yerba mate (*Ilex paraguariensis* A.St.-Hil.) sampled in Gobernador Virasoro, Province of Corrientes (Provincia de Corrientes), Argentina [6].

Genus *Ephemerovirus* was expanded by three species (TaxoProp 2020.005M.A.v1.Ephemerovirus_3nsp):

- *Hayes ephemerovirus* for Hayes Yard virus (HYV) isolated from a zebu (*Bos taurus indicus* Linnaeus, 1758) sampled in Northern Territory, Australia [12];
- *Kent ephemerovirus* for New Kent County virus (NKCV), discovered by HTS in a deer tick (*Ixodes scapularis* Say, 1821) sampled in New Kent County, Virginia, USA [100]; and
- *Puchong ephemerovirus* for Puchong virus (PUCV) first isolated in 1965 from culicid mosquitoes (*Mansonia uniformis* (Theobald, 1901)) collected in Selangor Darul Ehsan State (سلاڠور دار الإحسان), Malaysia [51].

Genus *Ledantevirus* was expanded by one species, *Bughendera ledantevirus*, for Bughendera virus (BUGV), discovered by HTS in nycteribiid bat flies (Dipselipoda) sampled in Bundibugyo District, Western Region, Uganda [7] (TaxoProp 2020.021M.A.v1.Ledantevirus_1nsp).

Genus *Lostrhavirus* was expanded by one species: *Hyalomma lostrhavirus*, for Xinjiang tick rhabdovirus (XjTRV), discovered by HTS in ixodid ticks (*Hyalomma asiaticum* Schulze et Schlottko, 1929) collected in Xīnjiāng Uygur Autonomous Region (新疆维吾尔自治区), China [unpublished; GenBank #MH688524] (TaxoProp 2020.010M.A.v1.Lostrhavirus_1nsp). Species name *Lonestar zarhavirus* was corrected to *Lonestar lostrhavirus* (TaxoProp 2020.006M.A.v1.Corrections).

Genus *Ohlsrhavirus* was expanded by three species (TaxoProp 2020.007M.A.v1.Ohlsrhavirus_3nsp)

- *Angeles ohlsrhavirus* for *Culex* rhabdo-like virus Los Angeles (CRLVLA) detected by HTS in culicid mosquitoes (*Culex* sp.) collected in California, USA [86];
- *Lobeira ohlsrhavirus* for Lobeira virus (LOBV), discovered by HTS in culicid mosquitoes (*Psorophora albigena* (Peryassú, 1908) and *Aedes albopictus* (Skuse, 1894)) collected in Mato Grosso State, Brazil [21, 94]; and
- *Pseudovishnui ohlsrhavirus* for *Culex* pseudovishnui rhabdo-like virus (CpRLV), discovered by HTS in culicid mosquitoes (*Culex pseudovishnui* Colless, 1957) collected in Isahaya (諫早市), Nagasaki Prefecture (長崎県), Japan [30].

Genus *Sigmavirus* was expanded by ten species (TaxoProp 2020.003M.A.v1.Sigmavirus_10nsp):

- *Capitata sigmavirus* for *Ceratitis capitata* sigmavirus (CCapSV), discovered by HTS in Mediterranean fruit flies (*Ceratitis capitata* (Wiedemann, 1824)) sampled in Hawaii, USA [65];
- *Domestica sigmavirus* for Wuhan fly virus 2 (WhFV-2), discovered by HTS in houseflies (*Musca domestica* Linnaeus, 1758) sampled in Wūhàn (武汉市), Húběi Province (湖北省), China [61];

- *Hippoboscid sigmavirus* for Wuhan louse fly virus 9 (WhLFV-9), discovered by HTS in louse flies (Hippoboscidae) sampled in Wūhàn (武汉市), Húběi Province (湖北省), China [61];
- *Hubei sigmavirus* for Hubei diptera virus 9 (HbDV-9), discovered by HTS in unidentified flies (Diptera) sampled in Húběi Province (湖北省), China [91];
- *Lousefly sigmavirus* for Wuhan louse fly virus 10 (WhLFV-10), discovered by HTS in louse flies (Hippoboscidae) sampled in Wūhàn (武汉市), Húběi Province (湖北省), China [61];
- *Myga sigmavirus* for Hubei diptera virus 10 (HbDV-10), discovered by HTS in unidentified flies (Diptera) sampled in Húběi Province (湖北省), China [91];
- *Shayang sigmavirus* for Shayang fly virus 2 (SyFV-1), discovered by HTS in houseflies (*Musca domestica* Linnaeus, 1758) sampled in Shāyáng County (沙洋县), Húběi Province (湖北省), China [61];
- *Sturtevantii sigmavirus* for *Drosophila sturtevantii* sigmavirus (DStuSV), discovered by HTS in fruit flies (*Drosophila sturtevantii* Duda, 1927) sampled in Granada, Andalusia, Spain [65];
- *Wuhan sigmavirus* for Wuhan house fly virus 1 (WhHFV-1), discovered by HTS in houseflies (*Musca domestica* Linnaeus, 1758) sampled in Wūhàn (武汉市), Húběi Province (湖北省), China [61, 91]; and
- *Ying sigmavirus* for Hubei dimarhabdovirus 1 (HbDRV-1), discovered by HTS in unidentified flies (Diptera) sampled in Húběi Province (湖北省), China [91].

Genus *Sunrhavirus* was expanded by one species, *Dillard sunrhavirus*, for Dillard's Draw virus (DDR), discovered by HTS in culicid mosquitoes (*Culex tarsalis* Linnaeus, 1758) sampled in New Mexico, USA [82] (TaxoProp 2020.008M.A.v1.Sunrhavirus_1nsp).

Genus *Varicosavirus* was expanded by two species (TaxoProp 2020.013M.A.v1.Plant_rhabdoviruses_9nsp):

- *Alopecurus varicosavirus* for *Alopecurus myosuroides* varicosavirus 1 (AMVV-1) identified by transcriptome sequencing in black-grass (*Alopecurus myosuroides* Huds.) in the UK [85]; and
- *Trifolium varicosavirus* for red clover associated varicosavirus (RCaVV), discovered by HTS in red clover (*Trifolium pratense* L.) sampled in Hladké Žitovice, Moravian-Silesian Region (Moravskoslezský kraj), Czech Republic [53].

Genus *Vesiculovirus* was expanded by one species, *Rhinolophus vesiculovirus*, for Jinghong bat virus (JhBV), discovered in an intermediate horseshoe bat (*Rhinolophus affinis* Horsfield, 1823) sampled in Jǐnghóng (景洪市), Yúnnán Province (云南省), China

[111] (TaxoProp 2020.009M.A.v1.Vesiculovirus_1nsp_ren1sp). Species *American bat vesiculovirus* was renamed *Eptesicus vesiculovirus* (TaxoProp 2020.009M.A.v1.Vesiculovirus_1nsp_ren1sp).

Taxonomic changes within order *Bunyvirales* (*Polyploviricota*: *Ellioviricetes*)

Family *Arenaviridae*

Genus *Antennavirus* was expanded by one species, *Salmon antennavirus*, for salmon pescarenavirus 1 (SPAV-1), discovered by HTS in Chinook salmon (*Oncorhynchus tshawytscha* (Walbaum, 1792)) and salmon pescarenavirus 2 (SPAV-2) in sockeye salmon (*Oncorhynchus nerka* (Walbaum, 1792)) [71] (TaxoProp 2020.018M.A.v1.Antennavirus).

Genus *Hartmanivirus* was expanded by two species: *Heimat hartmanivirus* for andere Heimat virus 1 (aHeV-1) and *Setpatvet hartmanivirus* for SetPatVet virus 1 (SPVV-1), both discovered by HTS in Brazilian boa constrictors (*Boa constrictor* Linnaeus, 1758) [3, 43] (TaxoProp 2020.019M.A.v2.Hartmanivirus).

Genus *Mammarenavirus* was expanded by one species, *Kitale mammarenavirus*, for Kitale virus (KTLV) first discovered by HTS in a Macmillan's grammomys (*Grammomys macmillani* (Wroughton, 1907)), sampled in Kitale, Trans-Nzoia County, Kenya [76] (TaxoProp 2020.017M.A.v2.Mammarenavirus).

Family *Cruliviridae*

In genus *Lincruvirus*, two new species were established (TaxoProp 2020.002M.A.v2.Lincruvirus_2nsp):

- *Lincruvirus europense* for European shore crab virus 1 (EscV-1; previously named “Carcinus maenas Portunibunyavirus 1”), discovered by HTS in European shore crabs (*Carcinus maenas* (Linnaeus, 1758)) [13]; and
- *Lincruvirus sinense* for Chinese mitten crab virus 1 (CmcV-1; previously named “Eriocheir sinensis Bunya like virus”), discovered by HTS in Chinese mitten crabs (*Eriocheir sinensis* Milne-Edwards, 1853) [44].

Species *Crustacean lincruvirus* was renamed *Lincruvirus wenlingense* (TaxoProp 2020.002M.A.v2.Lincruvirus_2nsp).

Family *Fimoviridae*

Genus *Emaravirus* was expanded by ten species:

- *Actinidia emaravirus 2* for Actinidia virus 2 (AcV-2), discovered by RT-PCR in kiwifruit (*Actinidia* sp.) collected in Zhèjiāng Province (浙江省), China [106] (TaxoProp 2020.012P.A.v1.Emaravirus_AcV-2);
- *Aspen mosaic-associated emaravirus* for aspen mosaic-associated virus (AsMaV), discovered by HTS in Eurasian aspen (*Populus tremula* L.) sampled in Sweden [103] (TaxoProp 2020.013P.A.v1.Emaravirus_AsMaV);
- *Camellia japonica-associated emaravirus 1* for Camellia japonica-associated virus 1 (CjaV-1), discovered by HTS in common camellia (*Camellia japonica* L.) sampled at Lake Maggiore, Piedmont, Italy [78, 114] (TaxoProp 2020.018P.A.v1.Emaravirus_CjaV-1);
- *Camellia japonica-associated emaravirus 2* for Camellia japonica-associated virus 2 (CjaV-2), discovered by HTS in common camellia (*Camellia japonica* L.) sampled at Lake Maggiore, Piedmont, Italy [78, 114] (TaxoProp 2020.019P.A.v1.Emaravirus_CjaV-2);
- *Jujube yellow mottle-associated emaravirus* for jujube yellow mottle-associated virus (JYMaV), discovered by HTS in jujube (*Ziziphus jujuba* Mill.) sampled in Cháoyáng (朝阳市), Liáoníng Province (辽宁省), China [112] (TaxoProp 2020.020P.A.v1.Emaravirus_JYMaV);
- *Lilac chlorotic ringspot-associated emaravirus* for lilac chlorotic ringspot-associated virus (LiCRaV), discovered by HTS in lilac (*Syringa vulgaris* L.) sampled in Yán'ān (延安市), Shaanxi/Shānxī Province (陕西省), China [105] (TaxoProp 2020.014P.A.v1.Emaravirus_LiCRaV);
- *Palo verde broom emaravirus* for palo verde broom virus (PVBV), discovered by HTS in a blue palo verde tree (*Parkinsonia florida* (Benth. ex A.Gray) S. Wats.) sampled in Arizona, USA [47] (TaxoProp 2020.015P.A.v1.Emaravirus_PVBV);
- *Pear chlorotic leaf spot-associated emaravirus* for pear chlorotic leaf spot-associated virus (PCLSaV), discovered by HTS in Asian pear plants (*Pyrus pyrifolia* (Burm.) Nak.) sampled in southern China [63] (TaxoProp 2020.016P.A.v1.Emaravirus_PCLSaV);
- *Perilla mosaic emaravirus* for perilla mosaic virus (PerMV), discovered in perilla (*Perilla frutescens* (L.) Britton) sampled in Japan [55] (TaxoProp 2020.021P.A.v1.Emaravirus_PerMV); and
- *Ti ringspot-associated emaravirus* for ti ringspot-associated virus (TiRSaV), discovered in ti (*Cordyline fruticosa* L.) sampled on the islands of Oahu, Maui, and Hawaii, USA [74] (TaxoProp 2020.017P.A.v1.Emaravirus_TiRSaV).

Family *Hantaviridae*

Genus *Actinivirus* was expanded by one species, *Perch actinivirus*, for Bern perch virus (BRPV), discovered by HTS

in European perch (*Perca fluviatilis* Linnaeus, 1758) sampled in Switzerland [unpublished; GenBank # MN510769/MN510770/MN510771] (TaxoProp 2020.025M.A.v2.Hantaviridae_5nsp).

Genus *Mobatvirus* was expanded by two species (TaxoProp 2020.025M.A.v2.Hantaviridae_5nsp):

- *Lena mobatvirus* for Lena virus (LENV), discovered by RT-PCR in a Laxmann's shrew (*Sorex caecutiens* Laxmann, 1785) sampled in Khabarovsk (Хабаровск), Khabarovsk Krai (Хабаровский край,) Russia [113]; and
- *Xuan Son mobatvirus* for Xuân Sơn virus (XSV), discovered by RT-PCR in a Pomona leaf-nosed bat (*Hipposideros pomona* K. Andersen, 1918) in Xuân Sơn National Park, Phú Thọ Province, Vietnam [2].

Genus *Orthohantavirus* was expanded by two species (TaxoProp 2020.025M.A.v2.Hantaviridae_5nsp):

- *Robina orthohantavirus* for Robina virus (ROBV), discovered in a black flying fox (*Pteropus alecto* Temminck, 1837) sampled near Robina, Queensland, Australia [unpublished; GenBank #MK165653/MK165654/MK165655]; and
- *Tatenale orthohantavirus* for Tatenale virus (TATV) first discovered by RT-PCR in a field vole (*Microtus agrestis* (Linnaeus, 1761)) trapped in North West England, UK [16, 81].

Family *Nairoviridae*

Family *Nairoviridae* was thoroughly revised (TaxoProps 2020.027M.A.v1.Nairoviridae_4ngen_30nsp and 2020.030M.R.Negarnaviricota_corrections). Four new genera were added:

- Genus *Norwavirus* was created for a single new species, *Grotenhout norwavirus*, for Grotenhout virus (GRHV), discovered by HTS in a castor bean tick (*Ixodes ricinus* (Linnaeus, 1758)) sampled in Grotenhout, Belgium [101]. Junior synonyms for Grotenhout virus are Norway nairovirus 1 [79] and Pustyn virus [unpublished; GenBank #KT007142/KT007143];
- Genus *Ocetevirus* was created for a single new species, *Blattodean ocetevirus*, for blattodean nairo-related virus 321 (BNRV-321), now renamed red goblin roach virus 1 (RGRV-1), discovered by HTS in a red goblin roach (*Paratemnopteryx coulöniana* (Saussure, 1863)) sampled in Germany [49];
- Genus *Sabavirus* was created for a single new species, *South Bay sabavirus*, for South Bay virus (SBV), discov-

ered by HTS in a deer tick (*Ixodes scapularis* Say, 1821) in Great South Bay, New York, USA [99]; and

- Genus *Xinispivirus* was created for a single new species, *Xinzhou xinispivirus*, for Xinzhōu spider virus (XSV), discovered by HTS in a brown sailor spider (*Neoscona nautica* (L. Koch, 1875)) in Xinzhōu District (新洲区), Wūhàn (武汉市), Húběi Province (湖北省), China [61].

Genus *Orthonairovirus* was expanded by 26 species:

- *Abu Hammad orthonairovirus* for Abū Ḥammād virus (AHV) was moved from *Dera Ghazi Khan orthonairovirus*;
- *Abu Mina orthonairovirus* for Abū Mīnā virus (AMV) was moved from *Dera Ghazi Khan orthonairovirus*;
- *Avalon orthonairovirus* for Avalon virus (AVAV) was moved from *Sakhalin orthonairovirus*;
- *Bandia orthonairovirus* for Bandia virus (BDAV) was moved from *Qalyub orthonairovirus*;
- *Burana orthonairovirus* for Burana virus (BURV) was moved from *Tamdy orthonairovirus*;
- *Congoid orthonairovirus* for Crimean-Congo hemorrhagic fever virus (CCHFV) genogroup VI (Europe 2), now renamed Aigai virus (AIGV), isolated in 1975 from an ixodid tick (*Rhipicephalus bursa* Canestrini & Fanzago, 1878) sampled in Vergina (Βεργίνα; ancient Aigai [Αἰγαί]), Central Macedonia Region (Περιφέρεια Κεντρικής Μακεδονίας), Greece [77, 116];
- *Erve orthonairovirus* for Erve virus (ERVEV) was moved from *Thiafora orthonairovirus*;
- *Gossas orthonairovirus* for Gossas virus (GOSV) was moved from *Keterah orthonairovirus*;
- *Huangpi orthonairovirus* for Huángpí tick virus 1 (HpTV-1) was moved from *Tamdy orthonairovirus*;
- *Issyk-kul orthonairovirus* for Issyk-kul virus (ISKV) was moved from *Keterah orthonairovirus*;
- *Kupe orthonairovirus* for kupe virus (KUPEV) was moved from *Dugbe orthonairovirus*;
- *Leopards Hill orthonairovirus* for Leopards Hill virus (LPHV) was moved from *Keterah orthonairovirus*;
- *Meram orthonairovirus* for Meram virus (MEMV), discovered by HTS in an ixodid tick (*Hyalomma aegyptium* Linnaeus, 1758) sampled in Konya, Central Anatolia Region (İç Anadolu Bölgesi), Turkey [29];
- *Pacific Coast orthonairovirus* for Pacific Coast tick nairovirus (PCTNV), discovered by HTS in a Pacific Coast tick (*Dermacentor occidentalis* Marx, 1892) sampled in Mendocino County, California, USA [14];
- *Punta orthonairovirus* for Punta Salinas virus (PSV) was moved from *Hughes orthonairovirus*;
- *Sapphire orthonairovirus* for Sapphire II virus (SAPV) was moved from *Dera Ghazi Khan orthonairovirus*;

- *Scot orthonairovirus* for Clo Mor virus (CLMV) was moved from *Sakhalin orthonairovirus*;
- *Soldado orthonairovirus* for Soldado virus (SOLV) was moved from *Hughes orthonairovirus*;
- *Tacheng orthonairovirus* for Tǎchéng tick virus 1 (TcTV-1) was moved from *Tamdy orthonairovirus*;
- *Taggert orthonairovirus* for Taggert virus (TAGV) was moved from *Sakhalin orthonairovirus*;
- *Tofla orthonairovirus* for tofla virus (TFLV) was moved from *Hazara orthonairovirus*;
- *Tunis orthonairovirus* for Tunis virus (TUNV) was moved from *Abu Hammad orthonairovirus*;
- *Vinegar Hill orthonairovirus* for Vinegar Hill virus (VINHV) isolated in 1981 from ixodid ticks (*Argas robertsi* Hoogstraal, Kaiser & Kohls, 1968) sampled in Gattton, Queensland, Australia [36, 97];
- *Wenzhou orthonairovirus* for Wēnzhōu tick virus (WzTV) was moved from *Tamdy orthonairovirus*;
- *Yogue orthonairovirus* for Yogue virus (YOGV) was moved from *Keterah orthonairovirus*; and
- *Zirqa orthonairovirus* for Zirqa virus (ZIRV) was moved from *Hughes orthonairovirus*.

Family *Peribunyaviridae*

Genus *Orthobunyavirus* was expanded by 16 species (TaxoProps 2020.012M.A.v1.Orthobunyavirus_16new_sp_abolish_1sp and 2020.030M.R.Negarnaviricota_corrections):

- *Brazoran orthobunyavirus* for brazoran virus (BRAZV) isolated from culicid mosquitoes (*Culex* sp.) in Brazoria and Montgomery Counties, Texas, USA [59];
- *Buffalo Creek orthobunyavirus* for Buffalo Creek virus (BUCV) first isolated in 1982 from culicid mosquitoes (*Anopheles meraukensis* Venhuis, 1932) in Darwin, Northern Territory, Australia [34, 107];
- *Gan Gan orthobunyavirus* for Gan Gan virus (GGV) first isolated in 1970 from culicid mosquitoes (*Ochlerotatus vigilax* (Skuse, 1889)) collected at Nelson Bay, New South Wales, Australia [33, 35, 69];
- *Mapputta orthobunyavirus* for Mapputta virus (MAPV) first isolated in 1960 from culicid mosquitoes (*Anopheles meraukensis* Venhuis, 1932) collected in Queensland, Australia [10, 26, 34];
- *Maprik orthobunyavirus* for Maprik virus (MPKV) first isolated in 1966 from culicid mosquitoes (*Verrallina funerea* (Theobald, 1903)) sampled in Maprik, East Sepik Province, Papua New Guinea [27, 34];
- *Oyo orthobunyavirus* for Oyo virus (OYOV) first isolated in 1964 in Nigeria [unpublished; GenBank #HM63977/HM63979/HM63980];

- *Sedlec orthobunyavirus* for Sedlec virus (SEDV) first isolated in 1984 from a Eurasian reed warbler (*Acrocephalus scirpaceus* (Hermann, 1804)) sampled in South Moravian Region (Jihomoravský kraj), Czech Republic [45, 46, 50];
- *Trinito orthobunyavirus* for Trinito virus (TNTV) isolated first in 1955 from a culicid mosquito (*Trichoprosopon* sp.) sampled in Port of Spain, Trinidad and Tobago [62, 96];
- Abras virus (ABRV) was moved from species *Patois orthobunyavirus* into new species *Abras orthobunyavirus*;
- Ananindeua virus (ANUV) was moved from species *Guama orthobunyavirus* into new species *Ananindeua orthobunyavirus*;
- Apeú virus (APEUV) was moved from species *Caraparu orthobunyavirus* into new species *Apeu orthobunyavirus*;
- Bruconha virus (BRUV) was moved from species *Caraparu orthobunyavirus* into new species *Bruconha orthobunyavirus*;
- Mahogany Hammock virus (MHV) was moved from species *Guama orthobunyavirus* into new species *Mahogany Hammock orthobunyavirus*;
- Matruh virus (MTRV) was moved from species *Tete orthobunyavirus* into new species *Matruh orthobunyavirus*;
- Moju virus (MOJUV) was moved from species *Guama orthobunyavirus* into new species *Moju orthobunyavirus*; and
- Shark River virus (SRV) was moved from species *Patois orthobunyavirus* into new species *Shark River orthobunyavirus*.

Species *Zegla orthobunyavirus* was abolished (TaxoProp 2020.012M.A.v1.Orthobunyavirus_16new_sp_abolish_1sp).

Family *Phasmaviridae*

The family was expanded by new genus *Hymovirus* for two new species (TaxoProp 2020.020M.A.v1.Phasmaviridae):

- *Hymenopteran hymovirus 1* for hymenopteran phasma-related virus OKIAV252 (HyHV-1), discovered by HTS in cuckoo wasps (*Chrysura cuprea* (Rossi, 1790)) in Ponderel, Aosta Valley (Valle d'Aosta), Italy [49]; and
- *Hymenopteran hymovirus 2* for hymenopteran phasma-related virus OKIAV250 (HyHV-2) detected in cuckoo wasps (*Chrysis gracillima* Foerster, 1853) in Büchlberg/Godramstein, Rhineland-Palatinate (Rheinland-Pfalz), Germany [49].

Genus *Feravirus* was expanded by two novel species (TaxoProp 2020.020M.A.v1.Phasmaviridae):

- *Hemipteran feravirus* for hemipteran phasma-related virus OKIAV247 (HeFV), discovered by HTS in a hawthorn shield bug (*Acanthosoma haemorrhoidale* (Linnaeus, 1758)) sampled in Donrath, North Rhine-Westphalia (Nordrhein-Westfalen), Germany [49]; and
- *Neuropteran feravirus* for neuropteran phasma-related virus OKIAV248 (NeFV), discovered by HTS in a green lacewing (*Peyerimhoffina gracilis* (Schneider, 1851)) sampled in Dürnstein, Lower Austria (Niederösterreich), Austria [49].

Genus *Orthophasmavirus* was expanded by four novel species (TaxoProp 2020.020M.A.v1.Phasmaviridae):

- *Coleopteran orthophasmavirus* for coleopteran phasma-related virus OKIAV235 (CPRV), discovered by HTS in a harlequin ladybeetle (*Harmonia axyridis* (Pallas, 1773)) sampled in Jena, Thuringia (Thüringen), Germany [49];
- *Hymenopteran orthophasmavirus 1* for hymenopteran phasma-related virus OKIAV228 (HyOV-1), discovered by HTS in a cuckoo wasp (*Philoctetes bogdanovii* (Radoszkowski, 1877)) in Pondel, Aosta Valley (Valle d'Aosta), Italy [49];
- *Hymenopteran orthophasmavirus 2* for hymenopteran phasma-related virus OKIAV227 for (HyOV-2), discovered by HTS in a cuckoo wasp (*Chrysis fasciata* Olivier, 1790) in Bellheim, Rhineland-Palatinate (Rheinland-Pfalz), Germany [49]; and
- *Niukluk phantom orthophasmavirus* for Niukluk phantom virus (NUKV), discovered by HTS in a phantom midge (*Chaoborus americanus* (Johannsen, 1903)) sampled in the Niukluk River valley, Nome Census Area, Alaska, USA [5].

Family Phenuiviridae

The family was expanded by new genus *Tanzavirus* including a single new species, *Human tanzavirus*, for Dar es Salaam virus (DeSV), discovered by HTS in a human plasma sample collected in Dar es Salaam (دار السلام) Tanzania [60] (TaxoProp 2020.029M.A.v2.Pheniviridae_1gen16sp).

Genus *Bandavirus* was expanded by one new species, *Razdan bandavirus*, for Razdan virus (RAZV) isolated from ixodid ticks (*Dermacentor marginatus* Sulzer, 1776) in Armenia in 1973 [66, 117] (TaxoProp 2020.029M.A.v2.Pheniviridae_1gen16sp). Species name *Lone Star bandavirus* was corrected to *Lone star bandavirus* (TaxoProp 2020.006M.A.v1.Corrections).

Genus *Coguvirus* was expanded by one new species, *Grapevine coguvirus*, for grapevine associated cogu-like virus 1 (GaCLV-1), discovered by HTS in downy mildew-infected grapevines (*Vitis* sp.) sampled in Italy [18]. (TaxoProp 2020.029M.A.v2.Pheniviridae_1gen16sp).

Genus *Horwuvirus* was expanded by one new species, *Kimberley horwuvirus*, for Fitzroy Crossing tenui-like virus 1 (FCTenV1) detected in culicid mosquitoes (*Culex annulirostris* Skuse, 1889) sampled in Kimberley Region, Australia [108] (TaxoProp 2020.029M.A.v2.Pheniviridae_1gen16sp).

Genus *Laulavirus* was expanded by three new species: *Grapevine laulavirus 2, 3, and 4* for grapevine associated cogu-like viruses 2, 3, and 4 (GaCLV-2, GaCLV-3, GaCLV-4), respectively, discovered by HTS in downy mildew-infected grapevines (*Vitis* sp.) (GaCLV-2 and GaCLV-3) and esca-diseased grapevines (GaCLV-4) sampled in Italy [8, 18] (TaxoProp 2020.029M.A.v2.Pheniviridae_1gen16sp).

Genus *Mobuvirus* was expanded by one new species, *Narangue mobuvirus*, for Narangue virus (NRGV), discovered by HTS in a culicid mosquito (*Mansonia titillans* (Walker, 1848)) sampled in Colombia [unpublished; GenBank #MN661012/MN661013/MN661014] (TaxoProp 2020.029M.A.v2.Pheniviridae_1gen16sp).

Genus *Phasivirus* was expanded by two new species:

- *Guadeloupe phasivirus* for Guadeloupe mosquito phasivirus (GMPV), discovered by HTS in mosquitoes (*Aedes* sp.) collected in Les Abymes, Guadeloupe, France [89]; and
- *Kimberley phasivirus* for Parry's Creek phasivirus 1 (PCPhasV1), discovered by HTS in culicid mosquitoes (*Culex annulirostris* Skuse, 1889) sampled in Kimberley Region, Australia [108] (TaxoProp 2020.029M.A.v2.Pheniviridae_1gen16sp and 2020.030M.R.Negarnaviricota_corrections).

Genus *Phlebovirus* was expanded by six species:

- *Bogoria phlebovirus* for Bogoria virus (BGRV), discovered by HTS in phlebotomine sandflies sampled in Kapkuikui, Rift Valley Province, Kenya [68] (TaxoProp 2020.022M.A.v1.Phlebovirus_4sp);
- *Corfou phlebovirus* for Corfou virus (CFUV) isolated from psychodid sandflies (*Phlebotomus major* Annandale, 1910) sampled in Corfou (Κέρκυρα), Ionian Islands (Περιφέρεια Ιονίων Νήσων), Greece, 1981 [1, 83] (TaxoProp 2020.029M.A.v2.Pheniviridae_1gen16sp);
- *Embossos phlebovirus* for Embossos virus (EMBV), discovered by HTS in phlebotomine sandflies sampled in Kapkuikui, Rift Valley Province, Kenya [68] (TaxoProp 2020.022M.A.v1.Phlebovirus_4sp);

- *Kiborgoch phlebovirus* for Kiborgoch virus (KBGV), discovered by HTS in phlebotomine sandflies sampled in Kapkuikui, Rift Valley Province, Kenya [68] (TaxoProp 2020.022M.A.v1.Phlebovirus_4sp);
- *Penshurt phlebovirus* for Penshurt virus (PEHV), discovered by RT-PCR in a Hoffmann's two-toed sloth (*Choloepus hoffmanni* Peters, 1858) sampled in Limón Province, Costa Rica [22] (TaxoProp 2020.029M.A.v2.Pheniiviridae_1gen16sp); and
- *Perkerra phlebovirus* for Perkerra virus (PKEV), discovered by HTS in phlebotomine sandflies sampled in Kapkuikui, Rift Valley Province, Kenya [68] (TaxoProp 2020.022M.A.v1.Phlebovirus_4sp).

Species names *Salobo phlabovirus* and *Tico phebovirus* were corrected to *Salobo phlebovirus* and *Tico phlebovirus*, respectively (TaxoProp 2020.006M.A.v1.Corrections).

Genus *Pidchovirus* was expanded by one new species, *Coleopteran pidchovirus*, for coleopteran phenui-related virus 308 (CoPrV-308), discovered by HTS in spider mite destroyers (*Stethorus* sp.) sampled on Mount Tamborine, Queensland, Australia [49]. (TaxoProp 2020.029M.A.v2.Pheniiviridae_1gen16sp).

Genus *Rubodvirus* was expanded by two new species: *Grapevine rubodvirus 1* and *2* for grapevine Garan dmak virus (GGDV) and grapevine Muscat rose virus for (GMRV), discovered by HTS in grapevines (*Vitis vinifera* L.) samples from Armenia and Argentina, respectively [24] (TaxoProp 2020.029M.A.v2.Pheniiviridae_1gen16sp).

Genus *Tenuivirus* was expanded by one new species, *European wheat striate mosaic tenuivirus*, for European wheat striate mosaic virus (EWSMV) originally discovered in oats (*Avena sativa* L. cv. Pepino) in the 1960s [95] (TaxoProp 2020.029M.A.v2.Pheniiviridae_1gen16sp).

In genus *Wenrivirus*, Mourilyan virus (MoV), first discovered in 1996 in giant tiger prawns (*Penaeus monodon* Fabricius, 1798) sampled in Mourilyan, Queensland, Australia [19], was recognized as a senior synonym of Wēnzhōu shrimp virus 1 (WzSV-1) [20].

Summary

A summary of the current, ICTV-accepted taxonomy of the phylum *Negarnaviricota* is presented in an order-specific manner in Table 1 (*Goujianvirales*), Table 2 (*Jingchuvirales*), Table 3 (*Mononegavirales*), Table 4 (*Muvirales*), Table 5 (*Serpentovirales*), Table 6 (*Articulavirales*), and Table 7 (*Bunyavirales*) and in form of two posters (Supplementary Figure 1).

Supplementary Information The online version contains supplementary material available at <https://doi.org/10.1007/s00705-021-05143-6>.

Acknowledgements We thank Anya Crane (IRF-Frederick) for editing the manuscript.

The 2017–2020 International Committee on Taxonomy of Viruses (ICTV) Study Groups: *Arenaviridae* (Michael J. Buchmeier, Rémi N. Charrel, Jens H. Kuhn, J. Christopher S. Clegg; Juan Carlos de la Torre; Jean-Paul J. Gonzalez; Stephan Günther; Jussi Hepojoki; Igor S. Lukashevich; Sheli R. Radoshitzky; Víctor Romanowski; Maria S. Salvato; Manuela Sironi; Mark D. Stenglein), *Artoviridae* (Ralf G. Dietzgen; Dàohóng Jiāng (姜道宏); Jens H. Kuhn; Nikos Vasilakis (Νικόσ Βασιλάκης)), *Aspiviridae* (Elena Dal Bó; Selma Gago-Zachert, María Laura García; John Hammond; Tomohide Natsuaki (夏秋知英); José A. Navarro; Vicente Pallás; Carina A. Reyes; Gabriel Robles Luna; Takahide Sasaya (笹谷孝英); Ioannis Tzanetakakis; Anna Maria Vaira; Martin Verbeek), *Bornaviridae* (Thomas Briesse; Ralf Dürrwald; Masayuki Horie (堀江真行); Timothy H. Hyndman; Jens H. Kuhn; Norbert Nowotny; Susan Payne; Dennis Rubbenstroth; Mark D. Stenglein; Keizō Tomonaga (朝長啓造)), *Bunyavirales* (Scott Adkins; Juan Carlos de la Torre; Sandra Junglen; Jens H. Kuhn; Amy J. Lambert; , Piet Maes; Marco Marklewitz; Gustavo Palacios; Takahide Sasaya (笹谷孝英)), *Filoviridae* (Gaya K. Amarasinghe; Christopher F. Basler; Sina Bavari; Alexander Bukreyev; Kartik Chandran; Ian Crozier; Olga Dolnik; John M. Dye; Pierre B. H. Formenty; Anthony Griffiths; Roger Hewson; Jens H. Kuhn; Eric M. Leroy; Elke Mühlberger; Sergey V. Netesov (Нетесов Сергей Викторович); Gustavo Palacios; Bernadett Pályi; Janusz T. Pawęska; Sophie Smither; Ayato Takada (高田礼人); Jonathan S. Towner; Victoria Wahl), *Fimoviridae* (Michele Digiaro; Toufic Elbeaino; Nicole Mielke-Ehret; Hans-Peter Mühlbach), *Hantaviridae* (Steven Bradfute; Charles H. Calisher; Boris Klempa; Jonas Klingström; Lies Laenen; Piet Maes; Jin-Won Song (송진원)), *Monjiviricetes* (Ralf G. Dietzgen; W. Paul Duprex; Dàohóng Jiāng (姜道宏); Jens H. Kuhn; Piet Maes; Janusz T. Pawęska; Bertus K. Rima; Dennis Rubbenstroth; Peter J. Walker), *Myonnaviridae* (María A. Ayllón; Dàohóng Jiāng (姜道宏); Shin-Yi L. Marzano), *Nairoviridae* (Dennis A. Bente; Ěric Bergeron; Sergey V. Alkhovsky (Альховский Сергей Владимирович); Tatjana Avšič-Županc; Felicity Burt; Nicholas Di

Table 1 ICTV-accepted taxonomy of the order *Goujianvirales* (*Negarnaviricota*: *Haploviricotina*: *Yunchangviricetes*) as of March 2021

Genus	Species [‡]	Virus (abbreviation) ^{&}
Family <i>Yueviridae</i>		
<i>Yuyuevirus</i>	<i>Beihai yuyuevirus</i>	Běihǎi sesamid crab virus 3 (BhSCV-3)
	<i>Shahe yuyuevirus</i>	Shāhé yuèvirus-like virus 1 (ShYLV-1)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa

[‡]Taxon names are always italicized and always begin with a capital letter

[&]Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization

Table 2 ICTV-accepted taxonomy of the order *Jingchuvirales* (*Negarnaviricota*: *Haploviricotina*: *Monjiviricetes*) as of March 2021

Genus	Species [¶]	Virus (abbreviation) ^{&}
Family <i>Aliusviridae</i>		
<i>Obscurivirus</i>	<i>Obscurivirus quintum</i>	Atrato chu-like virus 5 (ACIV-5)
<i>Ollusvirus</i>	<i>Ollusvirus coleopteri</i>	Húběi coleoptera virus 3 (HbCV-3)
	<i>Ollusvirus culvertonense</i>	Culverton virus (CvV)
	<i>Ollusvirus hanchengense</i>	Hánchéng leafhopper mivirus (HLMV)
	<i>Ollusvirus hymenopteri</i>	hymenopteran chu-related virus 123 (HCrV-123)
	<i>Ollusvirus insectii</i>	hymenopteran chu-related virus 126 (HCrV-126)
	<i>Ollusvirus scaldisense</i>	Scaldis River bee virus (SRBV)
	<i>Ollusvirus shayangense</i>	Shāyáng fly virus 1 (SyFV-1)
	<i>Ollusvirus taiyuanense</i>	Tàiyuán leafhopper virus (TYLeV)
Family <i>Chuviridae</i>		
<i>Boscovirus</i>	<i>Boscovirus hippoboscidae</i>	Wūhàn louse fly virus 7 (WhLFV-7)
	<i>Boscovirus hypoboscidae</i>	Wūhàn louse fly virus 6 (WhLFV-6)
<i>Chuvivirus</i>	<i>Chuvivirus brunnichi</i>	Wēnlǐng crustacean virus 14 (WICV-14)
	<i>Chuvivirus canceris</i>	Wēnzhōu crab virus 2 (WzCV-2)
<i>Culicidavirus</i>	<i>Culicidavirus culicidae</i>	Wūhàn mosquito virus 8 (WhMV-8)
	<i>Culicidavirus culicis</i>	Culex mosquito virus 5 (CIMV-5)
	<i>Culicidavirus imjinense</i>	Imjin River virus 1 (IJRV-1)
	<i>Culicidavirus quitotaense</i>	Culex mosquito virus 4 (CIMV-4)
<i>Demapteravirus</i>	<i>Demapteravirus demapteri</i>	dermapteran chu-related virus 142 (DCrV-142)
<i>Doliuvirus</i>	<i>Doliuvirus culisetiae</i>	Mos8Chu0 chuvirus (MoCV)
<i>Mivirus</i>	<i>Mivirus amblyomae</i>	lone star tick chuvirus 1 (LSTCV-1)
	<i>Mivirus boleense</i>	Bólè tick virus 3 (BTV-3)
	<i>Mivirus changpingense</i>	Chāngpíng tick virus 2 (CpTV-2)
	<i>Mivirus dermacentoris</i>	Chāngpíng tick virus 3 (CpTV-3)
		Tāchéng tick virus 5 (TcTV-5)
		Genoa virus (GeV)
		Karukera tick virus (KtV)
		brown dog tick mivirus 1 (BDTMV-1)
		Suffolk virus (SFKV)
		Wūhàn tick virus 2 (WhTV-2)
<i>Morsusvirus</i>	<i>Morsusvirus argatis</i>	Tāchéng tick virus 4 (TcTV-4)
<i>Nigecruvivirus</i>	<i>Nigecruvivirus ixodes</i>	blacklegged tick chuvirus-2 (BITC-2)
<i>Odonatavirus</i>	<i>Odonatavirus draconis</i>	odonatan chu-related virus 137 (OCrV-137)
	<i>Odonatavirus fabricii</i>	Húběi odonate virus 11 (HbOV-11)
	<i>Odonatavirus odontis</i>	odonatan chu-related virus 136 (OCrV-136)
<i>Pediavirus</i>	<i>Pediavirus cirripedis</i>	Běihǎi barnacle virus 9 (BhBV-9)
<i>Piscichuvirus</i>	<i>Piscichuvirus franki</i>	Herr Frank virus 1 (HFrV-1)
	<i>Piscichuvirus lycodontis</i>	Guǎngdōng red-banded snake chuvirus-like virus (GRSCV)
	<i>Piscichuvirus sanxiaense</i>	Sānxiá atyid shrimp virus 4 (SxASC-4)
	<i>Piscichuvirus wenlingense</i>	Wēnlǐng fish chu-like virus (WFCIV)
<i>Pterovirus</i>	<i>Pterovirus chulinense</i>	hymenopteran chu-related virus OKIAV147 (HCrV-147)
<i>Scarabeuvirus</i>	<i>Scarabeuvirus blattae</i>	Wūchāng cockroach virus 3 (WcLFV-3)
	<i>Scarabeuvirus dentati</i>	Húběi chuvirus-like virus 3 (HbCLV-3)
	<i>Scarabeuvirus hubeiense</i>	Húběi chuvirus-like virus 1 (HbCLV-1)
	<i>Scarabeuvirus lampyris</i>	Lampyris noctiluca chuvirus-like virus 1 (LNCIV-1)
	<i>Scarabeuvirus lishiense</i>	Lǐshì spider virus 1 (LsSV-1)
<i>Taceavirus</i>	<i>Taceavirus wenlingense</i>	Wēnlǐng crustacean virus 15 (WICV-15)
Family <i>Crepuscuviridae</i>		
<i>Aqualarivirus</i>	<i>Aqualarivirus sialis</i>	megalopteran chu-related virus 119 (MCrV-119)

Table 2 (continued)

Genus	Species [¶]	Virus (abbreviation) ^{&}
Family <i>Myriaviridae</i>		
<i>Myriavirus</i>	<i>Myriavirus myriapedis</i>	Húběi myriapoda virus 8 (HbMV-8)
Family <i>Natareviridae</i>		
<i>Charybdivirus</i>	<i>Charybdivirus charybdis</i>	Wēnzhōu crab virus 3 (WzCV-3)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa

[¶]Taxon names are always italicized and always begin with a capital letter

[&]Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization. Lists of viruses within a given species are provisional at this point and will likely be amended in the near future

Table 3 ICTV-accepted taxonomy of the order *Mononegavirales* (*Negarnaviricota*: *Haploviricotina*: *Monjiviricetes*) as of March 2021

Genus	Species [¶]	Virus (abbreviation) ^{&}
Family <i>Artoviridae</i>		
<i>Hexartovirus</i>	<i>Barnacle hexartovirus</i>	Běihǎi barnacle virus 8 (BhBV-8)
	<i>Caligid hexartovirus</i>	Lepeophtheirus salmonis negative-stranded RNA virus 1 (LsNSRV-1)
<i>Peropuvirus</i>	<i>Beihai peropuvirus</i>	Běihǎi rhabdo-like virus 1 (BhRLV-1)
	<i>Hubei peropuvirus</i>	Húběi rhabdo-like virus 6 (HbRLV-6)
	<i>Odonate peropuvirus</i>	Húběi rhabdo-like virus 8 (HbRLV-8)
	<i>Pillworm peropuvirus</i>	Húběi rhabdo-like virus 5 (HbRLV-5)
	<i>Pteromalus puparum peropuvirus</i>	Pteromalus puparum negative-strand RNA virus 1 (PpNSRV-1)
	<i>Woodlouse peropuvirus</i>	Běihǎi rhabdo-like virus 2 (BhRLV-2)
Family <i>Bornaviridae</i>		
<i>Carbovirus</i>	<i>Queensland carbovirus</i>	jungle carpet python virus (JCPV)
	<i>Southwest carbovirus</i>	southwest carpet python virus (SWCPV)
<i>Cultervirus</i>	<i>Sharpbelly cultervirus</i>	Wūhàn sharpbelly Bornavirus (WhSBV)
<i>Orthobornavirus</i>	<i>Elapid 1 orthobornavirus</i>	Loveridge's garter snake virus 1 (LGSV-1)
	<i>Mammalian 1 orthobornavirus</i>	Borna disease virus 1 (BoDV-1)
		Borna disease virus 2 (BoDV-2)
	<i>Mammalian 2 orthobornavirus</i>	variegated squirrel bornavirus 1 (VSBV-1)
	<i>Passeriform 1 orthobornavirus</i>	canary bornavirus 1 (CnBV-1)
		canary bornavirus 2 (CnBV-2)
		canary bornavirus 3 (CnBV-3)
	<i>Passeriform 2 orthobornavirus</i>	estrildid finch bornavirus 1 (EsBV-1)
	<i>Psittaciform 1 orthobornavirus</i>	parrot bornavirus 1 (PaBV-1)
		parrot bornavirus 2 (PaBV-2)
		parrot bornavirus 3 (PaBV-3)
		parrot bornavirus 4 (PaBV-4)
		parrot bornavirus 7 (PaBV-7)
	<i>Psittaciform 2 orthobornavirus</i>	parrot bornavirus 5 (PaBV-5)
	<i>Waterbird 1 orthobornavirus</i>	aquatic bird bornavirus 1 (ABBV-1)
		aquatic bird bornavirus 2 (ABBV-2)
Family <i>Filoviridae</i>		
<i>Cuevavirus</i>	<i>Lloviu cuevavirus</i>	Lloviu virus (LLOV)
<i>Dianlovirus</i>	<i>Mengla dianlovirus</i>	Měnglà virus (MLAV)
<i>Ebolavirus</i>	<i>Bombali ebolavirus</i>	Bombali virus (BOMV)
	<i>Bundibugyo ebolavirus</i>	Bundibugyo virus (BDBV)
	<i>Reston ebolavirus</i>	Reston virus (RESTV)
	<i>Sudan ebolavirus</i>	Sudan virus (SUDV)
	<i>Tai Forest ebolavirus</i>	Tai Forest virus (TAFV)
	<i>Zaire ebolavirus</i>	Ebola virus (EBOV)

Table 3 (continued)

Genus	Species [¶]	Virus (abbreviation) ^{&}
<i>Marburgvirus</i>	<i>Marburg marburgvirus</i>	Marburg virus (MARV) Ravn virus (RAVV)
<i>Striavirus</i>	<i>Xilang striavirus</i>	Xīlāng virus (XILV)
<i>Thamnovirus</i>	<i>Huangjiao thamnovirus</i>	Huángjiāo virus (HUJV)
Family <i>Lispiviridae</i>		
<i>Arlivirus</i>	<i>Gerrid arlivirus</i>	Sānxiá water strider virus 4 (SxWSV-4)
	<i>Hubei arlivirus</i>	Húběi rhabdo-like virus 3 (HbRLV-3)
	<i>Lishi arlivirus</i>	Līshì spider virus 2 (LsSV-2)
	<i>Odonate arlivirus</i>	Húběi odonate virus 10 (HbOV-10)
	<i>Tacheng arlivirus</i>	Tāchéng tick virus 6 (TcTV-6)
	<i>Wuchang arlivirus</i>	Wūchāng romanomermis nematode virus 2 (WcRNV-2)
Family <i>Mymonaviridae</i>		
<i>Auricularimonavirus</i>	<i>Auricularimonavirus auriculariae</i>	Auricularia heimuer negative-stranded RNA virus 1 (AhNRSV-1)
<i>Botrytimonavirus</i>	<i>Botrytimonavirus botrytidis</i>	Botrytis cinerea negative-stranded RNA virus 7 (BcNSRV-7)
	<i>Botrytimonavirus glycinis</i>	soybean leaf-associated negative-stranded RNA virus 3 (SLaNSRV-3)
	<i>Botrytimonavirus sclerotiniae</i>	Sclerotinia sclerotiorum negative-stranded RNA virus 2 (SsNSRV-2) Sclerotinia sclerotiorum negative-stranded RNA virus 2-A (SsNSRV-2-A) Sclerotinia sclerotiorum negative-stranded RNA virus 4 (SsNSRV-4) Sclerotinia sclerotiorum negative-stranded RNA virus 4-A (SsNSRV-4-A)
<i>Hubramonavirus</i>	<i>Hubramonavirus hubeiense</i>	Húběi rhabdo-like virus 4 (HbRLV-4)
	<i>Hubramonavirus terrae</i>	H2BulkLitter1223 virus
<i>Lentimonavirus</i>	<i>Lentimonavirus lentinulae</i>	Lentinula edodes negative-strand RNA virus 1 (LeNSRV-1)
<i>Penicillimonavirus</i>	<i>Penicillimonavirus alphapenicillii</i>	Penicillium adametzoides negative-stranded RNA virus 1 (PaNsRV-1)
	<i>Penicillimonavirus alphaplasmoparae</i>	Plasmopara viticola lesion associated mononegaambi virus 1 (PvaMV-1)
	<i>Penicillimonavirus betapenicillii</i>	Penicillium glabrum negative-stranded RNA virus 1 (PgRIV-1)
	<i>Penicillimonavirus betaplasmoparae</i>	Plasmopara viticola lesion associated mononegaambi virus 2 (PvaMV-2) Plasmopara viticola lesion associated mononegaambi virus 4 (PvaMV-4)
	<i>Penicillimonavirus deltaplasmoparae</i>	Plasmopara viticola lesion associated mononegaambi virus 5 (PvaMV-5)
	<i>Penicillimonavirus epsilonplasmoparae</i>	Plasmopara viticola lesion associated mononegaambi virus 6 (PvaMV-6)
	<i>Penicillimonavirus etaplasmoparae</i>	Plasmopara viticola lesion associated mononegaambi virus 9 (PvaMV-9)
	<i>Penicillimonavirus gammaplasmoparae</i>	Plasmopara viticola lesion associated mononegaambi virus 3 (PvaMV-3)
	<i>Penicillimonavirus kilnbarnense</i>	Kiln Barn virus (KBV)
	<i>Penicillimonavirus zetaplasmoparae</i>	Plasmopara viticola lesion associated mononegaambi virus 7 (PvaMV-7)
<i>Plasmopamonavirus</i>	<i>Plasmopamonavirus plasmoparae</i>	Plasmopara viticola lesion associated mononegaambi virus 8 (PvaMV-8)
<i>Phyllomonavirus</i>	<i>Phyllomonavirus gysingense</i>	Gysing virus (GYSV)
	<i>Phyllomonavirus phyllosphaerae</i>	soybean leaf-associated negative-stranded RNA virus 4 (SLaNSRV-4)
<i>Rhizomonavirus</i>	<i>Rhizomonavirus mali</i>	apple virus B (APPV-B)
<i>Sclerotimonavirus</i>	<i>Sclerotimonavirus alphaclarireediae</i>	Sclerotinia homoeocarpa TSA contig 1 (ShTSA-1) Sclerotinia homoeocarpa TSA contig 2 (ShTSA-2)
	<i>Sclerotimonavirus alphaplasmoparae</i>	Plasmopara viticola lesion associated mymonavirus 1 (PvaMV-1)
	<i>Sclerotimonavirus alternariae</i>	Alternaria tenuissima negative-stranded RNA virus 1 (AtNsRV-1)
	<i>Sclerotimonavirus betaclarireediae</i>	Sclerotinia homoeocarpa TSA contig 3 (ShTSA-3)
	<i>Sclerotimonavirus betaplasmoparae</i>	Plasmopara viticola lesion associated mononega virus 2 (PvaMV-2)
	<i>Sclerotimonavirus botrytidis</i>	Botrytis cinerea mymonavirus 1 (BcMyV-1) Sclerotinia sclerotiorum negative-stranded RNA virus 7 (SsNSRV-7)
	<i>Sclerotimonavirus fusarii</i>	Fusarium graminearum negative-stranded RNA virus 1 (FgNSRV-1) soybean leaf-associated negative-stranded RNA virus 1 (SLaNSRV-1)
	<i>Sclerotimonavirus illinoisense</i>	soybean leaf-associated negative-stranded RNA virus 2 (SLaNSRV-2)
	<i>Sclerotimonavirus penicillii</i>	Penicillium cairnsense negative-stranded RNA virus 1 (PcNsRV-1)
	<i>Sclerotimonavirus sclerotiniae</i>	Sclerotinia sclerotiorum negative-stranded RNA virus 1 (SsNSRV-1) Sclerotinia sclerotiorum negative-stranded RNA virus 1-A (SsNSRV-1-A) Sclerotinia sclerotiorum negative-stranded RNA virus 3 (SsNSRV-3) Sclerotinia sclerotiorum negative-stranded RNA virus 3-A (SsNSRV-3-A)
	<i>Sclerotimonavirus terrae</i>	H4BulkLitter234 virus

Table 3 (continued)

Genus	Species [¶]	Virus (abbreviation) ^{&}	
Family <i>Nyamiviridae</i>			
<i>Berhavirus</i>	<i>Beihai berhavirus</i>	Běihǎi rhabdo-like virus 4 (BhRLV-4)	
	<i>Echinoderm berhavirus</i>	Běihǎi rhabdo-like virus 5 (BhRLV-5)	
	<i>Sipunculid berhavirus</i>	Běihǎi rhabdo-like virus 3 (BhRLV-3)	
<i>Crustavirus</i>	<i>Beihai crustavirus</i>	Běihǎi rhabdo-like virus 6 (BhRLV-6)	
	<i>Wenling crustavirus</i>	Wēnlíng crustacean virus 12 (WICV-12)	
	<i>Wenzhou crustavirus</i>	Wēnzhōu crab virus 1 (WzCV-1)	
<i>Formivirus</i>	<i>Chalybion formivirus</i>	hymenopteran orino-related virus OKIAV87 (HORV-87)	
	<i>Exsecta formivirus</i>	Formica exsecta virus 4 (FeV-4)	
	<i>Fusca formivirus</i>	Formica fusca virus 1 (FfusV-1)	
<i>Gorytes formivirus</i>	<i>Gorytes formivirus</i>	hymenopteran orino-related virus OKIAV85 (HORV-85)	
	<i>Jacinto nyavirus</i>	San Jacinto virus (SJCv)	
	<i>Midway nyavirus</i>	Midway virus (MIDWV)	
<i>Nyamanini nyavirus</i>	<i>Nyamanini nyavirus</i>	Nyamanini virus (NYMV)	
	<i>Sierra Nevada nyavirus</i>	Sierra Nevada virus (SNVV)	
	<i>Orinoco orinivirus</i>	Orinoco virus (ONCV)	
<i>Soybean cyst nematode socyavirus</i>	<i>Soybean cyst nematode socyavirus</i>	soybean cyst nematode virus 1 (SbCNV-1)	
<i>Tapeworm tapwovirus</i>	<i>Tapeworm tapwovirus</i>	Wēnzhōu tapeworm virus 1 (WzTWV-1)	
Family <i>Paramyxoviridae</i>			
Subfamily <i>Avulavirinae</i>			
<i>Metaavulavirus</i>	<i>Avian metaavulavirus 2</i>	avian paramyxovirus 2 (APMV-2)	
	<i>Avian metaavulavirus 5</i>	avian paramyxovirus 5 (APMV-5)	
	<i>Avian metaavulavirus 6</i>	avian paramyxovirus 6 (APMV-6)	
	<i>Avian metaavulavirus 7</i>	avian paramyxovirus 7 (APMV-7)	
	<i>Avian metaavulavirus 8</i>	avian paramyxovirus 8 (APMV-8)	
	<i>Avian metaavulavirus 10</i>	avian paramyxovirus 10 (APMV-10)	
	<i>Avian metaavulavirus 11</i>	avian paramyxovirus 11 (APMV-11)	
	<i>Avian metaavulavirus 14</i>	avian paramyxovirus 14 (APMV-14)	
	<i>Avian metaavulavirus 15</i>	avian paramyxovirus 15 (APMV-15)	
	<i>Avian metaavulavirus 20</i>	avian paramyxovirus 20 (APMV-20)	
	<i>Avian metaavulavirus 22</i>	avian paramyxovirus 22 (APMV-22)	
	<i>Orthoavulavirus</i>	<i>Avian orthoavulavirus 1</i>	avian paramyxovirus 1 (APMV-1) ¹
		<i>Avian orthoavulavirus 9</i>	avian paramyxovirus 9 (APMV-9)
<i>Avian orthoavulavirus 12</i>		avian paramyxovirus 12 (APMV-12)	
<i>Avian orthoavulavirus 13</i>		avian paramyxovirus 13 (APMV-13)	
<i>Avian orthoavulavirus 16</i>		avian paramyxovirus 16 (APMV-16)	
<i>Avian orthoavulavirus 17</i>		Antarctic penguin virus A (APV-A)	
<i>Avian orthoavulavirus 18</i>		Antarctic penguin virus B (APV-B)	
<i>Avian orthoavulavirus 19</i>		Antarctic penguin virus C (APV-C)	
<i>Avian orthoavulavirus 21</i>		avian paramyxovirus 21 (APMV-21)	
<i>Paraavulavirus</i>	<i>Avian paraavulavirus 3</i>	avian paramyxovirus 3 (APMV-3)	
	<i>Avian paraavulavirus 4</i>	avian paramyxovirus 4 (APMV-4)	
Subfamily <i>Metaparamyxovirinae</i>			
<i>Synodovirus</i>	<i>Synodus synodovirus</i>	Wēnlíng triplecross lizardfish paramyxovirus (WTLPV)	
Subfamily <i>Orthoparamyxovirinae</i>			
<i>Aquaparamyxovirus</i>	<i>Oncorhynchus aquaparamyxovirus</i>	Pacific salmon paramyxovirus (PSPV)	
	<i>Salmo aquaparamyxovirus</i>	Atlantic salmon paramyxovirus (AsaPV)	
<i>Ferlavirus</i>	<i>Reptilian ferlavirus</i>	fer-de-lance virus (FDLV)	
<i>Henipavirus</i>	<i>Cedar henipavirus</i>	Cedar virus (CedV)	
	<i>Ghanaian bat henipavirus</i>	Ghana virus (GhV)	
	<i>Hendra henipavirus</i>	Hendra virus (HeV)	
	<i>Mòjiāng henipavirus</i>	Mòjiāng virus (MojV)	
	<i>Nipah henipavirus</i>	Nipah virus (NiV)	

Table 3 (continued)

Genus	Species [¶]	Virus (abbreviation) ^{&}	
<i>Jeilongvirus</i>	<i>Beilong jeilongvirus</i>	Beilong virus (BeiV)	
	<i>Jun jeilongvirus</i>	J virus (JV)	
	<i>Lophuromys jeilongvirus 1</i>	Mount Mabu Lophuromys virus 1 (MMLV-1)	
	<i>Lophuromys jeilongvirus 2</i>	Mount Mabu Lophuromys virus 2 (MMLV-2)	
	<i>Minioptera jeilongvirus</i>	Shaan virus (ShaV)	
	<i>Myodes jeilongvirus</i>	Pohorje Myodes paramyxovirus 1 (PMPV-1)	
	<i>Tailam jeilongvirus</i>	Tailam virus (TaiV)	
	<i>Morbillivirus</i>	<i>Canine morbillivirus</i>	canine distemper virus (CDV)
<i>Cetacean morbillivirus</i>		cetacean morbillivirus (CeMV)	
<i>Feline morbillivirus</i>		feline morbillivirus (FeMV)	
<i>Measles morbillivirus</i>		measles virus (MeV)	
<i>Phocine morbillivirus</i>		phocine distemper virus (PDV)	
<i>Rinderpest morbillivirus</i>		rinderpest virus (RPV)	
<i>Narmovirus</i>	<i>Small ruminant morbillivirus</i>	peste-des-petits-ruminants virus (PPRV)	
	<i>Mossman narmovirus</i>	Mossman virus (MossV)	
	<i>Myodes narmovirus</i>	bank vole virus 1 (BaV-1)	
	<i>Nariva narmovirus</i>	Nariva virus (NarV)	
	<i>Tupaia narmovirus</i>	Tupaia paramyxovirus (TupV)	
<i>Respirovirus</i>	<i>Bovine respirovirus 3</i>	bovine parainfluenza virus 3 (BPIV-3)	
	<i>Caprine respirovirus 3</i>	caprine parainfluenzavirus 3 (CPIV-3)	
	<i>Human respirovirus 1</i>	human parainfluenza virus 1 (HPIV-1)	
	<i>Human respirovirus 3</i>	human parainfluenza virus 3 (HPIV-3)	
	<i>Murine respirovirus</i>	Sendai virus (SeV)	
	<i>Porcine respirovirus 1</i>	porcine parainfluenza virus 1 (PPIV-1)	
<i>Salemvirus</i>	<i>Squirrel respirovirus</i>	giant squirrel virus (GSqV)	
	<i>Salem salemvirus</i>	Salem virus (SalV)	
Subfamily <i>Rubulavirinae</i>			
<i>Orthorubulavirus</i>	<i>Human orthorubulavirus 2</i>	human parainfluenza virus 2 (HPIV-2)	
	<i>Human orthorubulavirus 4</i>	human parainfluenza virus 4a (HPIV-4a)	
		human parainfluenza virus 4b (HPIV-4b)	
	<i>Mammalian orthorubulavirus 5</i>	parainfluenza virus 5 (PIV-5)	
	<i>Mammalian orthorubulavirus 6</i>	Alston virus (AlsV)	
	<i>Mapuera orthorubulavirus</i>	Mapuera virus (MapV)	
	<i>Mumps orthorubulavirus</i>	mumps virus (MuV)	
	<i>Porcine orthorubulavirus</i>	La Piedad Michoacán Mexico virus (LPMV)	
	<i>Simian orthorubulavirus</i>	simian virus 41 (SV-41)	
	<i>Pararubulavirus</i>	<i>Achimota pararubulavirus 1</i>	Achimota virus 1 (AchPV-1)
		<i>Achimota pararubulavirus 2</i>	Achimota virus 2 (AchPV-2)
<i>Hervey pararubulavirus</i>		Hervey virus (HerV)	
<i>Menangle pararubulavirus</i>		Menangle virus (MenPV)	
<i>Sosuga pararubulavirus</i>		Sosuga virus (SOSV)	
<i>Teviot pararubulavirus</i>		Teviot virus (TevPV)	
<i>Tioman pararubulavirus</i>		Tioman virus (TioPV)	
<i>Tuhoko pararubulavirus 1</i>		Tuhoko virus 1 (ThkPV-1)	
<i>Tuhoko pararubulavirus 2</i>	Tuhoko virus 2 (ThkPV-2)		
<i>Tuhoko pararubulavirus 3</i>	Tuhoko virus 3 (ThkPV-3)		
Unassigned (to subfamilies)			
<i>Cynoglossusvirus</i>	<i>Cynoglossus cynoglossusvirus</i>	Wēnlíng tonguesole paramyxovirus (WTSPV)	
<i>Hoplichthysvirus</i>	<i>Hoplichthys hoplichthysvirus</i>	Wēnlíng hoplichthys paramyxovirus (WHPV)	
<i>Scoliodonvirus</i>	<i>Scoliodon scoliodonvirus</i>	Wēnzhōu pacific spadenose shark paramyxovirus (WPSSPV)	
Family <i>Pneumoviridae</i>			
<i>Metapneumovirus</i>	<i>Avian metapneumovirus</i>	avian metapneumovirus (AMPV)	
	<i>Human metapneumovirus</i>	human metapneumovirus (HMPV)	

Table 3 (continued)

Genus	Species [¶]	Virus (abbreviation) ^{&}
<i>Orthopneumovirus</i>	<i>Bovine orthopneumovirus</i>	bovine respiratory syncytial virus (BRSV)
	<i>Human orthopneumovirus</i>	human respiratory syncytial virus (HRSV)
	<i>Murine orthopneumovirus</i>	murine pneumonia virus (MPV)
Family <i>Rhabdoviridae</i>		
Subfamily <i>Alpharhabdovirinae</i>		
<i>Almendravirus</i>	<i>Arboretum almdravivirus</i>	Arboretum virus (ABTV)
	<i>Balsa almdravivirus</i>	Balsa virus (BALV)
	<i>Coot Bay almdravivirus</i>	Coot Bay virus (CBV)
	<i>Menghai almdravivirus</i>	Menghai virus (MRV)
	<i>Puerto Almendras almdravivirus</i>	Puerto Almendras virus (PTAMV)
	<i>Rio Chico almdravivirus</i>	Rio Chico virus (RCHV)
<i>Alphanemrhavirus</i>	<i>Xingshan alphanemrhavirus</i>	Xingshan nematode virus 4 (XsNV-4)
	<i>Xinzhou alphanemrhavirus</i>	Xinzhou nematode virus 4 (XzNV-4)
<i>Alphapaprhavirus</i>	<i>Hubei alphapaprhavirus</i>	Hubei lepidoptera virus 2 (HbLV-2)
	<i>Pararge alphapaprhavirus</i>	Pararge aegeria rhabdovirus (PAeRV)
<i>Alpharicinrhavirus</i>	<i>Blanchseco alpharicinrhavirus</i>	Blanchseco virus (BCOV)
	<i>Bole alpharicinrhavirus</i>	Bole tick virus 2 (BITV-2)
	<i>Wuhan alpharicinrhavirus</i>	Wuhan tick virus 1 (WhTV-1)
<i>Arurhavirus</i>	<i>Aruac arurhavirus</i>	Aruac virus (ARUV)
	<i>Inhangapi arurhavirus</i>	Inhangapi virus (INHV)
	<i>Santabarbara arurhavirus</i>	Santa Barbara virus (SBAV)
	<i>Xiburema arurhavirus</i>	Xiburema virus (XIBV)
<i>Barhavirus</i>	<i>Bahia barhavirus</i>	Bahia Grande virus (BGV)
		Harlingen virus (HARV)
	<i>Muir barhavirus</i>	Muir Springs virus (MSV)
<i>Calighravirus</i>	<i>Caligus calighravirus</i>	Caligus rogercresseyi rhabdovirus (CRogRV)
	<i>Lepeophtheirus calighravirus</i>	Lepeophtheirus salmonis rhabdovirus 127 (LSalRV-127)
	<i>Salmonlouse calighravirus</i>	Lepeophtheirus salmonis rhabdovirus 9 (LSalRV-9)
<i>Curiovirus</i>	<i>Curionopolis curiovirus</i>	Curionopolis virus (CURV)
	<i>Irii curiovirus</i>	Irii virus (IRIRV)
	<i>Itacaiunas curiovirus</i>	Itacaiunas virus (ITAV)
	<i>Rochambeau curiovirus</i>	Rochambeau virus (RBUV)
<i>Ephemerovirus</i>	<i>Adelaide River ephemerovirus</i>	Adelaide River virus (ARV)
	<i>Berrimah ephemerovirus</i>	Berrimah virus (BRMV)
	<i>Bovine fever ephemerovirus</i>	bovine ephemeral fever virus (BEFV)
	<i>Hayes ephemerovirus</i>	Hayes Yard virus (HYV)
	<i>Kent ephemerovirus</i>	New Kent County virus (NKCVC)
	<i>Kimberley ephemerovirus</i>	Kimberley virus (KIMV)
		Malakal virus (MALV)
	<i>Koolpinyah ephemerovirus</i>	Koolpinyah virus (KOOLV)
	<i>Kotonkan ephemerovirus</i>	kotonkan virus (KOTV)
	<i>Obodhiang ephemerovirus</i>	Obodhiang virus (OBOV)
	<i>Puchong ephemerovirus</i>	Puchong virus (PUCV)
	<i>Yata ephemerovirus</i>	Yata virus (YATV)
	<i>Hapavirus</i>	<i>Flanders hapavirus</i>
<i>Gray Lodge hapavirus</i>		Gray Lodge virus (GLOV)
<i>Hart Park hapavirus</i>		Hart Park virus (HPV)
<i>Holmes hapavirus</i>		Holmes Jungle virus (HOJV)
<i>Joinjakaka hapavirus</i>		Joinjakaka virus (JOIV)
<i>Kamese hapavirus</i>		Kamese virus (KAMV)
<i>La Joya hapavirus</i>		La Joya virus (LJV)
<i>Landjia hapavirus</i>		Landjia virus (LANV = LJAV)
<i>Manitoba hapavirus</i>		Manitoba virus (MANV = MNTBV)
<i>Marco hapavirus</i>		Marco virus (MCOV)
<i>Mosqueiro hapavirus</i>	Mosqueiro virus (MQOV)	

Table 3 (continued)

Genus	Species [¶]	Virus (abbreviation) ^{&}
<i>Ledantevirus</i>	<i>Mossuril hapavirus</i>	Mossuril virus (MOSV)
	<i>Ngaingan hapavirus</i>	Ngaingan virus (NGAV)
	<i>Ord River hapavirus</i>	Ord River virus (ORV)
	<i>Parry Creek hapavirus</i>	Parry Creek virus (PCV)
	<i>Wongabel hapavirus</i>	Wongabel virus (WONV)
	<i>Barur ledantevirus</i>	Barur virus (BARV)
	<i>Bughendera ledantevirus</i>	Bughendera virus (BUGV)
	<i>Fikirini ledantevirus</i>	Fikirini virus (FKRV)
	<i>Fukuoka ledantevirus</i>	Fukuoka virus (FUKV)
	<i>Kanyawara ledantevirus</i>	Kanyawara virus (KYAV)
	<i>Kern Canyon ledantevirus</i>	Kern Canyon virus (KCV)
	<i>Keuraliba ledantevirus</i>	Keuraliba virus (KEUV)
	<i>Kolente ledantevirus</i>	Kolente virus (KOLEV)
	<i>Kumasi ledantevirus</i>	Kumasi rhabdovirus (KRV)
	<i>Le Dantec ledantevirus</i>	Le Dantec virus (LDV)
	<i>Mount Elgon bat ledantevirus</i>	Mount Elgon bat virus (MEBV)
	<i>Nishimuro ledantevirus</i>	Nishimuro virus (NISV)
	<i>Nkolbisson ledantevirus</i>	Nkolbisson virus (NKOV)
	<i>Oita ledantevirus</i>	Oita virus (OITAV)
	<i>Vaprio ledantevirus</i>	Vaprio virus (VAPV)
<i>Lostrhavirus</i>	<i>Wuhan ledantevirus</i>	Wuhan louse fly virus 5 (WLFV-5)
	<i>Yongjia ledantevirus</i>	Yongjia tick virus 2 (YTV-2)
	<i>Hyalomma lostrhavirus</i>	Xinjiang tick rhabdovirus (XjTRV)
<i>Lyssavirus</i>	<i>Lonestar lostrhavirus</i>	lone star tick rhabdovirus (LITRV)
	<i>Aravan lyssavirus</i>	Aravan virus (ARAV)
<i>Lyssavirus</i>	<i>Australian bat lyssavirus</i>	Australian bat lyssavirus (ABLV)
	<i>Bokeloh bat lyssavirus</i>	Bokeloh bat lyssavirus (BBLV)
	<i>Duvenhage lyssavirus</i>	Duvenhage virus (DUVV)
	<i>European bat 1 lyssavirus</i>	European bat lyssavirus 1 (EBLV-1)
	<i>European bat 2 lyssavirus</i>	European bat lyssavirus 2 (EBLV-2)
	<i>Gannoruwa bat lyssavirus</i>	Gannoruwa bat lyssavirus (GBLV)
	<i>Ikoma lyssavirus</i>	Ikoma lyssavirus (IKOV)
	<i>Irkut lyssavirus</i>	Irkut virus (IRKV)
	<i>Khujand lyssavirus</i>	Khujand virus (KHUV)
	<i>Lagos bat lyssavirus</i>	Lagos bat virus (LBV)
	<i>Lleida bat lyssavirus</i>	Lleida bat lyssavirus (LLEBV)
	<i>Mokola lyssavirus</i>	Mokola virus (MOKV)
	<i>Rabies lyssavirus</i>	rabies virus (RABV)
	<i>Shimoni bat lyssavirus</i>	Shimoni bat virus (SHIBV)
	<i>Taiwan bat lyssavirus</i>	Taiwan bat lyssavirus (TWBLV)
	<i>West Caucasian bat lyssavirus</i>	West Caucasian bat virus (WCBV)
	<i>Merhavirus</i>	<i>Merida merhavirus</i>
<i>Tritaeniorhynchus merhavirus</i>		Culex tritaeniorhynchus rhabdovirus (CTRV)
<i>Mousrhavirus</i>		Moussa virus (MOUV)
<i>Ohlshavirus</i>	<i>Angeles ohlshavirus</i>	Culex rhabdo-like virus Los Angeles (CRLVLA)
	<i>Culex ohlsharhavirus</i>	Culex rhabdo-like virus (CRLV)
	<i>Lobeira ohlshavirus</i>	Lobeira virus (LOBV)
	<i>Northcreek ohlshavirus</i>	North Creek virus (NORCV)
	<i>Ohlsdorf ohlshavirus</i>	Ohlsdorf virus (OHLDV)
	<i>Pseudovishnui ohlshavirus</i>	Culex pseudovishnui rhabdo-like virus (CpRLV)
	<i>Riverside ohlshavirus</i>	Riverside virus (RISV)
	<i>Tongilchon ohlshavirus</i>	Tongilchon virus 1 (TCHV-1)
<i>Perhabdovirus</i>	<i>Anguillid perhabdovirus</i>	eel virus European X (EVEX)
	<i>Perch perhabdovirus</i>	perch rhabdovirus (PRV)
	<i>Sea trout perhabdovirus</i>	lake trout rhabdovirus (LTRV)

Table 3 (continued)

Genus	Species [¶]	Virus (abbreviation) ^{&}
<i>Sawgrhavirus</i>	<i>Connecticut sawgrhavirus</i>	Connecticut virus (CNTV)
	<i>Island sawgrhavirus</i>	Long Island tick rhabdovirus (LITRV)
	<i>Minto sawgrhavirus</i>	New Minto virus (NMV)
	<i>Sawgrass sawgrhavirus</i>	Sawgrass virus (SAWV)
<i>Sigmavirus</i>	<i>Capitata sigmavirus</i>	Ceratitis capitata sigmavirus (CCapSV)
	<i>Domestica sigmavirus</i>	Wuhan fly virus 2 (WhFV-2)
	<i>Drosophila affinis sigmavirus</i>	Drosophila affinis sigmavirus (DAffSV)
	<i>Drosophila ananassae sigmavirus</i>	Drosophila ananassae sigmavirus (DAnaSV)
	<i>Drosophila immigrans sigmavirus</i>	Drosophila immigrans sigmavirus (DImmSV)
	<i>Drosophila melanogaster sigmavirus</i>	Drosophila melanogaster sigmavirus (DMelSV)
	<i>Drosophila obscura sigmavirus</i>	Drosophila obscura sigmavirus (DObsSV)
	<i>Drosophila tristis sigmavirus</i>	Drosophila tristis sigmavirus (DTrisSV)
	<i>Hippoboscid sigmavirus</i>	Wuhan louse fly virus 9 (WhLFV-9)
	<i>Hubei sigmavirus</i>	Hubei diptera virus 9 (HbDV-9)
	<i>Lousefly sigmavirus</i>	Wuhan louse fly virus 10 (WhLFV-10)
	<i>Muscina stabulans sigmavirus</i>	Muscina stabulans sigmavirus (MStaSV)
	<i>Myga sigmavirus</i>	Hubei diptera virus 10 (HbDV-10)
	<i>Shayang sigmavirus</i>	Shayang fly virus 2 (SyFV-1)
	<i>Sturtevanti sigmavirus</i>	Drosophila sturtevanti sigmavirus (DStuSV)
	<i>Wuhan sigmavirus</i>	Wuhan house fly virus 1 (WhHFV-1)
<i>Ying sigmavirus</i>	Hubei dimarhabdovirus 1 (HbDRV-1)	
<i>Sprivirus</i>	<i>Carp sprivirus</i>	spring viremia of carp virus (SVCV)
	<i>Pike fry sprivirus</i>	grass carp rhabdovirus (GrCRV)
		pike fry rhabdovirus (PFRV)
<i>Sripuvirus</i>		tench rhabdovirus (TenRV)
	<i>Almpiwar sripuvirus</i>	Almpiwar virus (ALMV)
	<i>Chaco sripuvirus</i>	Chaco virus (CHOV)
	<i>Charleville sripuvirus</i>	Charleville virus (CHVV)
	<i>Cuiaba sripuvirus</i>	Cuiaba virus (CUIV)
	<i>Hainan sripuvirus</i>	Hainan black-spectacled toad rhabdovirus (HnBSTRV)
	<i>Niakha sripuvirus</i>	Niakha virus (NIAV)
	<i>Sena Madureira sripuvirus</i>	Sena Madureira virus (SMV)
<i>Sripurivirus</i>	<i>Sripur sripuvirus</i>	Sripur virus (SRIV)
	<i>Dillard sunrhavirus</i>	Dillard's Draw virus (DDRV)
	<i>Garba sunrhavirus</i>	Garba virus (GARV)
	<i>Harrison sunrhavirus</i>	Harrison Dam virus (HARDV)
	<i>Kwatta sunrhavirus</i>	Kwatta virus (KwAV)
	<i>Oakvale sunrhavirus</i>	Oak Vale virus (OVV)
	<i>Sunguru sunrhavirus</i>	Sunguru virus (SUNV)
	<i>Walkabout sunrhavirus</i>	Walkabout Creek virus (WACV)
<i>Tibrovirus</i>	<i>Bas Congo tibrovirus</i>	Bas-Congo virus (BASV)
	<i>Beatrice Hill tibrovirus</i>	Beatrice Hill virus (BHV)
	<i>Coastal Plains tibrovirus</i>	Coastal Plains virus (CPV)
	<i>Ekpoma 1 tibrovirus</i>	Ekpoma virus 1 (EKV-1)
	<i>Ekpoma 2 tibrovirus</i>	Ekpoma virus 2 (EKV-2)
	<i>Sweetwater Branch tibrovirus</i>	Sweetwater Branch virus (SWBV)
	<i>Tibrogargan tibrovirus</i>	Bivens Arm virus (BAV)
		Tibrogargan virus (TIBV)
<i>Tupavirus</i>	<i>Durham tupavirus</i>	Durham virus (DURV)
	<i>Klamath tupavirus</i>	Klamath virus (KLAV)
	<i>Tupaia tupavirus</i>	tupaia rhabdovirus (TUPV)
<i>Vesiculovirus</i>	<i>Alagoas vesiculovirus</i>	vesicular stomatitis Alagoas virus (VSAV)
	<i>Carajas vesiculovirus</i>	Carajás virus (CJSV)

Table 3 (continued)

Genus	Species [¶]	Virus (abbreviation) ^{&}
	<i>Chandipura vesiculovirus</i>	Chandipura virus (CHPV)
	<i>Cocal vesiculovirus</i>	Cocal virus (COCV)
	<i>Eptesicus vesiculovirus</i>	American bat vesiculovirus (ABVV)
	<i>Indiana vesiculovirus</i>	vesicular stomatitis Indiana virus (VSIV)
	<i>Isfahan vesiculovirus</i>	Isfahan virus (ISFV)
	<i>Jurona vesiculovirus</i>	Jurona virus (JURV)
	<i>Malpais Spring vesiculovirus</i>	Malpais Spring virus (MSPV)
	<i>Maraba vesiculovirus</i>	Maraba virus (MARAV)
	<i>Morreton vesiculovirus</i>	Morreton virus (MORV)
	<i>New Jersey vesiculovirus</i>	vesicular stomatitis New Jersey virus (VSNJV)
	<i>Perinet vesiculovirus</i>	Perinet virus (PERV)
	<i>Piry vesiculovirus</i>	Piry virus (PIRYV)
	<i>Radi vesiculovirus</i>	Radi virus (RADV)
	<i>Rhinolophus vesiculovirus</i>	Jinghong bat virus (JhBV)
	<i>Yug Bogdanovac vesiculovirus</i>	Yug Bogdanovac virus (YBV)
<i>Zarhavirus</i>	<i>Zahedan zarhavirus</i>	Zahedan rhabdovirus (ZARV)
Subfamily <i>Betarhabdovirinae</i>		
<i>Alphanucleorhabdovirus</i>	<i>Constricta yellow dwarf alphanucleorhabdovirus</i>	constricta yellow dwarf virus (CYDV)
	<i>Eggplant mottled dwarf alphanucleorhabdovirus</i>	eggplant mottled dwarf virus (EMDV)
	<i>Maize Iranian mosaic alphanucleorhabdovirus</i>	maize Iranian mosaic virus (MIMV)
	<i>Maize mosaic alphanucleorhabdovirus</i>	maize mosaic virus (MMV)
	<i>Morogoro maize-associated alphanucleorhabdovirus</i>	Morogoro maize-associated virus (MMAV)
	<i>Peach alphanucleorhabdovirus</i>	peach virus 1 (PeV1)
	<i>Physostegia chlorotic mottle alphanucleorhabdovirus</i>	Physostegia chlorotic mottle virus (PhCMoV)
	<i>Potato yellow dwarf alphanucleorhabdovirus</i>	potato yellow dwarf virus (PYDV)
	<i>Rice yellow stunt alphanucleorhabdovirus</i>	rice yellow stunt virus (RYSV)
		rice transitory yellowing virus (RTYV)
	<i>Taro vein chlorosis alphanucleorhabdovirus</i>	taro vein chlorosis virus (TaVCV)
	<i>Wheat yellow striate alphanucleorhabdovirus</i>	wheat yellow striate virus (WYSV)
<i>Betanucleorhabdovirus</i>	<i>Alfalfa betanucleorhabdovirus</i>	alfalfa-associated nucleorhabdovirus (AaNv)
	<i>Apple betanucleorhabdovirus</i>	apple rootstock virus A (ApRVA)
	<i>Blackcurrant betanucleorhabdovirus</i>	blackcurrant-associated rhabdovirus (BCaRV)
	<i>Cardamom betanucleorhabdovirus</i>	cardamom vein clearing virus (CdVCV)
	<i>Datura yellow vein betanucleorhabdovirus</i>	datura yellow vein virus (DYVV)
	<i>Pepper betanucleorhabdovirus</i>	Zhuye pepper nucleorhabdovirus (ZPNRV)
	<i>Sonchus yellow net betanucleorhabdovirus</i>	Sonchus yellow net virus (SYNV)
	<i>Sowthistle yellow vein betanucleorhabdovirus</i>	sowthistle yellow vein virus (SYVV)
	<i>Trefoil betanucleorhabdovirus</i>	birds-foot trefoil-associated virus (BFTV)
<i>Cytorhabdovirus</i>	<i>Alfalfa dwarf cytorhabdovirus</i>	alfalfa dwarf virus (ADV)
	<i>Barley yellow striate mosaic cytorhabdovirus</i>	barley yellow striate mosaic virus (BYSMV)
	<i>Broccoli necrotic yellows cytorhabdovirus</i>	broccoli necrotic yellows virus (BNYV)
	<i>Cabbage cytorhabdovirus</i>	cabbage cytorhabdovirus 1 (CCyV-1)
	<i>Colocasia bobone disease-associated cytorhabdovirus</i>	Colocasia bobone disease-associated virus (CBDAV)
	<i>Festuca leaf streak cytorhabdovirus</i>	Festuca leaf streak virus (FLSV)
	<i>Lettuce necrotic yellows cytorhabdovirus</i>	lettuce necrotic yellows virus (LNYV)
	<i>Lettuce yellow mottle cytorhabdovirus</i>	lettuce yellow mottle virus (LYMoV)
	<i>Maize-associated cytorhabdovirus</i>	maize-associated cytorhabdovirus (MaCV)
	<i>Maize yellow striate cytorhabdovirus</i>	maize yellow striate virus (MYSV)
	<i>Northern cereal mosaic cytorhabdovirus</i>	northern cereal mosaic virus (NCMV)
	<i>Papaya cytorhabdovirus</i>	papaya virus E (PpVE)
	<i>Persimmon cytorhabdovirus</i>	persimmon virus A (PeVA)
	<i>Raspberry vein chlorosis cytorhabdovirus</i>	raspberry vein chlorosis virus (RVCV)

Table 3 (continued)

Genus	Species [¶]	Virus (abbreviation) ^{&}
	<i>Rice stripe mosaic cytorhabdovirus</i>	rice stripe mosaic virus (RSMV)
	<i>Sonchus cytorhabdovirus 1</i>	Sonchus virus (SonV)
	<i>Strawberry crinkle cytorhabdovirus</i>	strawberry crinkle virus (SCV)
	<i>Strawberry cytorhabdovirus 1</i>	strawberry-associated virus 1 (SaV-1) strawberry virus 1 (StrV-1)
	<i>Trichosanthes cytorhabdovirus</i>	Trichosanthes associated rhabdovirus 1 (TrARV1)
	<i>Trifolium pratense cytorhabdovirus A</i>	Trifolium pratense virus A (TpVA)
	<i>Trifolium pratense cytorhabdovirus B</i>	Trifolium pratense virus B (TpVB)
	<i>Tomato yellow mottle-associated cytorhabdovirus</i>	tomato yellow mottle-associated virus (TYMaV)
	<i>Wheat American striate mosaic cytorhabdovirus</i>	wheat American striate mosaic virus (WASMV)
	<i>Wuhan 4 insect cytorhabdovirus</i>	Wuhan insect virus 4 (WuIV-4)
	<i>Wuhan 5 insect cytorhabdovirus</i>	Wuhan insect virus 5 (WuIV-5)
	<i>Wuhan 6 insect cytorhabdovirus</i>	Wuhan insect virus 6 (WuIV-6)
	<i>Yerba mate chlorosis-associated cytorhabdovirus</i>	yerba mate chlorosis-associated virus (YmCaV)
	<i>Yerba mate cytorhabdovirus</i>	yerba mate virus A (YmVA)
<i>Dichorhavirus</i>	<i>Citrus chlorotic spot dichorhavirus</i>	citrus chlorotic spot virus (CiCSV)
	<i>Citrus leprosis N dichorhavirus</i>	citrus leprosis virus N (CiLV-N)
	<i>Clerodendrum chlorotic spot dichorhavirus</i>	Clerodendrum chlorotic spot virus (CICSV)
	<i>Coffee ringspot dichorhavirus</i>	coffee ringspot virus (CoRSV)
	<i>Orchid fleck dichorhavirus</i>	orchid fleck virus (OFV)
<i>Gammanucleorhabdovirus</i>	<i>Maize fine streak gammanucleorhabdovirus</i>	maize fine streak virus (MFSV)
<i>Varicosavirus</i>	<i>Alopecurus varicosavirus</i>	Alopecurus myosuroides varicosavirus 1 (AMVV-1)
	<i>Lettuce big-vein associated varicosavirus</i>	lettuce big-vein associated virus (LBVaV)
	<i>Trifolium varicosavirus</i>	red clover associated varicosavirus (RCaVV)
Subfamily <i>Gammarhabdovirinae</i>		
<i>Novirhabdovirus</i>	<i>Hirame novirhabdovirus</i>	hirame rhabdovirus (HIRRV = HIRV)
	<i>Piscine novirhabdovirus</i>	viral hemorrhagic septicemia virus (VHSV)
	<i>Salmonid novirhabdovirus</i>	infectious hematopoietic necrosis virus (IHNV)
	<i>Snakehead novirhabdovirus</i>	snakehead rhabdovirus (SHRV)
Unassigned (to subfamilies)		
<i>Alphacrustrhavirus</i>	<i>Wenling alphacrustrhavirus</i>	Wenling crustacean virus 10 (WICV-10)
	<i>Zhejiang alphacrustrhavirus</i>	Wenling crustacean virus 10 (WICV-11)
<i>Alphadrosrhavirus</i>	<i>Hubei alphadrosrhavirus</i>	Wuhan house fly virus 2 (WhHFV-2)
	<i>Shayang alphadrosrhavirus</i>	Shayang fly virus 3 (SyFV-3)
<i>Alphahymrhavirus</i>	<i>Cinereus alphahymrhavirus</i>	hymenopteran rhabdo-related virus 38 (HyRRV-38)
	<i>Hirtum alphahymrhavirus</i>	hymenopteran rhabdo-related virus 109 (HyRRV-109)
	<i>Neglectus alphahymrhavirus</i>	Lasius neglectus virus 2 (LnegV-2)
	<i>Radians alphahymrhavirus</i>	hymenopteran rhabdo-related virus 46 (HyRRV-46)
<i>Betahymrhavirus</i>	<i>Austriaca betahymrhavirus</i>	hymenopteran rhabdo-related virus 23 (HyRRV-23)
	<i>Heterodontonyx betahymrhavirus</i>	hymenopteran rhabdo-related virus 24 (HyRRV-24)
<i>Betanemrhavirus</i>	<i>Hubei betanemrhavirus</i>	Hubei rhabdo-like virus 9 (HbRLV-9)
	<i>Shayang betanemrhavirus</i>	Shayang ascaridia galli virus 2 (SyAGV-2)
<i>Betapaprhavirus</i>	<i>Frugiperda betapaprhavirus</i>	Spodoptera frugiperda rhabdovirus (SfruRV)
	<i>Sylvina betapaprhavirus</i>	lepidopteran rhabdo-related virus 34 (LeRRV-34)
<i>Betaricinrhavirus</i>	<i>Chimay betaricinrhavirus</i>	Chimay rhabdovirus (CRV)
	<i>Scapularis betaricinrhavirus</i>	blacklegged tick rhabdovirus 1 (BLTRV-1)
Family <i>Sunviridae</i>		
<i>Sunshinevirus</i>	<i>Reptile sunshinevirus 1</i>	Sunshine Coast virus (SunCV)
Family <i>Ximoviridae</i>		

Table 3 (continued)

Genus	Species [¶]	Virus (abbreviation) ^{&}
<i>Anphevirus</i>	<i>Bolahun anphevirus</i>	Bolahun virus (BLHV) Gambie virus (GAMV)
	<i>Dipteran anphevirus</i>	Húběi diptera virus 11 (HbDV-11)
	<i>Drosophilid anphevirus</i>	Drosophila unispina virus 1 (DuniV-1)
	<i>Odonate anphevirus</i>	Húběi rhabdo-like virus 7 (HbRLV-7)
	<i>Orthopteran anphevirus</i>	Húběi orthoptera virus 5 (HbOV-5)
	<i>Shuangao anphevirus</i>	Shuāngào fly virus 2 (SgFV-2)
	<i>Xincheng anphevirus</i>	Xīnchéng mosquito virus (XcMV)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, subfamilies, families, and orders are taxa.

[¶]Includes: Newcastle disease virus (NDV)

[¶]Taxon names are always italicized and always begin with a capital letter

[&]Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization. Lists of viruses within a given species are provisional at this point and will likely be amended in the near future

Table 4 ICTV-accepted taxonomy of the order *Muvirales* (*Negarnaviricota*: *Haploviricotina*: *Chunqiuviricetes*) as of March 2021

Genus	Species [¶]	Virus (abbreviation) ^{&}
Family <i>Qinviridae</i>		
<i>Yingvirus</i>	<i>Beihai yingvirus</i>	Běihǎi sesarmid crab virus 4 (BhSCV-4)
	<i>Charybdis yingvirus</i>	Wēnzhōu qínvirus-like virus 2 (WzQLV-2)
	<i>Hubei yingvirus</i>	Húběi qínvirus-like virus 1 (HbQLV-1)
	<i>Sanxia yingvirus</i>	Sānxiá qínvirus-like virus 1 (SxQLV-1)
	<i>Shahe yingvirus</i>	Shāhé qínvirus-like virus 1 (ShQLV-1)
	<i>Wenzhou yingvirus</i>	Wēnzhōu qínvirus-like virus 1 (WzQLV-1)
	<i>Wuhan yingvirus</i>	Wūhàn insect virus 15 (WhIV-15)
	<i>Xinzhou yingvirus</i>	Xīnzhōu nematode virus 3 (XzNV-3)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa

[¶]Taxon names are always italicized and always begin with a capital letter

[&]Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization

Table 5 ICTV-accepted taxonomy of the order *Serpentovirales* (*Negarnaviricota*: *Haploviricotina*: *Milneviricetes*) as of March 2021

Genus	Species [¶]	Virus (abbreviation) ^{&}
Family <i>Aspiviridae</i>		
<i>Ophiovirus</i>	<i>Blueberry mosaic associated ophiovirus</i>	blueberry mosaic associated virus (BIMaV)
	<i>Citrus psorosis ophiovirus</i>	citrus psorosis virus (CPsV)
	<i>Freesia sneak ophiovirus</i>	freesia sneak virus (FreSV)
	<i>Lettuce ring necrosis ophiovirus</i>	lettuce ring necrosis virus (LRNV)
	<i>Mirafiori lettuce big-vein ophiovirus</i>	Mirafiori lettuce big-vein virus (MLBVV)
	<i>Ranunculus white mottle ophiovirus</i>	ranunculus white mottle virus (RWMV)
	<i>Tulip mild mottle mosaic ophiovirus</i>	tulip mild mottle mosaic virus (TMMMV)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa

[¶]Taxon names are always italicized and always begin with a capital letter

[&]Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization

Table 6 ICTV-accepted taxonomy of the order *Articulavirales* (*Negarnaviricota*: *Polyploviricotina*: *Insthoviricetes*) as of March 2021

Genus	Species [¶]	Virus (abbreviation) ^{&}
Family <i>Amnoonviridae</i>		
<i>Tilapinevirus</i>	<i>Tilapia tilapinevirus</i>	tilapia lake virus (TiLV)
Family <i>Orthomyxoviridae</i>		
<i>Alphainfluenzavirus</i>	<i>Influenza A virus</i>	influenza A virus (FLUAV)
<i>Betainfluenzavirus</i>	<i>Influenza B virus</i>	influenza B virus (FLUBV)
<i>Deltainfluenzavirus</i>	<i>Influenza D virus</i>	influenza D virus (FLUDV)
<i>Gammainfluenzavirus</i>	<i>Influenza C virus</i>	influenza C virus (FLUCV)
<i>Isavirus</i>	<i>Salmon isavirus</i>	infectious salmon anemia virus (ISAV)
<i>Quaranjavirus</i>	<i>Johnston Atoll quaranjavirus</i>	Johnston Atoll virus (JAV)
	<i>Quaranfil quaranjavirus</i>	Quaranfil virus (QRFV)
<i>Thogotovirus</i>	<i>Dhori thogotovirus</i>	Dhori virus (DHOV)
	<i>Thogoto thogotovirus</i>	Thogoto virus (THOV)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa

[¶]Taxon names are always italicized and always begin with a capital letter

[&]Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization

Table 7 ICTV-accepted taxonomy of the order *Bunyavirales* (*Negarnaviricota*: *Polyploviricotina*: *Ellioviricetes*) as of March 2020

Genus	Species [¶]	Virus (abbreviation) ^{&}
Family <i>Arenaviridae</i>		
<i>Antennavirus</i>	<i>Hairy antennavirus</i>	Wënling frogfish arenavirus 2 (WIFAV-2)
	<i>Salmon antennavirus</i>	salmon pescarenavirus 1 (SPAV-1) salmon pescarenavirus 2 (SPAV-2)
<i>Hartmanivirus</i>	<i>Striated antennavirus</i>	Wënling frogfish arenavirus 1 (WIFAV-1)
	<i>Haartman hartmanivirus</i>	Haartman Institute snake virus 1 (HISV-1) Haartman Institute snake virus 2 (HISV-2)
	<i>Heimat hartmanivirus</i>	andere Heimat virus 1 (aHeV-1)
	<i>Muikkunen hartmanivirus</i>	Dante Muikkunen virus 1 (DaMV-1)
	<i>Schoolhouse hartmanivirus</i>	old schoolhouse virus 1 (OScV-1) old schoolhouse virus 2 (OScV-2)
	<i>Setpatvet hartmanivirus</i>	SetPatVet virus 1 (SPVV-1)
	<i>Zurich hartmanivirus</i>	veterinary pathology Zurich virus 1 (VPZV-1) veterinary pathology Zurich virus 2 (VPZV-2)
<i>Mammarenavirus</i>	<i>Allpahuayo mammarenavirus</i>	Allpahuayo virus (ALLV)
	<i>Alxa mammarenavirus</i>	Alxa virus (ALXV)
	<i>Argentinian mammarenavirus</i>	Junín virus (JUNV)
	<i>Bear Canyon mammarenavirus</i>	Bear Canyon virus (BCNV)
	<i>Brazilian mammarenavirus</i>	Sabía virus (SBAV)
	<i>Cali mammarenavirus</i>	Pichindé virus (PICHV)
	<i>Chapare mammarenavirus</i>	Chapare virus (CHAPV)
	<i>Chevrier mammarenavirus</i>	Lijiāng virus (LIJV)
	<i>Cupixi mammarenavirus</i>	Cupixi virus (CUPXV)
	<i>Flexal mammarenavirus</i>	Flexal virus (FLEV)
	<i>Gairo mammarenavirus</i>	Gairo virus (GAIV)
	<i>Guanarito mammarenavirus</i>	Guanarito virus (GTOV)
	<i>Ippy mammarenavirus</i>	Ippy virus (IPPYV)
	<i>Kitale mammarenavirus</i>	Kitale virus (KTLV)
	<i>Lassa mammarenavirus</i>	Lassa virus (LASV)
<i>Latino mammarenavirus</i>	Latino virus (LATV)	

Table 7 (continued)

Genus	Species [‡]	Virus (abbreviation) ^{&}
	<i>Loei River mammarenavirus</i>	Loei River virus (LORV)
	<i>Lujo mammarenavirus</i>	Lujo virus (LUJV)
	<i>Luna mammarenavirus</i>	Luli virus (LULV)
		Luna virus (LUAV)
	<i>Lunk mammarenavirus</i>	Lunk virus (LNKV)
	<i>Lymphocytic choriomeningitis mammarenavirus</i>	Dandenong virus (DANV)
		lymphocytic choriomeningitis virus (LCMV)
	<i>Machupo mammarenavirus</i>	Machupo virus (MACV)
	<i>Mariental mammarenavirus</i>	Mariental virus (MRLV)
	<i>Merino Walk mammarenavirus</i>	Merino Walk virus (MRWV)
	<i>Mobala mammarenavirus</i>	mobala virus (MOBV)
	<i>Mopeia mammarenavirus</i>	Mopeia virus (MPOV)
		Morogoro virus (MORV)
	<i>Okahandja mammarenavirus</i>	Okahandja virus (OKAV)
	<i>Oliveros mammarenavirus</i>	Oliveros virus (OLVV)
	<i>Paraguayan mammarenavirus</i>	Paraná virus (PRAV)
	<i>Planalto mammarenavirus</i>	Aporé virus (APOV)
	<i>Piritai mammarenavirus</i>	Piritai virus (PIRV)
	<i>Ryukyu mammarenavirus</i>	Ryukyu virus (RYKV)
	<i>Serra do Navio mammarenavirus</i>	Amapari virus (AMAV)
	<i>Solwezi mammarenavirus</i>	Solwezi virus (SOLV)
	<i>Souris mammarenavirus</i>	souris virus (SOUV)
	<i>Tacaribe mammarenavirus</i>	Tacaribe virus (TCRV)
	<i>Tamiami mammarenavirus</i>	Tamiami virus (TMMV)
	<i>Wenzhou mammarenavirus</i>	Wēnzhōu virus (WENV)
	<i>Whitewater Arroyo mammarenavirus</i>	Big Brushy Tank virus (BBRTV)
		Catarina virus (CTNV)
		Skinner Tank virus (SKTV)
		Tonto Creek virus (TTCV)
		Whitewater Arroyo virus (WWAV)
	<i>Xapuri mammarenavirus</i>	Xapuri virus (XAPV)
<i>Reptarenavirus</i>	<i>California reptarenavirus</i>	CAS virus (CASV)
	<i>Giessen reptarenavirus</i>	University of Giessen virus 1 (UGV-1)
		University of Giessen virus 2 (UGV-2)
		University of Giessen virus 3 (UGV-3)
	<i>Golden reptarenavirus</i>	Golden Gate virus (GOGV)
	<i>Ordinary reptarenavirus</i>	tavallinen suomalainen mies virus 2 (TSMV-2)
	<i>Rotterdam reptarenavirus</i>	ROUT virus (ROUTV)
		University of Helsinki virus 1 (UHV-1)
Family <i>Cruliviridae</i>		
<i>Lincruvirus</i>	<i>Lincruvirus europense</i>	European shore crab virus 1 (EscV-1)
	<i>Lincruvirus sinense</i>	Chinese mitten crab virus 1 (CmcV-1)
	<i>Lincruvirus wenlingense</i>	Wēnling crustacean virus 9 (WICV-9)
Family <i>Fimoviridae</i>		
<i>Emaravirus</i>	<i>Actinidia chlorotic ringspot-associated emaravirus</i>	Actinidia chlorotic ringspot-associated virus (AcCRaV)
	<i>Actinidia emaravirus 2</i>	Actinidia virus 2 (AcV-2)
	<i>Aspen mosaic-associated emaravirus</i>	aspen mosaic-associated virus (AsMaV)
	<i>Blackberry leaf mottle associated emaravirus</i>	blackberry leaf mottle-associated virus (BLMaV)
	<i>Camellia japonica-associated emaravirus 1</i>	Camellia japonica-associated virus 1 (CjaV-1)
	<i>Camellia japonica-associated emaravirus 2</i>	Camellia japonica-associated virus 2 (CjaV-2)
	<i>European mountain ash ringspot-associated emaravirus</i>	European mountain ash ringspot-associated virus (EMARaV)
	<i>Fig mosaic emaravirus</i>	fig mosaic virus (FMV)
	<i>High Plains wheat mosaic emaravirus</i>	High Plains wheat mosaic virus (HPWMoV)
	<i>Jujube yellow mottle-associated emaravirus</i>	jujube yellow mottle-associated virus (JYMaV)
	<i>Lilac chlorotic ringspot-associated virus</i>	lilac chlorotic ringspot-associated virus (LiCRaV)

Table 7 (continued)

Genus	Species [†]	Virus (abbreviation) [‡]
	<i>Palo verde broom emaravirus</i>	palo verde broom virus (PVBV)
	<i>Pear chlorotic leaf spot-associated emaravirus</i>	pear chlorotic leaf spot-associated virus (PCLSaV)
	<i>Perilla mosaic emaravirus</i>	perilla mosaic virus (PerMV)
	<i>Pigeonpea sterility mosaic emaravirus 1</i>	pigeonpea sterility mosaic virus 1 (PPSMV-1)
	<i>Pigeonpea sterility mosaic emaravirus 2</i>	pigeonpea sterility mosaic virus 2 (PPSMV-2)
	<i>Pistacia emaravirus B</i>	pistacia virus B (PiVB)
	<i>Raspberry leaf blotch emaravirus</i>	raspberry leaf blotch virus (RLBV)
	<i>Redbud yellow ringspot-associated emaravirus</i>	redbud yellow ringspot-associated virus (RYRaV)
	<i>Rose rosette emaravirus</i>	rose rosette virus (RRV)
	<i>Ti ringspot-associated emaravirus</i>	ti ringspot-associated virus (TiRSaV)
Family <i>Hantaviridae</i>		
Subfamily <i>Actantavirinae</i>		
<i>Actinivirus</i>	<i>Batfish actinivirus</i>	Wēnlíng minipizza batfish virus (WEMBV)
	<i>Goosefish actinivirus</i>	Wēnlíng yellow goosefish virus (WEYGV)
	<i>Perch actinivirus</i>	Bern perch virus (BRPV)
	<i>Spikefish actinivirus</i>	Wēnlíng red spikefish virus (WERSV)
Subfamily <i>Agantavirinae</i>		
<i>Agnathovirus</i>	<i>Hagfish agnathovirus</i>	Wēnlíng hagfish virus (WEHV)
Subfamily <i>Mammantavirinae</i>		
<i>Loanvirus</i>	<i>Brno loanvirus</i>	Brno virus (BRNV)
	<i>Longquan loanvirus</i>	Lóngquán virus (LQUV)
<i>Mobatvirus</i>	<i>Laibin mobatvirus</i>	Láibín virus (LAIV)
	<i>Lena mobatvirus</i>	Lena virus (LENV)
	<i>Nova mobatvirus</i>	Nova virus (NAV)
	<i>Quezon mobatvirus</i>	Quezon virus (QZNV)
	<i>Xuan Son mobatvirus</i>	Xuān Sōn virus (XSV)
<i>Orthohantavirus</i>	<i>Andes orthohantavirus</i>	Andes virus (ANDV)
		Castelo dos Sonhos virus (CASV)
		Lechiguanas virus (LECV = LECHV)
		Orán virus (ORNV)
	<i>Asama orthohantavirus</i>	Asama virus (ASAV)
	<i>Asikkala orthohantavirus</i>	Asikkala virus (ASIV)
	<i>Bayou orthohantavirus</i>	bayou virus (BAYV)
		Catacamas virus (CATV)
	<i>Black Creek Canal orthohantavirus</i>	Black Creek Canal virus (BCCV)
	<i>Bowe orthohantavirus</i>	Bowé virus (BOWV)
	<i>Bruges orthohantavirus</i>	Bruges virus (BRGV)
	<i>Cano Delgadito orthohantavirus</i>	Caño Delgadito virus (CADV)
	<i>Cao Bang orthohantavirus</i>	Cao Bǎng virus (CBNV)
		Liánghé virus (LHEV)
	<i>Choclo orthohantavirus</i>	Choclo virus (CHOV)
	<i>Dabieshan orthohantavirus</i>	Dàbiéshān virus (DBSV)
	<i>Dobrava-Belgrade orthohantavirus</i>	Dobrava virus (DOBV)
		Kurkino virus (KURV)
		Saaremaa virus (SAAV)
		Sochi virus (SOCV)
	<i>El Moro Canyon orthohantavirus</i>	Carrizal virus (CARV)
		El Moro Canyon virus (ELMCV)
		Huitzilac virus (HUIV)
	<i>Fugong orthohantavirus</i>	Fúgōng virus (FUGV)
	<i>Fusong orthohantavirus</i>	Fūsōng virus (FUSV)
	<i>Hantaan orthohantavirus</i>	Amur virus (AMRV)
		Hantaan virus (HTNV)
		Soochong virus (SOOV)
	<i>Jeju orthohantavirus</i>	Jeju virus (JJUV)

Table 7 (continued)

Genus	Species [†]	Virus (abbreviation) [‡]
	<i>Kenkeme orthohantavirus</i>	Kenkeme virus (KKMV)
	<i>Khabarovsk orthohantavirus</i>	Khabarovsk virus (KHAV)
		Topografov virus (TOPV)
	<i>Laguna Negra orthohantavirus</i>	Laguna Negra virus (LANV)
		Maripa virus (MARV)
		Rio Mamoré virus (RIOMV)
	<i>Luxi orthohantavirus</i>	Lúxī virus (LUXV)
	<i>Maporal orthohantavirus</i>	Maporal virus (MAPV)
	<i>Montano orthohantavirus</i>	Montaño virus (MTNV)
	<i>Necoclí orthohantavirus</i>	Necoclí virus (NECV)
	<i>Oxbow orthohantavirus</i>	Oxbow virus (OXBV)
	<i>Prospect Hill orthohantavirus</i>	Prospect Hill virus (PHV)
	<i>Puumala orthohantavirus</i>	Hokkaido virus (HOKV)
		Muju virus (MUJV)
		Puumala virus (PUUV)
	<i>Robina orthohantavirus</i>	Robina virus (ROBV)
	<i>Rockport orthohantavirus</i>	Rockport virus (RKPV)
	<i>Sangassou orthohantavirus</i>	Sangassou virus (SANGV)
	<i>Seewis orthohantavirus</i>	Seewis virus (SWSV)
	<i>Seoul orthohantavirus</i>	gōu virus (GOUV)
		Seoul virus (SEOV)
	<i>Sin Nombre orthohantavirus</i>	New York virus (NYV)
		Sin Nombre virus (SNV)
	<i>Tatenale orthohantavirus</i>	Tatenale virus (TATV)
	<i>Thailand orthohantavirus</i>	Anjzorobe virus (ANJZV)
		Serang virus (SERV)
		Thailand virus (THAIV)
	<i>Tigray orthohantavirus</i>	Tigray virus (TIGV)
	<i>Tula orthohantavirus</i>	Adler virus (ADLV)
		Tula virus (TULV)
	<i>Yakeshi orthohantavirus</i>	Yákèshí virus (YKSV)
<i>Thottimvirus</i>	<i>Imjin thottimvirus</i>	Imjin virus (MJNV)
	<i>Thottapalayam thottimvirus</i>	Thottapalayam virus (TPMV)
Subfamily <i>Repantavirinae</i>		
<i>Reptillovirus</i>	<i>Gecko reptillovirus</i>	Hainán oriental leaf-toed gecko virus (HOLGV)
Family <i>Leishbuviridae</i>		
<i>Shilevirus</i>	<i>Leptomonas shilevirus</i>	Leptomonas moramango virus (LEPMV)
Family <i>Mypoviridae</i>		
<i>Hubavirus</i>	<i>Myriapod hubavirus</i>	Húběi myriapoda virus 5 (HbMV-5)
Family <i>Nairoviridae</i>		
<i>Norwavirus</i>	<i>Grotenhout norwavirus</i>	Grotenhout virus (GRHV)
<i>Ocetevirus</i>	<i>Blattodean ocetevirus</i>	red goblin roach virus 1 (RGRV-1)
<i>Orthonairovirus</i>	<i>Abu Hammad orthonairovirus</i>	Abū Ḥammād virus (AHV)
	<i>Abu Mina orthonairovirus</i>	Abū Mīnā virus (AMV)
	<i>Artashat orthonairovirus</i>	Artashat virus (ARTSV)
	<i>Avalon orthonairovirus</i>	Avalon virus (AVAV)
	<i>Chim orthonairovirus</i>	Chim virus (CHIMV)
	<i>Bandia orthonairovirus</i>	Bandia virus (BDV)
	<i>Burana orthonairovirus</i>	Burana virus (BURV)
	<i>Congoid orthonairovirus</i>	Aìgāi virus (AIGV)
	<i>Crimean-Congo hemorrhagic fever orthonairovirus</i>	Crimean-Congo hemorrhagic fever virus (CCHFV)
	<i>Dera Ghazi Khan orthonairovirus</i>	Dera Ghazi Khan virus (DGKV)
	<i>Dugbe orthonairovirus</i>	Dugbe virus (DUGV)
	<i>Erve orthonairovirus</i>	Erve virus (ERVEV)
	<i>Esterio Real orthonairovirus</i>	Esterio Real virus (ERV)

Table 7 (continued)

Genus	Species [†]	Virus (abbreviation) [‡]
	<i>Gossas orthonairovirus</i>	Gossas virus (GOSV)
	<i>Hazara orthonairovirus</i>	Hazara virus (HAZV)
	<i>Huangpi orthonairovirus</i>	Huángpí tick virus 1 (HpTV-1)
	<i>Hughes orthonairovirus</i>	Caspiy virus (CASV)
		Farallon virus (FARV)
		Great Saltee virus (GRSV)
		Hughes virus (HUGV)
		Raza virus (RAZAV)
	<i>Issyk-kul orthonairovirus</i>	Issyk-kul virus (ISKV)
	<i>Kasokero orthonairovirus</i>	Kasokero virus (KASV = KASOV)
	<i>Keterah orthonairovirus</i>	Keterah virus (KTRV)
		Uzun-Agach virus (UZAV)
	<i>Kupe orthonairovirus</i>	kupe virus (KUPEV)
	<i>Leopards Hill orthonairovirus</i>	Leopards Hill virus (LPHV)
	<i>Meram orthonairovirus</i>	Meram virus (MEMV)
	<i>Nairobi sheep disease orthonairovirus</i>	Nairobi sheep disease virus (NSDV)
	<i>Pacific Coast orthonairovirus</i>	Pacific Coast tick nairovirus (PCTNV)
	<i>Punta orthonairovirus</i>	Punta Salinas virus (PSV)
	<i>Qalyub orthonairovirus</i>	Geran virus (GERV)
		Qalyub virus (QYBV)
	<i>Sakhalin orthonairovirus</i>	Sakhalin virus (SAKV)
		Tillamook virus (TILLV)
	<i>Sapphire orthonairovirus</i>	Sapphire II virus (SAPV)
	<i>Scot orthonairovirus</i>	Clo Mor virus (CMV = CLMV)
	<i>Soldado orthonairovirus</i>	Soldado virus (SOLV)
	<i>Tacheng orthonairovirus</i>	Tāchéng tick virus 1 (TcTV-1)
	<i>Taggart orthonairovirus</i>	Taggart virus (TAGV)
	<i>Tamdy orthonairovirus</i>	Tamdy virus (TAMV)
	<i>Thiafóra orthonairovirus</i>	Thiafóra virus (TFAV)
	<i>Tofta orthonairovirus</i>	tofta virus (TFLV)
	<i>Tunis orthonairovirus</i>	Tunis virus (TUNV)
	<i>Vinegar Hill orthonairovirus</i>	Vinegar Hill virus (VINHV)
	<i>Wenzhou orthonairovirus</i>	Wēnzhōu tick virus (WzTV)
	<i>Yogue orthonairovirus</i>	Yogue virus (YOGV)
	<i>Zirqa orthonairovirus</i>	Zirqa virus (ZIRV)
<i>Sabavirus</i>	<i>South Bay sabavirus</i>	South Bay virus (SBV)
<i>Shaspivirus</i>	<i>Spider shaspivirus</i>	Shāyáng spider virus 1 (SySV-1)
<i>Striwavivirus</i>	<i>Strider striwavivirus</i>	Sānxiá water strider virus 1 (SxWSV-1)
<i>Xinspivirus</i>	<i>Xinzhou xinspivirus</i>	Xīnzhōu spider virus (XSV)
Family <i>Peribunyaviridae</i>		
<i>Herbevirus</i>	<i>Herbert herbevirus</i>	Herbert virus (HEBV)
	<i>Kibale herbevirus</i>	Kibale virus (KIBV)
	<i>Tai herbevirus</i>	Tai virus (TAIV)
<i>Orthobunyavirus</i>	<i>Abras orthobunyavirus</i>	Abras virus (ABRV)
	<i>Acara orthobunyavirus</i>	Acará virus (ACAV)
		Moriche virus (MORV)
	<i>Aino orthobunyavirus</i>	Aino virus (AINOV)
	<i>Akabane orthobunyavirus</i>	Akabane virus (AKAV)
		Tinaroo virus (TINV)
		Yaba-7 virus (Y7V)
	<i>Alajuela orthobunyavirus</i>	Alajuela virus (ALJV)
		San Juan virus (SJV)
	<i>Anadyr orthobunyavirus</i>	Anadyr virus (ANADV)
	<i>Ananindeua orthobunyavirus</i>	Ananindeua virus (ANUV)
	<i>Anhembi orthobunyavirus</i>	Anhembi virus (AMBV)

Table 7 (continued)

Genus	Species [†]	Virus (abbreviation) ^{&}
	<i>Anopheles A orthobunyavirus</i>	Anopheles A virus (ANAV) Arumateua virus (ARTV = ARMTV) Caraipé virus (CPEV = CRPV) Las Maloyas virus (LMV) Lukuni virus (LUKV) Trombetas virus (TRMV) Tucuruí virus (TUCV = TUCRV)
	<i>Anopheles B orthobunyavirus</i>	Anopheles B virus (ANBV) Boracéia virus (BORV)
	<i>Apeu orthobunyavirus</i>	Apeú virus (APEUV)
	<i>Bakau orthobunyavirus</i>	Bakau virus (BAKV) Ketapang virus (KETV) Nola virus (NOLAV) Tanjong Rabok virus (TRV) Telok Forest virus (TFV)
	<i>Batai orthobunyavirus</i>	Batai virus (BATV)
	<i>Batama orthobunyavirus</i>	Batama virus (BMAV)
	<i>Bellavista orthobunyavirus</i>	Bellavista virus (BELLV)
	<i>Benevides orthobunyavirus</i>	Benevides virus (BVSV = BENV)
	<i>Bertioga orthobunyavirus</i>	Bertioga virus (BERV) Cananéia virus (CNAV) Guaratuba virus (GTBV) Itimirim virus (ITIV) Mirim virus (MIRV)
	<i>Bimiti orthobunyavirus</i>	bimiti virus (BIMV)
	<i>Birao orthobunyavirus</i>	Birao virus (BIRV)
	<i>Botambi orthobunyavirus</i>	Botambi virus (BOTV)
	<i>Bozo orthobunyavirus</i>	Bozo virus (BOZOV)
	<i>Brazoran orthobunyavirus</i>	brazoran virus (BRAZV)
	<i>Bruconha orthobunyavirus</i>	Bruconha virus (BRUV)
	<i>Buffalo Creek orthobunyavirus</i>	Buffalo Creek virus (BUCV)
	<i>Bunyamwera orthobunyavirus</i>	Bunyamwera virus (BUNV) Germiston virus (GERV) Lokern virus (LOKV) Mboké virus (MBOV) Ngari virus (NRIV) Northway virus (NORV) Santa Rosa virus (SARV) Shokwe virus (SHOV) Stanfield virus (STAV) Xingu virus (XINV)
	<i>Bushbush orthobunyavirus</i>	Benfica virus (BENV = BNFV) Bushbush virus (BSBV) Juan Díaz virus (JDV)
	<i>Buttonwillow orthobunyavirus</i>	Buttonwillow virus (BUTV)
	<i>Bwamba orthobunyavirus</i>	Bwamba virus (BWAV) Pongola virus (PGAV)
	<i>Cache Valley orthobunyavirus</i>	Cache Valley virus (CVV) Cholul virus (CHLV) Tlacotalpan virus (TLAV)
	<i>Cachoeira Porteira orthobunyavirus</i>	Cachoeira Porteira virus (CPOV)
	<i>California encephalitis orthobunyavirus</i>	California encephalitis virus (CEV) Morro Bay virus (MBV)
	<i>Capim orthobunyavirus</i>	Capim virus (CAPV)
	<i>Caraparu orthobunyavirus</i>	Caraparú virus (CARV)

Table 7 (continued)

Genus	Species [‡]	Virus (abbreviation) ^{&}
		El Huayo virus (EHUV)
		Itaya virus (ITYV)
		Ossa virus (OSSAV)
		Vinces virus (VINV)
	<i>Cat Que orthobunyavirus</i>	Cát Qué virus (CQV)
		Oya virus (OYAV)
	<i>Catu orthobunyavirus</i>	Catú virus (CATUV)
	<i>Enseada orthobunyavirus</i>	Enseada virus (ENSV)
	<i>Faceys paddock orthobunyavirus</i>	Facey's paddock virus (FPV)
	<i>Fort Sherman orthobunyavirus</i>	Fort Sherman virus (FSV)
	<i>Gamboa orthobunyavirus</i>	Brus Laguna virus (BLAV)
		Calchaquí virus (CQIV)
		Gamboa virus (GAMV)
		Pueblo Viejo virus (PVV)
		Soberanía virus (SOBV)
	<i>Gan Gan orthobunyavirus</i>	Gan Gan virus (GGV)
	<i>Guajara orthobunyavirus</i>	Guajará virus (GJAV)
	<i>Guama orthobunyavirus</i>	Guamá virus (GMAV)
	<i>Guaroa orthobunyavirus</i>	Guaroa virus (GROV)
	<i>Iaco orthobunyavirus</i>	Iaco virus (IACOV)
	<i>Ilesha orthobunyavirus</i>	Ilesha virus (ILEV)
	<i>Ingwavuma orthobunyavirus</i>	Ingwavuma virus (INGV)
	<i>Jamestown Canyon orthobunyavirus</i>	Inkoo virus (INKV)
		Jamestown Canyon virus (JCV)
		Jerry Slough virus (JSV)
		South River virus (SORV)
	<i>Jatobal orthobunyavirus</i>	Jatobal virus (JATV)
	<i>Kaeng Khoi orthobunyavirus</i>	Kaeng Khoi virus (KKV)
	<i>Kairi orthobunyavirus</i>	kairi virus (KRIV)
	<i>Keystone orthobunyavirus</i>	Keystone virus (KEYV)
	<i>Koongol orthobunyavirus</i>	koongol virus (KOOV)
		wongal virus (WONV)
	<i>La Crosse orthobunyavirus</i>	La Crosse virus (LACV)
	<i>Leanyer orthobunyavirus</i>	Leanyer virus (LEAV)
	<i>Lumbo orthobunyavirus</i>	Lumbo virus (LUMV)
	<i>Macauã orthobunyavirus</i>	Macauã virus (MACAV)
	<i>Madrid orthobunyavirus</i>	Madrid virus (MADV)
	<i>Maguari orthobunyavirus</i>	Maguari virus (MAGV)
		Playas virus (PLAV)
	<i>Mahogany Hammock orthobunyavirus</i>	Mahogany Hammock virus (MHV)
	<i>Main Drain orthobunyavirus</i>	Main Drain virus (MDV)
	<i>Manzanilla orthobunyavirus</i>	Manzanilla virus (MANV)
		Inini virus (INIV)
	<i>Mapputta orthobunyavirus</i>	Mapputta virus (MAPV)
	<i>Maprik orthobunyavirus</i>	Maprik virus (MPKV)
	<i>Marituba orthobunyavirus</i>	Gumbo Limbo virus (GLV)
		Marituba virus (MTBV)
		Murutucú virus (MURV)
		Nepuyo virus (NEPV)
		Restan virus (RESV)
		Zungarococha virus (ZUNV)
	<i>Matruh orthobunyavirus</i>	Matruh virus (MTRV)
	<i>Melao orthobunyavirus</i>	Melao virus (MELV)
	<i>Moju orthobunyavirus</i>	Moju virus (MOJUV)
	<i>Mermet orthobunyavirus</i>	Mermet virus (MERV)

Table 7 (continued)

Genus	Species [†]	Virus (abbreviation) [‡]
	<i>Minatitlan orthobunyavirus</i>	Minatitlán virus (MNTV) Palestina virus (PLSV)
	<i>MPoko orthobunyavirus</i>	M'Poko virus (MPOV) Yaba-1 virus (Y1V)
	<i>Nyando orthobunyavirus</i>	Eretmapodites virus (ERETV) Mojuí dos Campos virus (MDCV) Nyando virus (NDV)
	<i>Olifantsvlei orthobunyavirus</i>	Bobia virus (BIAV) Dabakala virus (DABV) Olifantsvlei virus (OLIV) Oubi virus (OUBIV)
	<i>Oriboca orthobunyavirus</i>	Itaqui virus (ITQV) Oriboca virus (ORIV)
	<i>Oropouche orthobunyavirus</i>	Iquitos virus (IQTV) Madre de Dios virus (MDDV) Oropouche virus (OROV) Perdões virus (PDEV) Pintupo virus (PINTV)
	<i>Oyo orthobunyavirus</i>	Oyo virus (OYOV)
	<i>Patois orthobunyavirus</i>	Babahoya virus (BABV) Pahayokee virus (PAHV) Patois virus (PATV)
	<i>Peaton orthobunyavirus</i>	peaton virus (PEAV)
	<i>Potosi orthobunyavirus</i>	Potosi virus (POTV)
	<i>Sabo orthobunyavirus</i>	Sabo virus (SABOV)
	<i>San Angelo orthobunyavirus</i>	San Angelo virus (SAV)
	<i>Sango orthobunyavirus</i>	Sango virus (SANV)
	<i>Schmallenberg orthobunyavirus</i>	Douglas virus (DOUV) Sathuperi virus (SATV) Schmallenberg virus (SBV) Shamonda virus (SHAV)
	<i>Sedlec orthobunyavirus</i>	Sedlec virus (SEDEV)
	<i>Serra do Navio orthobunyavirus</i>	Serra do Navio virus (SDNV)
	<i>Shark River orthobunyavirus</i>	Shark River virus (SRV)
	<i>Shuni orthobunyavirus</i>	Kaikalur virus (KAIV) Shuni virus (SHUV)
	<i>Simbu orthobunyavirus</i>	Para virus (PARAV) Simbu virus (SIMV)
	<i>Snowshoe hare orthobunyavirus</i>	Khatanga virus (KHATV) snowshoe hare virus (SSHV)
	<i>Sororoca orthobunyavirus</i>	Sororoca virus (SORV)
	<i>Tacaiuma orthobunyavirus</i>	CoAr 1071 virus (CA1071V) CoAr 3627 virus (CA3626V) Tacaiuma virus (TCMV) Virgin River virus (VRV)
	<i>Tahyna orthobunyavirus</i>	Ťahyňa virus (TAHV)
	<i>Tataguine orthobunyavirus</i>	Tataguine virus (TATV)
	<i>Tensaw orthobunyavirus</i>	Tensaw virus (TENV)
	<i>Tete orthobunyavirus</i>	Bahig virus (BAHV) Tete virus (TETEV) Tsuruse virus (TSUV) Weldona virus (WELV)
	<i>Thimiri orthobunyavirus</i>	Thimiri virus (THIV)
	<i>Timboteua orthobunyavirus</i>	Timboteua virus (TBTV)
	<i>Triniti orthobunyavirus</i>	Triniti virus (TNTV)

Table 7 (continued)

Genus	Species [†]	Virus (abbreviation) [‡]
	<i>Trivittatus orthobunyavirus</i>	Achiote virus (ACHOV) Trivittatus virus (TDTV)
	<i>Turlock orthobunyavirus</i>	Lednice virus (LEDV) Turlock virus (TURV) Umbre virus (UMBV)
	<i>Utinga orthobunyavirus</i>	Utinga virus (UTIV)
	<i>Witwatersrand orthobunyavirus</i>	Witwatersrand virus (WITV)
	<i>Wolkberg orthobunyavirus</i>	Wolkberg virus (WBV)
	<i>Wyeomyia orthobunyavirus</i>	Rio Pracupi virus Taiassui virus (TAIAV) Tucunduba virus (TUCV) Wyeomyia virus (WYOV)
<i>Pacuvirus</i>	<i>Caimito pacuvirus</i>	Caimito virus (CAIV)
	<i>Chilibre pacuvirus</i>	Chilibre virus (CHIV)
	<i>Pacui pacuvirus</i>	Pacui virus (PACV)
	<i>Rio Preto da Eva pacuvirus</i>	Rio Preto da Eva virus (RPEV)
	<i>Tapirape pacuvirus</i>	Tapirapé virus (TAPV)
<i>Shangavirus</i>	<i>Insect shangavirus</i>	Shuāngào insect virus 1 (SgIV-1)
Family Phasmaviridae		
<i>Feravirus</i>	<i>Ferak feravirus</i>	Ferak virus (FRKV)
	<i>Hemipteran feravirus</i>	hemipteran phasma-related virus OKIAV247 (HeFV)
	<i>Neuropteran feravirus</i>	neuropteran phasma-related virus OKIAV248 (NeFV)
<i>Hymovirus</i>	<i>Hymenopteran hymovirus 1</i>	hymenopteran phasma-related virus OKIAV252 (HyHV-1)
	<i>Hymenopteran hymovirus 2</i>	hymenopteran phasma-related virus OKIAV250 (HyHV-2)
<i>Jonvirus</i>	<i>Jonchet jonvirus</i>	jonchet virus (JONV)
<i>Orthophasmavirus</i>	<i>Anopheles orthophasmavirus</i>	Anopheles triannulatus orthophasmavirus (AtOPV)
	<i>Coleopteran orthophasmavirus</i>	coleopteran phasma-related virus OKIAV235 (CPRV)
	<i>Culex orthophasmavirus</i>	Culex phasma-like virus (CPLV)
	<i>Ganda orthophasmavirus</i>	Ganda bee virus (GBEEV)
	<i>Hymenopteran orthophasmavirus 1</i>	hymenopteran phasma-related virus OKIAV228 (HyOV-1)
	<i>Hymenopteran orthophasmavirus 2</i>	hymenopteran phasma-related virus OKIAV227 (HyOV-2)
	<i>Kigluaik phantom orthophasmavirus</i>	Kigluaik phantom virus (KIGV)
	<i>Niukluk phantom orthophasmavirus</i>	Niukluk phantom virus (NUKV)
	<i>Odonate orthophasmavirus</i>	Húběi odonate virus 8 (HbOV-8)
	<i>Qingling orthophasmavirus</i>	Húběi odonate virus 9 (HbOV-9)
	<i>Wuchang cockroach orthophasmavirus 1</i>	Wūchāng cockroach virus 1 (WcCV-1)
	<i>Wuhan mosquito orthophasmavirus 1</i>	Wūhàn mosquito virus 1 (WhMV-1)
	<i>Wuhan mosquito orthophasmavirus 2</i>	Wūhàn mosquito virus 2 (WhMV-2)
<i>Sawastrivirus</i>	<i>Sanxia sawastrivirus</i>	Sānxíá water strider virus 2 (SxWSV-2)
<i>Wuhivirus</i>	<i>Insect wuhivirus</i>	Wūhàn insect virus 2 (WhIV-2)
Family Pheniviridae		
<i>Bandavirus</i>	<i>Bhanja bandavirus</i>	Bhanja virus (BHAV)
	<i>Dabie bandavirus</i>	severe fever with thrombocytopenia syndrome virus (SFTSV)
	<i>Guertu bandavirus</i>	Güěrtú virus (GTV)
	<i>Heartland bandavirus</i>	Heartland virus (HRTV)
	<i>Hunter Island bandavirus</i>	Albatross Island virus (ABIV)
	<i>Kismaayo bandavirus</i>	Kismaayo virus (KISV)
	<i>Lone star bandavirus</i>	lone star virus (LSV)
	<i>Razdan bandavirus</i>	Razdan virus (RAZV)
<i>Beidivirus</i>	<i>Dipteran beidivirus</i>	Húběi diptera virus 3 (HbDV-3)
<i>Coguvirus</i>	<i>Citrus coguvirus</i>	citrus concave gum-associated virus (CCGaV)
	<i>Coguvirus eburni</i>	citrus virus A (CiV-A)
	<i>Grapevine coguvirus</i>	grapevine associated cogu-like virus 1 (GaCLV-1)
<i>Entovirus</i>	<i>Entoleuca entovirus</i>	Entoleuca phenui-like virus 1 (EnPLV-1)

Table 7 (continued)

Genus	Species [†]	Virus (abbreviation) [‡]
<i>Goukovirus</i>	<i>Cumuto goukovirus</i>	Cumuto virus (CUMV)
	<i>Gouleako goukovirus</i>	Gouléako virus (GOLV)
	<i>Yichang insect goukovirus</i>	Yíchāng insect virus (YcIV)
<i>Horwuvirus</i>	<i>Horsefly horwuvirus</i>	Wūhàn horsefly virus (WhHV)
	<i>Kimberley horwuvirus</i>	Fitzroy Crossing tenui-like virus 1 (FCTenV1)
<i>Hudivirus</i>	<i>Dipteran hudivirus</i>	Húběi diptera virus 4 (HbDV-4)
<i>Hudovirus</i>	<i>Lepidopteran hudovirus</i>	Húběi lepidoptera virus 1 (HbLV-1)
<i>Ixovirus</i>	<i>Blackleg ixovirus</i>	blacklegged tick virus 1 (BLTV-1)
	<i>Norway ixovirus</i>	Fairhair virus (FHAV)
	<i>Scapularis ixovirus</i>	blacklegged tick virus 3 (BLTV-3)
<i>Laulavirus</i>	<i>Grapevine laulavirus 2</i>	grapevine associated cogu-like virus 2 (GaCLV-2)
	<i>Grapevine laulavirus 3</i>	grapevine associated cogu-like virus 3 (GaCLV-3)
	<i>Grapevine laulavirus 4</i>	grapevine associated cogu-like virus 4 (GaCLV-4)
	<i>Laurel Lake laulavirus</i>	Laurel Lake virus (LLV)
<i>Lentinivirus</i>	<i>Lentinula lentinivirus</i>	Lentinula edodes negative-strand RNA virus 2 (LeNSRV-2)
<i>Mobuvirus</i>	<i>Mothra mobuvirus</i>	Mothra virus (MTHV)
	<i>Narangue mobuvirus</i>	Ñarangue virus (NRGV)
<i>Phasivirus</i>	<i>Badu phasivirus</i>	Badu virus (BADUV)
	<i>Dipteran phasivirus</i>	Húběi diptera virus 5 (HbDV-5)
	<i>Fly phasivirus</i>	Wūhàn fly virus 1 (WhFV-1)
	<i>Guadeloupe phasivirus</i>	Guadeloupe mosquito phasivirus (GMPV)
	<i>Kimberley phasivirus</i>	Parry's Creek phasivirus 1 (PCPhasV1)
<i>Phlebovirus</i>	<i>Phasi Charoen-like phasivirus</i>	Phasi Charoen-like virus (PCLV)
	<i>Wutai mosquito phasivirus</i>	Wūtái mosquito virus (WtMV)
	<i>Adana phlebovirus</i>	Adana virus (ADAV)
	<i>Aguacate phlebovirus</i>	Aguacate virus (AGUV)
	<i>Alcubé phlebovirus</i>	Alcubé virus (ACBV)
	<i>Alenquer phlebovirus</i>	Alenquer virus (ALEV)
	<i>Ambé phlebovirus</i>	Ambé virus (ABEV)
	<i>Anhangá phlebovirus</i>	Anhangá virus (ANHV)
	<i>Arumowot phlebovirus</i>	Arumowot virus (AMTV)
	<i>Buenaventura phlebovirus</i>	Buenaventura virus (BUEV)
	<i>Bogoria phlebovirus</i>	Bogoria virus (BGRV)
	<i>Bujaru phlebovirus</i>	Bujaru virus (BUJV)
	<i>Cacao phlebovirus</i>	Cacao virus (CACV)
	<i>Campana phlebovirus</i>	Campana virus (CMAV)
	<i>Candiru phlebovirus</i>	Ariquemés virus (ARQV)
		Candirú virus (CDUV)
		Jacundá virus (JCNV)
		Morumbi virus (MR(M)BV)
		Mucura virus (MCRV/MRAV)
		Serra Norte virus (SRNV)
	Chagres phlebovirus	Chagres virus (CHGV)
	Cocle phlebovirus	Coclé virus (CCLV)
	Corfou phlebovirus	Corfou virus (CFUV)
	Dashli phlebovirus	Dāshlǐ virus (DASV)
	Durania phlebovirus	Durania virus (DRNV)
	Echarate phlebovirus	Echarate virus (ECHV)
	Embossos phlebovirus	Embossos virus (EMBV)
	Gabek phlebovirus	Gabek forest virus (GFV)
	Gordil phlebovirus	Gordil virus (GORV)
	Icoaraci phlebovirus	Icoaraci virus (ICOV)
	Itaituba phlebovirus	Itaituba virus (ITAV)
	Itaporanga phlebovirus	Itaporanga virus (ITPV)
	Ixcanal phlebovirus	Ixcanal virus (IXCV)

Table 7 (continued)

Genus	Species [†]	Virus (abbreviation) [‡]
	<i>Karimabad phlebovirus</i>	Karimabad virus (KARV)
	<i>Kiborgoch phlebovirus</i>	Kiborgoch virus (KBGV)
	<i>La Gloria phlebovirus</i>	La Gloria virus (LAGV)
	<i>Lara phlebovirus</i>	Rio Claro virus (RICV)
	<i>Leticia phlebovirus</i>	Leticia virus (LTCV)
	<i>Maldonado phlebovirus</i>	Maldonado virus (MLOV)
	<i>Mariquita phlebovirus</i>	Mariquita virus (MRQV)
	<i>Massilia phlebovirus</i>	Massilia virus (MASV)
	<i>Medjerda phlebovirus</i>	Medjerda Valley virus (MVV)
	<i>Mona Grita phlebovirus</i>	Mona Grita virus (MOGV)
	<i>Mukawa phlebovirus</i>	Mukawa virus (MKWV)
	<i>Munguba phlebovirus</i>	Munguba virus (MUNV)
	<i>Naples phlebovirus</i>	Arrábida virus (ARRV)
		Balkan virus (BALKV)
		Fermo virus (FERV)
		Granada virus (GRV = GRAV)
		Saddaguia virus (SADV)
		sandfly fever Naples virus (SFNV)
	<i>Nique phlebovirus</i>	Nique virus (NIQV)
	<i>Ntepes phlebovirus</i>	Ntepes virus (NTPV)
	<i>Odrenisrou phlebovirus</i>	Odrénisrou virus (ODRV)
	<i>Oriximina phlebovirus</i>	Oriximiná virus (ORXV)
	<i>Pena Blanca phlebovirus</i>	Peña Blanca virus (PEBV)
	<i>Penshurt phlebovirus</i>	Penshurt virus (PEHV)
	<i>Perkerra phlebovirus</i>	Perkerra virus (PKEV)
	<i>Punique phlebovirus</i>	Punique virus (PUNV)
	<i>Punta Toro phlebovirus</i>	Capira virus (CAPIV)
		Punta Toro virus (PTV)
	<i>Rift Valley fever phlebovirus</i>	Rift Valley fever virus (RVFV)
	<i>Rio Grande phlebovirus</i>	Rio Grande virus (RGV)
	<i>Saint Floris phlebovirus</i>	Saint-Floris virus (SAFV)
	<i>Salanga phlebovirus</i>	Salanga virus (SLGV)
	<i>Salehabad phlebovirus</i>	Adria virus (ADRV)
		Arbia virus (ARBV)
		Bregalaka virus (BREV)
		Olbia virus (OLBV)
		Salehabad virus (SALV)
		Zaba virus (ZABAV)
	<i>Salobo phlebovirus</i>	Salobo virus (SLBOV)
	<i>Sicilian phlebovirus</i>	sandfly fever Sicilian virus (SFSV)
	<i>Tapara phlebovirus</i>	Tapará virus (TPRV)
	<i>Tehran phlebovirus</i>	Tehran virus (THEV)
	<i>Tico phlebovirus</i>	Tico virus (TICV)
	<i>Toros phlebovirus</i>	Toros virus (TORV)
	<i>Toscana phlebovirus</i>	Toscana virus (TOSV)
	<i>Tres Almendras phlebovirus</i>	Tres Almendras virus (TRAV)
	<i>Turuna phlebovirus</i>	Turuna virus (TUAV)
	<i>Uriurana phlebovirus</i>	Uriurana virus (URIV)
	<i>Urucuri phlebovirus</i>	Urucuri virus (URUV)
	<i>Viola phlebovirus</i>	viola virus (VIOV)
	<i>Zerdali phlebovirus</i>	Zerdali virus (ZERV)
<i>Pidchovirus</i>	<i>Coleopteran pidchovirus</i>	coleopteran phenui-related virus 308 (CoPrV-308)
	<i>Pidgey pidchovirus</i>	Pidgey virus (PGYV)

Table 7 (continued)

Genus	Species [†]	Virus (abbreviation) ^{&}
<i>Rubodvirus</i>	<i>Apple rubodvirus 1</i>	apple rubbery wood virus 1 (ARWV-1)
	<i>Apple rubodvirus 2</i>	apple rubbery wood virus 2 (ARWV-2)
	<i>Grapevine rubodvirus 1</i>	grapevine Garan dmak virus (GGDV)
	<i>Grapevine rubodvirus 2</i>	grapevine Muscat rose virus (GMRV)
<i>Tanzavirus</i>	<i>Human tanzavirus</i>	Dar es Salaam virus (DeSV)
<i>Tenuivirus</i>	<i>Echinochloa hoja blanca tenuivirus</i>	Echinochloa hoja blanca virus (EHBV)
	<i>European wheat striate mosaic tenuivirus</i>	European wheat striate mosaic virus (EWSMV)
	<i>Iranian wheat stripe tenuivirus</i>	Iranian wheat stripe virus (IWSV)
	<i>Maize stripe tenuivirus</i>	maize stripe virus (MStV = MSPV)
	<i>Melon tenuivirus</i>	melon chlorotic spot virus (MeCSV)
	<i>Rice grassy stunt tenuivirus</i>	rice grassy stunt virus (RGSV)
	<i>Rice hoja blanca tenuivirus</i>	rice hoja blanca virus (RHBV)
	<i>Rice stripe tenuivirus</i>	rice stripe virus (RSV = RStV)
	<i>Urochloa hoja blanca tenuivirus</i>	Urochloa hoja blanca virus (UHBV)
<i>Uukuvirus</i>	<i>American dog uukuvirus</i>	American dog tick virus (ADAV)
	<i>Dabieshan uukuvirus</i>	Dābiéshān tick virus (DBSH)
	<i>Grand Arbaud uukuvirus</i>	Grand Arbaud virus (GAV)
	<i>Huangpi uukuvirus</i>	Huángpí tick virus 2 (HpTV-2)
	<i>Kabuto mountain uukuvirus</i>	Kabuto mountain virus (KAMV)
	<i>Kaisodi uukuvirus</i>	Kaisodi virus (KASDV)
	<i>Lihan uukuvirus</i>	Lihán tick virus (LITV)
	<i>Manawa uukuvirus</i>	Manawa virus (MWAV)
	<i>Murre uukuvirus</i>	murre virus (MURV)
	<i>Pacific coast uukuvirus</i>	Pacific coast tick virus (PACV)
	<i>Precarious Point uukuvirus</i>	Precarious Point virus (PPV)
	<i>Rukutama uukuvirus</i>	Rukutama virus (RUKV)
	<i>Schmid uukuvirus</i>	Nile Warbler virus (NIWV)
	<i>Silverwater uukuvirus</i>	Silverwater virus (SILV)
	<i>Tacheng uukuvirus</i>	Táchéng tick virus 2 (TCGV)
	<i>Uukuniemi uukuvirus</i>	Chizé virus (CHZV)
		Fin V 707 virus (FINV)
		Oceanside virus (OCV = OCEV)
		Pontevès virus (PTVV)
		St. Abbs Head virus (SAHV)
	Uukuniemi virus (UUKV)	
	Yǒngjiā tick virus (YONV)	
	Zaliv Terpeniya virus (ZTV)	
	Mourilyan virus (MoV)	
<i>Wenrivirus</i>	<i>Shrimp wenrivirus</i>	
Family <i>Tospoviridae</i>		
<i>Orthospovirus</i>	<i>Alstroemeria necrotic streak orthospovirus</i>	Alstroemeria necrotic streak virus (ANSV)
	<i>Alstroemeria yellow spot orthospovirus</i>	Alstroemeria yellow spot virus (AYSV)
	<i>Bean necrotic mosaic orthospovirus</i>	bean necrotic mosaic virus (BeNMV)
	<i>Calla lily chlorotic spot orthospovirus</i>	calla lily chlorotic spot virus (CCSV)
	<i>Capsicum chlorosis orthospovirus</i>	Capsicum chlorosis virus (CaCV)
	<i>Chrysanthemum stem necrosis orthospovirus</i>	Chrysanthemum stem necrosis virus (CSNV)
	<i>Groundnut bud necrosis orthospovirus</i>	groundnut bud necrosis virus (GBNV)
	<i>Groundnut chlorotic fan spot orthospovirus</i>	groundnut chlorotic fan-spot virus (GCFSV)
	<i>Groundnut ringspot orthospovirus</i>	groundnut ringspot virus (GRSV)
	<i>Groundnut yellow spot orthospovirus</i>	groundnut yellow spot virus (GYSV)
	<i>Hippeastrum chlorotic ringspot orthospovirus</i>	Hippeastrum chlorotic spot virus (HCRV)
	<i>Impatiens necrotic spot orthospovirus</i>	impatiens necrotic spot virus (INSV)
	<i>Iris yellow spot orthospovirus</i>	iris yellow spot virus (IYSV)
	<i>Melon severe mosaic orthospovirus</i>	melon severe mosaic virus (MSMV)
	<i>Melon yellow spot orthospovirus</i>	melon yellow spot virus (MYSV)
	<i>Mulberry vein banding associated orthospovirus</i>	mulberry vein banding-associated virus (MVBaV)

Table 7 (continued)

Genus	Species [‡]	Virus (abbreviation) ^{&}
	<i>Pepper chlorotic spot orthotospovirus</i>	pepper chlorotic spot virus (PCSV)
	<i>Polygonum ringspot orthotospovirus</i>	Polygonum ringspot virus (PoRSV)
	<i>Soybean vein necrosis orthotospovirus</i>	soybean vein necrosis virus (SVNV)
	<i>Tomato chlorotic spot orthotospovirus</i>	tomato chlorotic spot virus (TCSV)
	<i>Tomato spotted wilt orthotospovirus</i>	tomato spotted wilt virus (TSWV)
	<i>Tomato yellow ring orthotospovirus</i>	tomato yellow ring virus (TYRV)
	<i>Tomato zonate spot orthotospovirus</i>	tomato zonate spot virus (TZSV)
	<i>Watermelon bud necrosis orthotospovirus</i>	watermelon bud necrosis virus (WBNV)
	<i>Watermelon silver mottle orthotospovirus</i>	watermelon silver mottle virus (WSMoV)
	<i>Zucchini lethal chlorosis orthotospovirus</i>	zucchini lethal chlorosis virus (ZLCV)
Family <i>Wupedeviridae</i>		
<i>Wumivirus</i>	<i>Millipede wumivirus</i>	Wùhàn millipede virus 2 (WhMV-2)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, subfamilies, families, and orders are taxa

[‡]Taxon names are always italicized and always begin with a capital letter

[&]Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization. Lists of viruses within a given species are provisional at this point and will likely be amended in the near future

Paola; Koray Ergünay; Aura R. Garrison; Roger Hewson; Jens H. Kuhn; Ali Mirazimi; Gustavo Palacios; Anna Papa (Αννα Παπά); Jessica R. Spengler), *Negarnaviricota* (Eugene V. Koonin; Mart Krupovic; Jens H. Kuhn; Yuri I. Wolf), *Nyamiviridae* (Ralf G. Dietzgen; Dàohóng Jiāng (姜道宏); Jens H. Kuhn; Nikos Vasilakis (Νίκος Βασιλάκης)), *Orthomyxoviridae* (Justin Bahl; Inmaculada Casas; Adolfo García-Sastre; Sergio H. Marshall; John W. McCauley; Gabriele Neumann; Colin R. Parrish; Daniel R. Pérez; Jonathan A. Runstadler; Martin Schwemmler), *Paramyxoviridae* (Anne Balkema-Buschmann; William G. Dundon; W. Paul Duprex; Andrew J. Easton; Gael Kurath; Benhur Lee; Bertus K. Rima; Lin-Fa Wang (王林发)), *Peribunyaviridae* (Scott Adkins; Sergey V. Alkhovsky (Альховский Сергей Владимирович); Martin Beer; Carol D. Blair; Charles H. Calisher; Michael A. Drebot; Holly R. Hughes; Amy J. Lambert; William Marciel de Souza; Marco Marklewitz; Xiāohóng Shí (石晓宏)), *Phasmaviridae* (Matthew J. Ballinger; Roy A. Hall; Sandra Junglen; Stanley L. Langevin; Alex Pauvolid-Corrêa), *Phenuiviridae* (Thomas Briese; Rémi N. Charrel; Hideki Ebihara (海老原秀喜); Martin H. Groschup; Gustavo Palacios; Takahide Sasaya (笹谷孝英); Jin-Won Song (송진원)), *Pneumoviridae* (Paul A. Brown; Ursula J. Buchholz; Rik L. de Swart; J. Felix Drexler; W. Paul Duprex; Andrew J. Easton; Jiànróng Lǐ (李建荣); Kirsten Spann; Natalie J. Thornburg; Bernadette van den Hoogen; John V. Williams), *Rhabdoviridae* (Kim R. Blasdel; Rachel Breyta; Ralf G. Dietzgen; Anthony R. Fooks; Juliana Freitas-Astúa; Hideki Kondō (近藤秀樹); Gael Kurath; David M. Stone; Robert B. Tesh; Noël Tordo; Nikos Vasilakis (Νίκος Βασιλάκης); Peter J. Walker; Anna E. Whitfield), *Sunviridae* (Gael Kurath), *Tenuivirus* (Il-Ryong Choi; Gilda B. Jonson; Takahide Sasaya (笹谷孝英); Yukio Shirako; Tàiyún Wèi (魏太云); Xueping Zhou (周雪平)), and *Tospoviridae* (Scott Adkins; Amy J. Lambert; Rayapati Naidu; Renato O. Resende; Massimo Turina; Anna E. Whitfield)

2017–2020 and 2020–2023 ICTV Chair of the Animal dsRNA and ssRNA- Viruses Subcommittee (Jens H. Kuhn); 2020–2023 ICTV Chair of the Archaeal Viruses Subcommittee (Mart Krupovic); 2020–2023 ICTV Data Secretary (Elliot J. Lefkowitz); 2017–2020 Elected Member of the ICTV Executive Committee and 2020–2023 ICTV Chair of the Plant Viruses Subcommittee (Luisa Rubino); 2017–2020 Elected Member of the ICTV Executive Committee and 2020–2023 ICTV Chair Fungal and Protist Viruses Subcommittee

(Sead Sabanadzovic); 2020–2023 ICTV Vice-President (Stuart G. Siddell); 2017–2020 ICTV Chair of the Fungal and Protist Viruses Subcommittee and 2020–2023 ICTV Chair of the Animal ssRNA+ Viruses Subcommittee (Peter Simmonds); 2017–2020 Elected Member of the ICTV Executive Committee and 2020–2023 ICTV Chair of the Animal DNA Viruses and Retroviruses Subcommittee (Arvind Varsani); 2017–2020 and 2020–2023 ICTV Proposal Secretary (Peter J. Walker); and 2017–2020 ICTV Chair of the Plant Viruses Subcommittee and the 2020–2023 ICTV President (F. Murilo Zerbini)

Chair of the 2017–2020 and 2020–2023 ICTV *Bunyavirales*, *Filoviridae*, and *Negarnaviricota* Study Groups (Jens H. Kuhn); Chair of the 2017–2020 and 2020–2023 ICTV *Arenaviridae* Study Group (Juan Carlos de la Torre); Chair of the 2020 and 2020–2023 ICTV *Jingchuvirales* Study Group (Nicholas Di Paola); Chair of the 2017–2020 and 2020–2023 ICTV *Artoviridae* and *Nyamiviridae* Study Groups (Ralf G. Dietzgen); Chair of the 2017–2020 and 2020–2023 ICTV *Pneumoviridae* Study Group (W. Paul Duprex); Chair of the 2017–2020 (Peter J. Walker) and Co-Chairs of the 2020–2023 (Juliana Freitas-Astúa and Peter J. Walker) ICTV *Rhabdoviridae* Study Group (Juliana Freitas-Astúa; Peter J. Walker); Chair of the 2017–2020 and 2020–2023 ICTV *Orthomyxoviridae* Study Group (Adolfo García-Sastre); Chair of the 2020–2023 ICTV *Peribunyaviridae* Study Group (Holly R. Hughes); Chair of the 2017–2020 and 2020–2023 ICTV *Sunviridae* Study Group (Timothy H. Hyndman); Chair of the 2017–2020 and 2020–2023 ICTV *Myonnaviridae* Study Group (Dàohóng Jiāng (姜道宏)); Chair of the 2017–2020 and 2020–2023 ICTV *Phasmaviridae* Study Group (Sandra Junglen); Chair of the 2017–2020 and 2020–2023 ICTV *Hantaviridae* and *Monjiviricetes* Study Groups (Piet Maes); Chair of the 2017–2020 2020–2023 ICTV *Nairoviridae* and Study Group (Gustavo Palacios); Chairs of the 2017–2020 (Gustavo Palacios) and Co-Chairs (Gustavo Palacios and Takahide Sasaya) of the 2020–2023 ICTV *Phenuiviridae* Study Group (Gustavo Palacios and Takahide Sasaya (笹谷孝英)); and Chair of the 2017–2020 and 2020–2023 ICTV *Bornaviridae* Study Group (Dennis Rubbenstroth)

Funding This work was supported in part through Laulima Government Solutions, LLC prime contract with the US National Institute of Allergy and Infectious Diseases (NIAID) under Contract No. HHSN272201800013C. J.H.K. performed this work as an

employee of Tunnell Government Services (TGS), a subcontractor of Laulima Government Solutions, LLC under Contract No. HHSN272201800013C. This work was also supported in part with federal funds from the National Cancer Institute (NCI), National Institutes of Health (NIH), under Contract No. 75N91019D00024, Task Order No. 75N91019F00130 to I.C., who was supported by the Clinical Monitoring Research Program Directorate, Frederick National Lab for Cancer Research. This work was also funded in part by Contract No. HSHQDC-15-C-00064 awarded by DHS S&T for the management and operation of The National Biodefense Analysis and Countermeasures Center, a federally funded research and development center operated by the Battelle National Biodefense Institute (V.W.); and NIH contract HHSN272201000040I/HHSN27200004/D04 and grant R24AI120942 (N.V., R.B.T.). S.S. acknowledges partial support from the Special Research Initiative of Mississippi Agricultural and Forestry Experiment Station (MAFES), Mississippi State University, and the National Institute of Food and Agriculture, US Department of Agriculture, Hatch Project 1021494. Part of this work was supported by the Francis Crick Institute which receives its core funding from Cancer Research UK (FC001030), the UK Medical Research Council (FC001030), and the Wellcome Trust (FC001030).

Declarations

Conflict of interest The authors declare no conflicts of interest. The views and conclusions contained in this document are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the US Department of the Army, the US Department of Defense, the US Department of Health and Human Services, the US Department of Homeland Security (DHS) Science and Technology Directorate (S&T), or of the institutions and companies affiliated with the authors. In no event shall any of these entities have any responsibility or liability for any use, misuse, inability to use, or reliance upon the information contained herein. The US departments do not endorse any products or commercial services mentioned in this publication. The US Government retains and the publisher, by accepting the article for publication, acknowledges that the US Government retains a non-exclusive, paid up, irrevocable, world-wide license to publish or reproduce the published form of this manuscript, or allow others to do so, for US Government purposes.

Ethical approval This article does not contain any studies with human participants or animals performed by any of the authors.

References

- Alkan C, Erisoz Kasap O, Alten B, de Lamballerie X, Charrel RN (2016) Sandfly-borne phlebovirus isolations from Turkey: new insight into the *Sandfly fever Sicilian* and *Sandfly fever Naples* species. *PLoS Negl Trop Dis* 10:e0004519
- Arai S, Nguyen ST, Boldgiv B, Fukui D, Araki K, Dang CN, Ohdachi SD, Nguyen NX, Pham TD, Boldbaatar B, Satoh H, Yoshikawa Y, Morikawa S, Tanaka-Taya K, Yanagihara R, Oishi K (2013) Novel bat-borne hantavirus Vietnam. *Emerg Infect Dis* 19:1159–1161
- Argenta FF, Hepojoki J, Smura T, Szivovics L, Hammerschmitt ME, Driemeier D, Kipar A, Hetzel U (2020) Identification of reptarenaviruses, hartmaniviruses, and a novel chuvirus in captive native *Brazilian boa* constrictors with boid inclusion body disease. *J Virol* 94:e00001-20
- Baek D, Lim S, Ju H-J, Kim H-R, Lee S-H, Moon JS (2019) The complete genome sequence of apple rootstock virus A, a novel nucleorhabdovirus identified in apple rootstocks. *Arch Virol* 164:2641–2644
- Ballinger MJ, Taylor DJ (2019) Evolutionary persistence of insect bunyavirus infection despite host acquisition and expression of the viral nucleoprotein gene. *Virus Evol* 5:vez017
- Bejerman N, Acevedo RM, de Breuil S, Ruiz OA, Sansberro P, Dietzgen RG, Nome C, Debat H (2020) Molecular characterization of a novel cytorhabdovirus with a unique genomic organization infecting yerba mate (*Ilex paraguariensis*) in Argentina. *Arch Virol* 165:1475–1479
- Bennett AJ, Paskey AC, Kuhn JH, Bishop-Lilly KA, Goldberg TL (2020) Diversity, transmission, and cophylogeny of ledanteviruses (*Rhabdoviridae: Ledantevirus*) and nycteribiid bat flies parasitizing Angolan soft-furred fruit bats in Bundibugyo District, Uganda. *Microorganisms* 8:750
- Bertazzon N, Chitarra W, Angelini E, Nerva L (2020) Two new putative plant viruses from wood metagenomics analysis of an esca diseased vineyard. *Plants (Basel)* 9:835
- Bhat AI, Pamitha NS, Naveen KP, Biju CN (2020) Identification and characterization of cardamom vein clearing virus, a novel aphid-transmitted nucleorhabdovirus. *Eur J Plant Pathol* 156:1053–1062
- Bishop DHL, Calisher CH, Casals J, Chumakov MP, Gaidamovich SY, Hannoun C, Lvov DK, Marshall ID, Oker-Blom N, Pettersson RF, Porterfield JS, Russell PK, Shope RE, Westaway EG (1980) Bunyaviridae. *Intervirology* 14:125–143
- Black L (1940) Strains of potato yellow-dwarf virus. *Am J Bot* 27:386–392
- Blasdell KR, Davis SS, Voysey R, Bulach DM, Middleton D, Williams S, Harmsen MB, Weir RP, Crameri S, Walsh SJ, Peck GR, Tesh RB, Boyle DB, Melville LF, Walker PJ (2020) Hayes Yard virus: a novel ephemerovirus isolated from a bull with severe clinical signs of bovine ephemeral fever is most closely related to Puchong virus. *Vet Res* 51:58
- Bojko J, Subramaniam K, Waltzek TB, Stentiford GD, Behringer DC (2019) Genomic and developmental characterisation of a novel bunyavirus infecting the crustacean *Carcinus maenas*. *Sci Rep* 9:12957
- Bouquet J, Melgar M, Swei A, Delwart E, Lane RS, Chiu CY (2017) Metagenomic-based surveillance of Pacific Coast tick *Dermacentor occidentalis* identifies two novel bunyaviruses and an emerging human rickettsial pathogen. *Sci Rep* 7:12234
- Cao M, Zhang S, Li M, Liu Y, Dong P, Li S, Kuang M, Li R, Zhou Y (2019) Discovery of four novel viruses associated with flower yellowing disease of green Sichuan pepper (*Zanthoxylum armatum*) by virome analysis. *Viruses* 11:696
- Chappell JG, Tsoleridis T, Onianwa O, Drake G, Ashpole I, Dobbs P, Edema W, Kumi-Ansah F, Bennett M, Tarlinton RE, Ball JK, McClure CP (2020) Retrieval of the complete coding sequence of the UK-endemic Tatenale orthohantavirus reveals extensive strain variation and supports its classification as a novel species. *Viruses* 12:454
- Chiapello M, Rodríguez-Romero J, Ayllón MA, Turina M (2020) Analysis of the virome associated to grapevine downy mildew lesions reveals new mycovirus lineages. *Virus Evol* 6:veaa058
- Chiapello M, Rodríguez-Romero J, Nerva L, Forgia M, Chitarra W, Ayllón MA, Turina M (2020) Putative new plant viruses associated with *Plasmopara viticola*-infected grapevine samples. *Ann Appl Biol* 176:180–191
- Cowley JA, McCulloch RJ, Spann KM, Cadogan LC, Walker PJ (2005) Preliminary molecular and biological characterisation of Mourilyan virus (MoV): a new bunya-related virus of penaeid prawns. In: Diseases in Asian aquaculture V Proceedings of the 5th symposium on diseases in Asian aquaculture, Gold Coast, Australia. Asian Fisheries Society, Manila, Philippines, pp 113–124

20. Cowley JA (2021) The genomes of *Mourilyan virus* and *Wēnzhōu shrimp virus 1* of prawns comprise 4 RNA segments. *Virus Res* 292:198225
21. de Lara-Pinto AZ, Santos-de-Carvalho M, de Melo FL, Ribeiro ALM, Morais-Ribeiro B, Dezengrini Shessarenko R (2017) Novel viruses in salivary glands of mosquitoes from sylvatic Cerrado Midwestern Brazil. *PLoS ONE* 12:e0187429
22. de Oliveira Filho EF, Moreira-Soto A, Fischer C, Rasche A, Sander AL, Avey-Arroyo J, Arroyo-Murillo F, Corrales-Aguilar E, Drexler JF (2020) Sloths host Anhanga virus-related phleboviruses across large distances in time and space. *Transbound Emerg Dis* 67:11–17
23. Dhaygude K, Johansson H, Kulmuni J, Sundström L (2019) Genome organization and molecular characterization of the three *Formica exsecta* viruses—FeV1, FeV2 and FeV4. *PeerJ* 6:e6216
24. Diaz-Lara A, Navarro B, Di Serio F, Stevens K, Hwang MS, Kohl J, Vu ST, Falk BW, Golino D, Al Rwahnih M (2019) Two novel negative-sense RNA viruses infecting grapevine are members of a newly proposed genus within the family *Phenuiviridae*. *Viruses* 11:685
25. Ding X, Chen D, Du Z, Zhang J, Wu Z (2019) The complete genome sequence of a novel cytorhabdovirus identified in strawberry (*Fragaria ananassa* Duch.). *Arch Virol* 164:3127–3131
26. Doherty RL, Carley JG, Mackerras MJ, Marks EN (1963) Studies of arthropod-borne virus infections in Queensland. III. Isolation and characterization of virus strains from wild-caught mosquitoes in North Queensland. *Aust J Exp Biol Med Sci* 41:17–39
27. Doherty RL, Whitehead RH, Wetters EJ, Gorman BM (1968) Studies of the epidemiology of arthropod-borne virus infections at Mitchell River Mission, Cape York Peninsula, North Queensland. II. Arbovirus infections of mosquitoes, man and domestic fowls, 1963–1966. *Trans R Soc Trop Med Hyg* 62:430–438
28. Ergünay K, Brinkmann A, Litzba N, Günay F, Kar S, Öter K, Örsten S, Sarıkaya Y, Alten B, Nitsche A, Linton Y-M (2017) A novel rhabdovirus, related to Merida virus, in field-collected mosquitoes from Anatolia and Thrace. *Arch Virol* 162:1903–1911
29. Ergünay K, Dinçer E, Kar S, Emanet N, Yalçınkaya D, Polat Dinçer PF, Brinkmann A, Hacıoğlu S, Nitsche A, Özkul A, Linton YM (2020) Multiple orthonairoviruses including Crimean-Congo hemorrhagic fever virus, Tamdy virus and the novel Meram virus in Anatolia. *Ticks Tick Borne Dis* 11:101448
30. Faizah AN, Kobayashi D, Isawa H, Amoa-Bosompem M, Murota K, Higa Y, Futami K, Shimada S, Kim KS, Itokawa K, Watanabe M, Tsuda Y, Minakawa N, Miura K, Hirayama K, Sawabe K (2020) Deciphering the virome of *Culex vishnui* subgroup mosquitoes, the major vectors of Japanese encephalitis, in Japan. *Viruses* 12:264
31. Fránová J, Příbylová J, Koloniuk I (2019) Molecular and biological characterization of a new strawberry cytorhabdovirus. *Viruses* 11:982
32. Fránová J, Sarkisova T, Jakešová H, Koloniuk I (2019) Molecular and biological properties of two putative new cytorhabdoviruses infecting *Trifolium pratense*. *Plant Pathol* 68:1276–1286
33. Gard G, Marshall ID, Woodroffe GM (1973) Annually recurrent epidemic polyarthritides and Ross River virus activity in a coastal area of New South Wales. II. Mosquitoes, viruses, and wildlife. *Am J Trop Med Hyg* 22:551–560
34. Gauci PJ, McAllister J, Mitchell IR, Boyle DB, Bulach DM, Weir RP, Melville LF, Gubala AJ (2015) Genomic characterisation of three Mapputia group viruses, a serogroup of Australian and Papua New Guinean bunyaviruses associated with human disease. *PLoS ONE* 10:e0116561
35. Gauci PJ, McAllister J, Mitchell IR, Weir RP, Melville LF, Gubala AJ (2016) Genomic characterization of Trubanaman and Gan Gan viruses, two bunyaviruses with potential significance to public health in Australia. *Virol Rep* 6:1–10
36. Gauci PJ, McAllister J, Mitchell IR, Cybinski D, St George T, Gubala AJ (2017) Genomic characterisation of Vinegar Hill virus, an Australian nairovirus Isolated in 1983 from *Argas robertsi* ticks collected from cattle egrets. *Viruses* 9:373
37. Goh CJ, Park D, Hahn Y (2020) Identification of Trichosanthes associated rhabdovirus 1, a novel member of the genus *Cytorhabdovirus* of the family *Rhabdoviridae*, in the *Trichosanthes kirilowii* transcriptome. *Acta Virol* 64:36–43
38. Gondard M, Temmam S, Devillers E, Pinarello V, Bigot T, Chrétien D, Aprelon R, Vayssier-Taussat M, Albina E, Eloit M, Moutailler S (2020) RNA Viruses of *Amblyomma variegatum* and *Rhipicephalus microplus* and cattle susceptibility in the French Antilles. *Viruses* 12:144
39. Han X, Wang H, Wu N, Liu W, Cao M, Wang X (2020) Leafhopper *Psammotettix alienus* hosts chuviruses with different genomic structures. *Virus Res* 285:197992
40. Hao F, Wu M, Li G (2018) Molecular characterization and geographic distribution of a myomonavirus in the population of *Botrytis cinerea*. *Viruses* 10:432
41. Harvey E, Rose K, Eden J-S, Lawrence A, Doggett SL, Holmes EC (2019) Identification of diverse arthropod associated viruses in native Australian fleas. *Virology* 535:189–199
42. Harvey E, Rose K, Eden JS, Lo N, Abeyasuriya T, Shi M, Doggett SL, Holmes EC (2019) Extensive diversity of RNA viruses in Australian ticks. *J Virol* 93:e01358-e1418
43. Hepojoki J, Hepojoki S, Smura T, Szirovicza L, Dervas E, Prähauser B, Nufer L, Schraner EM, Vapalahti O, Kipar A, Hetzel U (2018) Characterization of Haartman Institute snake virus-1 (HISV-1) and HISV-like viruses—The representatives of genus *Hartmanivirus*, family *Arenaviridae*. *PLoS Pathog* 14:e1007415
44. Huang P, Zhang X, Ame KH, Shui Y, Xu Z, Serwadda A, Shen H (2019) Genomic and phylogenetic characterization of a bunya-like virus from the freshwater Chinese mitten crab *Eriocheir sinensis*. *Acta Virol* 63:433–438
45. Hubálek Z, Juricová Z, Halouzka J, Pellantová J, Hudec K (1989) Arboviruses associated with birds in southern Moravia, Czechoslovakia. *Acta Sci Nat Brno* 23:1–50
46. Hubálek Z, Juricová Z, Halouzka J, Butenko AM, Kondrasina NG, Guscina EA, Morozova TN (1990) Isolation and characterization of Sedlec virus, a new bunyavirus from birds. *Acta Virol* 34:339–345
47. Ilyas M, Avelar S, Schuch UK, Brown JK (2018) First report of an emaravirus associated with witches' broom disease and eriophyid mite infestations of the blue palo verde tree in Arizona. *Plant Dis* 102:1863–1863
48. Jang C, Wang R, Wells J, Leon F, Farman M, Hammond J, Goodin MM (2017) Genome sequence variation in the constricta strain dramatically alters the protein interaction and localization map of *Potato yellow dwarf virus*. *J Gen Virol* 98:1526–1536
49. Käfer S, Paraskevopoulou S, Zirkel F, Wieseke N, Donath A, Petersen M, Jones TC, Liu S, Zhou X, Middendorf M, Junglen S, Misof B, Drosten C (2019) Re-assessing the diversity of negative strand RNA viruses in insects. *PLoS Pathog* 15:e1008224
50. Kapuscinski ML, Bergren NA, Russell BJ, Lee JS, Borland EM, Hartman DA, King DC, Hughes HR, Burkhalter KL, Kading RC, Stenglein MD (2021) Genomic characterization of 99 viruses from the bunyavirus families *Nairoviridae*, *Peribunyaviridae*, and *Phenuiviridae*, including 35 previously unsequenced viruses. *PLoS Pathog* 17:e1009315

51. Karabatsos N (1985) International catalogue of arboviruses including certain other viruses of vertebrates, 3rd edn. American Society for Tropical Medicine and Hygiene, San Antonio
52. Kleanthous E, Olenraite I, Lukhovitskaya NI, Firth AE (2019) Discovery of three RNA viruses using ant transcriptomic datasets. *Arch Virol* 164:643–647
53. Koloniuk I, Fránová J, Sarkisova T, Přibyllová J, Lenz O, Petržík K, Špak J (2018) Identification and molecular characterization of a novel varicosa-like virus from red clover. *Arch Virol* 163:2213–2218
54. Kondo H, Chiba S, Toyoda K, Suzuki N (2013) Evidence for negative-strand RNA virus infection in fungi. *Virology* 435:201–209
55. Kubota K, Usugi T, Tomitaka Y, Shimomoto Y, Takeuchi S, Kadono F, Yanagisawa H, Chiaki Y, Tsuda S (2020) Perilla mosaic virus is a highly divergent emaravirus transmitted by *Shevtchenkella* sp. (Acari: Eriophyidae). *Phytopathology* 110:1352–1361
56. Kuhn JH, Wolf YI, Krupovic M, Zhang Y-Z, Maes P, Dolja VV, Koonin EV (2019) Classify viruses—the gain is worth the pain. *Nature* 566:318–320
57. Kuhn JH, Adkins S, Alioto D, Alkhovsky SV, Amarasinghe GK, Anthony SJ, Avšič-Županc T, Ayllón MA, Bahl J, Balkema-Buschmann A, Ballinger MJ, Bartonička T, Basler C, Bavari S, Beer M, Bente DA, Bergeron É, Bird BH, Blair C, Blasdel KR, Bradfute SB, Breyta R, Briese T, Brown PA, Buchholz UJ, Buchmeier MJ, Bukreyev A, Burt F, Buzkan N, Calisher CH, Cao M, Casas I, Chamberlain J, Chandran K, Charrel RN, Chen B, Chiumenti M, Choi I-R, Clegg JCS, Crozier I, da Graça JV, Dal Bó E, Dávila AMR, de la Torre JC, de Lamballerie X, de Swart RL, Di Bello PL, Di Paola N, Di Serio F, Dietzgen RG, Digiaro M, Dolja VV, Dolnik O, Drebot MA, Drexler JF, Dürrwald R, Dufkova L, Dundon WG, Duprex WP, Dye JM, Easton AJ, Ebihara H, Elbeaino T, Ergünay K, Fernandes J, Fooks AR, Formenty PBH, Forth LF, Fouchier RAM, Freitas-Astúa J, Gago-Zachert S, Gão GF, García ML, García-Sastre A, Garrison AR, Gbakima A, Goldstein T, Gonzalez J-PJ, Griffiths A, Groschup MH, Günther S, Guterres A, Hall RA, Hammond J, Hassan M, Hepojoki J, Hepojoki S, Hetzel U, Hewson R, Hoffmann B, Hongo S, Höper D, Horie M, Hughes HR, Hyndman TH, Jambai A, Jardim R, Jiāng D, Jin Q, Jonson GB, Junglen S, Karadağ S, Keller KE, Klempa B, Klingström J, Kobinger G, Kondō H, Koonin EV, Krupovic M, Kurath G, Kuzmin IV, Laenen L, Lamb RA, Lambert AJ, Langevin SL, Lee B, Lemos ERS, Leroy EM, Li D, Li J, Liang M, Liú W, Liú Y, Lukashovich IS, Maes P, Marciel de Souza W, Marklewitz M, Marshall SH, Martelli GP, Martin RR, Marzano S-YL, Massart S, McCauley JW, Mielke-Ehret N, Minafra A, Minutolo M, Mirazimi A, Mühlbach H-P, Mühlberger E, Naidu R, Natsuaki T, Navarro B, Navarro JA, Netesov SV, Neumann G, Nowotny N, Nunes MRT, Nylund A, Økland AL, Oliveira RC, Palacios G, Pallas V, Pályi B, Papa A, Parrish CR, Pauvolid-Corrêa A, Pawęska JT, Payne S, Pérez DR, Pfaff F, Radoshitzky SR, Rahman A-u, Ramos-González PL, Resende RO, Reyes CA, Rima BK, Romanowski V, Robles Luna G, Rota P, Rubbenstroth D, Runstadler JA, Ruzek D, Sabanadzovic S, Salát J, Sall AA, Salvato MS, Sarpkaya K, Sasaya T, Schwemmler M, Shabbir MZ, Shí X, Shí Z, Shirako Y, Simmonds P, Širmarová J, Sironi M, Smither S, Smura T, Song J-W, Spann KM, Spengler JR, Stenglein MD, Stone DM, Straková P, Takada A, Tesh RB, Thornburg NJ, Tomonaga K, Tordo N, Towner JS, Turina M, Tzanetakis I, Ulrich RG, Vaira AM, van den Hoogen B, Varsani A, Vasilakis N, Verbeek M, Wahl V, Walker PJ, Wang H, Wang J, Wang X, Wang L-F, Wèi T, Wells H, Whitfield AE, Williams JV, Wolf YI, Wú Z, Yang X, Yáng X, Yu X, Yutin N, Zerbini FM, Zhang T, Zhang Y-Z, Zhou G, Zhou X (2020) 2020 taxonomic update for phylum Negarnaviricota (*Riboviria: Orthornavirae*), including the large orders *Bunyavirales* and *Mononegavirales*. *Arch Virol* 165:3023–3072
58. Kuwata R, Isawa H, Hoshino K, Tsuda Y, Yanase T, Sasaki T, Kobayashi M, Sawabe K (2011) RNA splicing in a new rhabdovirus from *Culex* mosquitoes. *J Virol* 85:6185–6196
59. Lanciotti RS, Kosoy OI, Bosco-Lauth AM, Pohl J, Stuchlik O, Reed M, Lambert AJ (2013) Isolation of a novel orthobunyavirus (*Brazoran virus*) with a 1.7 kb S segment that encodes a unique nucleocapsid protein possessing two putative functional domains. *Virology* 444:55–63
60. Laubscher F, Cordey S, Hartley M-A, Vieille G, Boillat-Blanco N, Samaka J, Mlaganile T, d'Acremont V, Kaiser L (2019) Nearly complete genome sequence of a novel phlebovirus-like virus detected in a human plasma sample by high-throughput sequencing. *Microbiol Resour Announc* 8:e00764-e819
61. Li CX, Shi M, Tian JH, Lin XD, Kang YJ, Chen LJ, Qin XC, Xu J, Holmes EC, Zhang YZ (2015) Unprecedented genomic diversity of RNA viruses in arthropods reveals the ancestry of negative-sense RNA viruses. *Elife* 4:e05378
62. Lima JA, Nunes Neto JP, Castro KS, Travassos da Rosa APA, Tesh R, Nunes MRT, Popov VL, Vasilakis N, Guzman H, Widen S, Silva SPD, Medeiros DBA, Cardoso JF, Martins LC, Azevedo R, Vasconcelos P, Chiang JO (2019) Characterization of *Trinititi virus* supports its reclassification in the family *Peribunyaviridae*. *J Gen Virol* 100:137–144
63. Liu H, Wang G, Yang Z, Wang Y, Zhang Z, Li L, Waqas M, Hong N, Liu H, Wang G, Hong N, Hong J, Zhang J, Xu L, Qi L (2020) Identification and characterization of a new chlorotic leaf spot-associated virus, a novel emaravirus associated with a severe disease of pear trees in China. *Plant Dis* 104:2786–2798
64. Liu YP, Kuo S-T, Chiou C-J, Terregino C, Tsai H-J (2019) Novel avian metaavulavirus isolated from birds of the family Columbidae in Taiwan. *Vet Microbiol* 236:108377
65. Longdon B, Murray GG, Palmer WJ, Day JP, Parker DJ, Welch JJ, Obbard DJ, Jiggins FM (2015) The evolution, diversity, and host associations of rhabdoviruses. *Virus Evol* 1:vev014
66. Lvov DK, Gromashevsky VL, Zakaryan VA, Skvortsova TM, Berezina LK, Gofman YP, Klimenko SM, Chubkova AL (1978) Razdan virus, a new ungrouped bunyavirus isolated from *Dermacentor marginatus* ticks in Armenia. *Acta Virol* 22:506–508
67. Ma H, Galvin TA, Glasner DR, Shaheduzzaman S, Khan AS (2014) Identification of a novel rhabdovirus in *Spodoptera frugiperda* cell lines. *J Virol* 88:6576–6585
68. Marklewitz M, Tchouassi DP, Hieke C, Heyde V, Torto B, Sang R, Junglen S (2020) Insights into the evolutionary origin of Mediterranean sandfly fever viruses. *mSphere* 5:e00598-e620
69. Marshall ID, Woodroffe GM, Gard GP (1980) Arboviruses of coastal south-eastern Australia. *Aust J Exp Biol Med Sci* 58:91–102
70. Medd NC, Fellous S, Waldron FM, Xuéreb A, Nakai M, Cross JV, Obbard DJ (2018) The virome of *Drosophila suzukii*, an invasive pest of soft fruit. *Virus Evol* 4:vev009
71. Mordecai GJ, Miller KM, Di Cicco E, Schulze AD, Kaukinen KH, Ming TJ, Li S, Tabata A, Teffer A, Patterson DA, Ferguson HW, Suttle CA (2019) Endangered wild salmon infected by newly discovered viruses. *Elife* 8:e47615
72. Mu F, Xie J, Cheng S, You MP, Barbetti MJ, Jia J, Wang Q, Cheng J, Fu Y, Chen T, Jiang D (2017) Virome characterization of a collection of *S. sclerotiorum* from Australia. *Front Microbiol* 8:2540
73. Nerva L, Turina M, Zanzotto A, Gardiman M, Gaiotti F, Gambino G, Chitarra W (2019) Isolation, molecular characterization and virome analysis of culturable wood fungal endophytes

- in esca symptomatic and asymptomatic grapevine plants. *Environ Microbiol* 21:2886–2904
74. Olmedo-Velarde A, Park AC, Sugano J, Uchida JY, Kawate M, Borth WB, Hu JS, Melzer MJ (2019) Characterization of Ti ringspot-associated virus, a novel emaravirus associated with an emerging ringspot disease of *Cordyline fruticosa*. *Plant Dis* 103:2345–2352
 75. Öncü C, Brinkmann A, Günay F, Kar S, Öter K, Sarıkaya Y, Nitsche A, Linton Y-M, Alten B, Ergünay K (2018) West Nile virus, Anopheles flavivirus, a novel flavivirus as well as Merida-like rhabdovirus Turkey in field-collected mosquitoes from Thrace and Anatolia. *Infect Genet Evol* 57:36–45
 76. Onyuk SO, Hu B, Li B, Fan Y, Kering K, Ochola GO, Zheng X-S, Obanda V, Ommeh S, Yang X-L, Agwanda B, Shi Z-L (2019) Molecular detection and genetic characterization of novel RNA viruses in wild and synanthropic rodents and shrews in Kenya. *Front Microbiol* 10:2696
 77. Papadopoulos O, Koptopoulos G (1980) Crimean-Congo hemorrhagic fever (CCHF) in Greece: isolation of the virus from *Rhipicephalus bursa* ticks and a preliminary serological survey. In: Vesenjak-Hirjan J (ed) *Arboviruses in the Mediterranean countries*. Gustav Fischer Verlag, Stuttgart, pp 117–121
 78. Peracchio C, Forgia M, Chiapello M, Vallino M, Turina M, Ciuffo M (2020) A complex virome including two distinct emaraviruses associated with virus-like symptoms in *Camellia japonica*. *Virus Res* 286:197964
 79. Pettersson JH-O, Shi M, Bohlin J, Eldholm V, Brynildsrud OB, Paulsen KM, Andreassen Å, Holmes EC (2017) Characterizing the virome of *Ixodes ricinus* ticks from northern Europe. *Sci Rep* 7:10870
 80. Pettersson JH-O, Shi M, Eden J-S, Holmes EC, Hesson JC (2019) Meta-transcriptomic comparison of the RNA viromes of the mosquito vectors *Culex pipiens* and *Culex torrentium* in Northern Europe. *Viruses* 11:1033
 81. Pounder KC, Begon M, Sironen T, Henttonen H, Watts PC, Voutilainen L, Vapalahti O, Klempa B, Fooks AR, McElhinney LM (2013) Novel hantavirus in wildlife, United Kingdom. *Emerg Infect Dis* 19:673–675
 82. Reeves WK, Miller MM, Gruner WE (2018) Two *Rhabdoviridae*: Dillard's Draw virus, a putative new virus, and Merida virus from *Culex tarsalis* (*Diptera: Culicidae*) in New Mexico, USA. *Acta Virol* 62:326–329
 83. Rodhain F, Maduloleblond G, Hannoun C, Tesh RB (1985) Le virus Corfou : un nouveau *Phlebovirus* isolé de phlébotomes en Grèce. *Ann Inst Pasteur Virol* 136E:161–166
 84. Ruiz-Padilla A, Rodríguez-Romero J, Gómez-Cid I, Pacífico D, Ayllón MA (2021) Novel mycoviruses discovered in the mycovirome of a necrotrophic fungus. *MBio* 12:e03705–e03720
 85. Sabbadin F, Glover R, Stafford R, Rozado-Aguirre Z, Boonham N, Adams I, Mumford R, Edwards R (2017) Transcriptome sequencing identifies novel persistent viruses in herbicide resistant wild-grasses. *Sci Rep* 7:41987
 86. Sadeghi M, Altan E, Deng X, Barker CM, Fang Y, Coffey LL, Delwart E (2018) Virome of > 12 thousand *Culex* mosquitoes from throughout California. *Virology* 523:74–88
 87. Sameroff S, Tokarz R, Charles RA, Jain K, Oleynik A, Che X, Georges K, Carrington CV, Lipkin WI, Oura C (2019) Viral diversity of tick species parasitizing cattle and dogs in Trinidad and Tobago. *Sci Rep* 9:10421
 88. Schoonvaere K, De Smet L, Smagge G, Vierstraete A, Braeckman BP, de Graaf DC (2016) Unbiased RNA shotgun metagenomics in social and solitary wild bees detects associations with eukaryote parasites and new viruses. *PLoS ONE* 11:e0168456
 89. Shi C, Beller L, Deboutte W, Yinda KC, Delang L, Vega-Rúa A, Failloux AB, Matthijssens J (2019) Stable distinct core eukaryotic viromes in different mosquito species from Guadeloupe, using single mosquito viral metagenomics. *Microbiome* 7:121
 90. Shi J, Shen S, Wu H, Zhang Y, Deng F (2021) Metagenomic profiling of viruses associated with *Rhipicephalus microplus* ticks in Yunnan Province, China. *Virol Sin*
 91. Shi M, Lin X-D, Tian J-H, Chen L-J, Chen X, Li CX, Qin X-C, Li J, Cao J-P, Eden J-S, Buchmann J, Wang W, Xu J, Holmes EC, Zhang Y-Z (2016) Redefining the invertebrate RNA virosphere. *Nature* 540:539–543
 92. Shi M, Lin X-D, Chen X, Tian J-H, Chen L-J, Li K, Wang W, Eden J-S, Shen J-J, Liu L, Holmes EC, Zhang Y-Z (2018) The evolutionary history of vertebrate RNA viruses. *Nature* 556:197–202
 93. Siddell SG, Walker PJ, Lefkowitz EJ, Mushegian AR, Adams MJ, Dutilh BE, Gorbalenya AE, Bz H, Harrison RL, Junglen S, Knowles NJ, Kropinski AM, Krupovic M, Kuhn JH, Nibert M, Rubino L, Sabanadzovic S, Sanfaçon H, Simmonds P, Varsani A, Zerbini FM, Davison AJ (2019) Additional changes to taxonomy ratified in a special vote by the International Committee on Taxonomy of Viruses (October 2018). *Arch Virol* 164:943–946
 94. Siqueira Maia LM, de Lara Pinto AZ, Santos de Carvalho M, de Melo FL, Morais Ribeiro B, Dezengrini Shlessarenko R (2019) Novel viruses in mosquitoes from Brazilian Pantanal. *Viruses* 11:957
 95. Sömera M, Kvarnheden A, Desbiez C, Blystad DR, Sooväli P, Kundu JK, Gantsovski M, Nygren J, Lecoq H, Verdin E, Spetz C, Tamisier L, Truve E, Massart S (2020) Sixty years after the first description: genome sequence and biological characterization of European wheat striate mosaic virus infecting cereal crops. *Phytopathology* 110:68–79
 96. Spence L, Anderson CR, Aitken TH, Downs WG (1964) Trinita virus, a new agent isolated from Trinidadian mosquitoes. *Am J Trop Med Hyg* 13:114–117
 97. St George TD (2012) Research on milk fever, bluetongue, Akabane, ephemeral fever and other arboviruses at CSIRO Long Pocket Laboratories, Brisbane, Australia. Ph.D. Thesis, University of Queensland, Brisbane, Australia
 98. Starr EP, Nuccio EE, Pett-Ridge J, Banfield JF, Firestone MK (2019) Metatranscriptomic reconstruction reveals RNA viruses with the potential to shape carbon cycling in soil. *Proc Natl Acad Sci U S A* 116:25900–25908
 99. Tokarz R, Williams SH, Sameroff S, Sanchez Leon M, Jain K, Lipkin WI (2014) Virome analysis of *Amblyomma americanum*, *Dermacentor variabilis*, and *Ixodes scapularis* ticks reveals novel highly divergent vertebrate and invertebrate viruses. *J Virol* 88:11480–11492
 100. Tokarz R, Sameroff S, Tagliafierro T, Jain K, Williams SH, Cucura DM, Rochlin I, Monzon J, Carpi G, Tufts D, Diuk-Wasser M, Brinkerhoff J, Lipkin WI (2018) Identification of novel viruses in *Amblyomma americanum*, *Dermacentor variabilis*, and *Ixodes scapularis* ticks. *mSphere* 3:e00614–e00617
 101. Vanmechelen B, Laenen L, Vergote V, Maes P (2017) Grotenhout virus, a novelairovirus found in *Ixodes ricinus* in Belgium. *Genome Announc* 5:e00288–e317
 102. Viljakainen L, Borshagovski AM, Saarenpää S, Kaitala A, Jurvansuu J (2020) Identification and characterisation of common glow-worm RNA viruses. *Virus Genes* 56:236–248
 103. von Barga S, Al Kubrusli R, Gaskin T, Förl S, Hüttner F, Blystad D-R, Karlin DG, Jalkanen R, Büttner C (2020) Characterisation of a novel emaravirus identified in mosaic-diseased Eurasian aspen (*Populus tremula*). *Ann Appl Biol* 176:210–222
 104. Walker PJ, Tesh RB, Guzman H, Popov VL, Travassos da Rosa APA, Reyna M, Nunes MRT, de Souza WM, Contreras-Gutierrez MA, Patroca S, Vela J, Salvato V, Bueno R, Widen SG, Wood TG, Vasilakis N (2019) Characterization of three novel viruses from the families *Nyamiviridae*, *Orthomyxoviridae*, and *Peribunyaviridae*, isolated from dead birds collected during West Nile virus surveillance in Harris County Texas. *Viruses* 11:927

105. Wang Y-q, Song Y, Cao M-j, Cheng Q, Wu J-x, Hu T (2020) Identification of a novel emaravirus infecting lilac through next-generation sequencing. *J Integr Agricult* 19:2064–2071
106. Wang Y, Zhai L, Wen S, Yang Z, Wang G, Hong N (2020) Molecular characterization of a novel emaravirus infecting *Actinidia* spp in China. *Virus Res* 275:197736
107. Weir R (2002) Classification and identification of viruses isolated from mosquitoes in the Northern Territory, 1982–1992, using a range of techniques. PhD Thesis, University of Sydney, Sydney, Australia
108. Williams SH, Levy A, Yates RA, Somaweera N, Neville PJ, Nicholson J, Lindsay MDA, Mackenzie JS, Jain K, Imrie A, Smith DW, Lipkin WI (2020) The diversity and distribution of viruses associated with *Culex annulirostris* mosquitoes from the Kimberley Region of Western Australia. *Viruses* 12:717
109. Wolf YI, Kazlauskas D, Iranzo J, Lucía-Sanz A, Kuhn JH, Krupovic M, Dolja VV, Koonin EV (2018) Origins and evolution of the global RNA virome. *MBio* 9:e02329-e2418
110. Wright AA, Cross AR, Harper SJ (2020) A bushel of viruses: Identification of seventeen novel putative viruses by RNA-seq in six apple trees. *PLoS ONE* 15:e0227669
111. Xu L, Wu J, Jiang T, Qin S, Xia L, Li X, He B, Tu C (2018) Molecular detection and sequence characterization of diverse rhabdoviruses in bats, China. *Virus Res* 244:208–212
112. Yang C, Zhang S, Han T, Fu J, Di Serio F, Cao M (2019) Identification and characterization of a novel emaravirus associated with jujube (*Ziziphus jujuba* Mill) yellow mottle disease. *Front Microbiol* 10:1417
113. Yashina LN, Kartashov MY, Wang W, Li K, Zdanovskaya NI, Ivanov LI, Zhang Y-Z (2019) Co-circulation of distinct shrew-borne hantaviruses in the far east of Russia. *Virus Res* 272:197717
114. Zhang S, Yang L, Ma L, Tian X, Li R, Zhou C, Cao M (2020) Virome of *Camellia japonica*: discovery of and molecular characterization of new viruses of different taxa in camellias. *Front Microbiol* 11:945
115. Zhou J, Cao K, Zhang Z, Wang L, Li S (2020) Identification and characterization of a novel rhabdovirus infecting peach in China. *Virus Res* 280:197905
116. Παπαδόπουλος Ο, Κοπτόπουλος Γ (1978) Απομόνωση του της ομάδας κριμαϊκού αιμορραγικού πυρετου-κογκο από κροτώνες *Rhipicephalus bursa*. Δελτίον Ελληνικής Μικροβιολογικής Εταιρείας 23:20–28
117. Альховский СВ, Львов ДК, Щелканов МЮ, Щетинин АМ, Краснолободцев КГ, Дерябин ПГ, Самохвалов ЕИ, Ботиков АГ, Закарян ВА (2013) Молекулярногенетическая характеристика вирусов Бханджа (BHAV) и Раздан (RAZV) (Bunyaviridae, Phlebovirus), изолированных от иксодовых клещей *Rhipicephalus bursa* Canestrini & Fanzago, 1878, и *Dermacentor marginatus* Sulzer, 1776, в Закавказье. *Вопр вирусол* 58:14–19

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Authors and Affiliations

Jens H. Kuhn¹ · Scott Adkins² · Bernard R. Agwanda^{211,212} · Rim Al Kubrusli³ · Sergey V. Alkhovsky (Альховский Сергей Владимирович)⁴ · Gaya K. Amarasinghe⁵ · Tatjana Avšič-Županc⁶ · María A. Ayllón^{7,197} · Justin Bahl⁸ · Anne Balkema-Buschmann⁹ · Matthew J. Ballinger¹⁰ · Christopher F. Basler¹¹ · Sina Bavari¹² · Martin Beer¹³ · Nicolas Bejerman¹⁴ · Andrew J. Bennett¹⁵ · Dennis A. Bente¹⁶ · Éric Bergeron¹⁷ · Brian H. Bird¹⁸ · Carol D. Blair¹⁹ · Kim R. Blasdel²⁰ · Dag-Ragnar Blystad²¹ · Jamie Bojko^{22,198} · Wayne B. Borth²³ · Steven Bradfute²⁴ · Rachel Breyta^{25,199} · Thomas Briese²⁶ · Paul A. Brown²⁷ · Judith K. Brown²⁸ · Ursula J. Buchholz²⁹ · Michael J. Buchmeier³⁰ · Alexander Bukreyev³¹ · Felicity Burt³² · Carmen Büttner³ · Charles H. Calisher³³ · Mengji Cao (曹孟籍)³⁴ · Inmaculada Casas³⁵ · Kartik Chandran³⁶ · Rémi N. Charrel³⁷ · Qi Cheng³⁸ · Yuya Chiaki (千秋祐也)³⁹ · Marco Chiapello⁴⁰ · Il-Ryong Choi⁴¹ · Marina Ciuffo⁴⁰ · J. Christopher S. Clegg⁴² · Ian Crozier⁴³ · Elena Dal Bó⁴⁴ · Juan Carlos de la Torre⁴⁵ · Xavier de Lamballerie³⁷ · Rik L. de Swart⁴⁶ · Humberto Debat^{47,200} · Nolwenn M. Dheilly⁴⁸ · Emiliano Di Cicco⁴⁹ · Nicholas Di Paola⁵⁰ · Francesco Di Serio⁵¹ · Ralf G. Dietzgen⁵² · Michele Digiaro⁵³ · Olga Dolnik⁵⁴ · Michael A. Drebot⁵⁵ · J. Felix Drexler⁵⁶ · William G. Dundon⁵⁷ · W. Paul Duprex⁵⁸ · Ralf Dürrwald⁵⁹ · John M. Dye⁵⁰ · Andrew J. Easton⁶⁰ · Hideki Ebihara (海老原秀喜)⁶¹ · Toufic Elbeaino⁶² · Koray Ergünay⁶³ · Hugh W. Ferguson²¹³ · Anthony R. Fooks⁶⁴ · Marco Forgia⁶⁵ · Pierre B. H. Formenty⁶⁶ · Jana Fránová⁶⁷ · Juliana Freitas-Astúa⁶⁸ · Jingjing Fu (付晶晶)⁶⁹ · Stephanie Furl⁷⁰ · Selma Gago-Zachert⁷¹ · George Fú Gão (高福)²¹⁴ · María Laura García⁷² · Adolfo García-Sastre⁷³ · Aura R. Garrison⁵⁰ · Thomas Gaskin^{74,3} · Jean-Paul J. Gonzalez^{75,201} · Anthony Griffiths⁷⁶ · Tony L. Goldberg⁷⁷ · Martin H. Groschup⁷⁸ · Stephan Günther⁷⁹ · Roy A. Hall⁸⁰ · John Hammond⁸¹ · Tong Han (韓彤)⁶⁹ · Jussi Hepojoki^{82,202} · Roger Hewson⁸³ · Jiang Hong (洪健)⁸⁴ · Ni Hong (洪霓)⁸⁵ · Seiji Hongo (本郷誠治)²¹⁵ · Masayuki Horie (堀江真行)^{86,203} · John S. Hu²³ · Tao Hu³⁸ · Holly R. Hughes⁸⁷ · Florian Hüttner³ · Timothy H. Hyndman⁸⁸ · M. Ilyas⁸⁹ · Risto Jalkanen⁹⁰ · Dàohóng Jiāng (姜道宏)⁹¹ · Gilda B. Jonson⁹² · Sandra Junglen^{93,204} · Fujio Kadono (上遠野富士夫)⁹⁴ · Karia H. Kaukinen⁹⁵ · Michael Kawate²³ · Boris Klempa⁹⁶ · Jonas Klingström⁹⁷ · Gary Kobinger²¹⁶ · Igor Koloniuk⁶⁷ · Hideki Kondō (近藤秀樹)⁹⁸ · Eugene V. Koonin⁹⁹ · Mart Krupovic¹⁰⁰ · Kenji Kubota (久保田健嗣)¹⁰¹ · Gael Kurath¹⁰² · Lies Laenen^{103,205} · Amy J. Lambert⁸⁷ · Stanley L. Langevin¹⁰⁴ · Benhur Lee¹⁰⁵ · Elliot J. Lefkowitz¹⁰⁶

Eric M. Leroy¹⁰⁷  · Shaorong Li (李邵蓉)¹⁰⁸  · Longhui Li (李龙辉)⁸⁵ · Jiànróng Lǐ (李建荣)¹⁰⁹ · Huazhen Liu (刘华珍)⁸⁵ · Igor S. Lukashevich¹¹⁰  · Piet Maes¹⁰³  · William Marciel de Souza¹¹¹  · Marco Marklewitz^{93,206}  · Sergio H. Marshall¹¹²  · Shin-Yi L. Marzano¹¹³ · Sebastien Massart¹¹⁴  · John W. McCauley¹¹⁵  · Michael Melzer¹¹⁶  · Nicole Mielke-Ehret¹¹⁷ · Kristina M. Miller⁹⁵ · Tobi J. Ming¹¹⁸  · Ali Mirazimi¹¹⁹ · Gideon J. Mordecai¹²⁰  · Hans-Peter Mühlbach¹¹⁷ · Elke Mühlberger⁷⁶  · Rayapati Naidu¹²¹  · Tomohide Natsuaki (夏秋知英)¹²²  · José A. Navarro¹²³ · Sergey V. Netesov (Нетесов Сергей Викторович)¹²⁴  · Gabriele Neumann¹²⁵  · Norbert Nowotny^{126,207}  · Márcio R. T. Nunes²¹⁷  · Alejandro Olmedo-Velarde²³  · Gustavo Palacios⁵⁰  · Vicente Pallás¹²⁷  · Bernadett Pályi¹²⁸  · Anna Papa (Άννα Παπά)¹²⁹  · Sofia Paraskevopoulou (Σοφία Παρασκευοπούλου)¹³⁰  · Adam C. Park^{23,208} · Colin R. Parrish¹³¹ · David A. Patterson¹³² · Alex Pauvolid-Corrêa^{133,209}  · Janusz T. Pawęska¹³⁴  · Susan Payne¹³⁵  · Carlotta Peracchio⁴⁰  · Daniel R. Pérez¹³⁶  · Thomas S. Postler¹³⁷  · Liying Qi (齐立莹)¹³⁸ · Sheli R. Radoshitzky¹³⁹  · Renato O. Resende¹⁴⁰  · Carina A. Reyes¹⁴¹ · Bertus K. Rima¹⁴²  · Gabriel Robles Luna¹⁴¹ · Víctor Romanowski¹⁴³  · Paul Rota²¹⁸ · Dennis Rubbenstroth¹⁴⁴  · Luisa Rubino¹⁴⁵  · Jonathan A. Runstadler¹⁴⁶  · Sead Sabanadzovic¹⁴⁷  · Amadou Alpha Sall²¹⁹ · Maria S. Salvato¹⁴⁸  · Rosemary Sang¹⁴⁹ · Takahide Sasaya (笹谷孝英)¹⁵⁰  · Angela D. Schulze¹⁵¹ · Martin Schwemmler¹⁵²  · Mang Shi (施莽)¹⁵³  · Xiāohóng Shí (石晓宏)¹⁵⁴  · Zhènglǐ Shí (石正丽)¹⁵⁵  · Yoshifumi Shimomoto (下元祥史)¹⁵⁶ · Yukio Shirako¹⁵⁷ · Stuart G. Siddell¹⁵⁸  · Peter Simmonds¹⁵⁹  · Manuela Sironi¹⁶⁰  · Guy Smagghe¹⁶¹  · Sophie Smither¹⁶²  · Jin-Won Song (송진원)¹⁶³ · Kirsten Spann¹⁶⁴  · Jessica R. Spengler¹⁶⁵  · Mark D. Stenglein¹⁶⁶  · David M. Stone¹⁶⁷  · Jari Sugano²³ · Curtis A. Suttle¹⁶⁸  · Amy Tabata⁹⁵ · Ayato Takada (高田礼人)¹⁶⁹  · Shigeharu Takeuchi (竹内繁治)¹⁷⁰ · David P. Tchouassi¹⁴⁹  · Amy Teffer¹⁷¹  · Robert B. Tesh¹⁷² · Natalie J. Thornburg¹⁷³ · Yasuhiro Tomitaka (富高保弘)¹⁷⁴  · Keizō Tomonaga (朝長啓造)¹⁷⁵  · Noël Tordo¹⁷⁶  · Baldwyn Torto¹⁴⁹ · Jonathan S. Towner^{177,196}  · Shinya Tsuda (津田新哉)⁹⁴ · Changchun Tu (涂长春)¹⁷⁸  · Massimo Turina¹⁷⁹  · Ioannis E. Tzanetakis¹⁸⁰  · Janice Uchida²³  · Tomio Usugi (宇杉宣雄)¹⁰¹ · Anna Maria Vaira⁴⁰  · Marta Vallino⁴⁰  · Bernadette van den Hoogen¹⁸¹  · Arvind Varsani^{182,210}  · Nikos Vasilakis (Νίκος Βασιλάκης)¹⁷²  · Martin Verbeek¹⁸³  · Susanne von Barga³ · Jiro Wada (和田治郎)¹ · Victoria Wahl¹⁸⁴  · Peter J. Walker¹⁸⁵  · Lin-Fa Wang (王林发)¹⁸⁶  · Guoping Wang (王国平)⁸⁵ · Yanxiang Wang (王雁翔)⁸⁵ · Yaqin Wang (王亚琴)³⁸ · Muhammad Waqas¹⁸⁷ · Tàiyún Wèi (魏太云)¹⁸⁸ · Shaohua Wen (温少华)⁸⁵ · Anna E. Whitfield¹⁸⁹  · John V. Williams¹⁹⁰  · Yuri I. Wolf⁹⁹  · Jiangxiang Wu (吴建祥)³⁸  · Lei Xu (徐雷)¹³⁸ · Hironobu Yanagisawa (柳澤広宣)¹⁹¹  · Caixia Yang (杨彩霞)⁶⁹  · Zuokun Yang (杨作坤)⁸⁵ · F. Murilo Zerbini¹⁹²  · Lifeng Zhai (翟立峰)¹⁹³ · Yong-Zhen Zhang (张永振)^{220,221} · Song Zhang (张松)³⁴ · Jinguo Zhang (张靖国)¹⁹⁴ · Zhe Zhang (张哲)⁸⁵ · Xueping Zhou (周雪平)¹⁹⁵ 

✉ Jens H. Kuhn
kuhnjens@mail.nih.gov

Scott Adkins
scott.adkins@usda.gov

Bernard R. Agwanda
bagwanda@museums.or.ke; benrisky@gmail.com

Rim Al Kubrusli
kubruslr@hu-berlin.de

Sergey V. Alkhovskiy (Альховский Сергей Владимирович)
salkh@ya.ru

Gaya K. Amarasinghe
GAmarasinghe@path.wustl.edu

Tatjana Avšič-Županc
Tatjana.Avsic@mf.uni-lj.si

María A. Ayllón
mariaangeles.ayllon@upm.es

Justin Bahl
Justin.Bahl@uga.edu

Anne Balkema-Buschmann
anne.buschmann@fli.de

Matthew J. Ballinger
ballinger@biology.msstate.edu

Christopher F. Basler
cbasler@gsu.edu

Sina Bavari
sinabavari@comcast.net

Martin Beer
Martin.Beer@fli.de

Nicolas Bejerman
bejerman.nicolas@inta.gob.ar

Andrew J. Bennett
andrew.j.bennett64.ctr@mail.mil

Dennis A. Bente
dabente@utmb.edu

Éric Bergeron
exj8@edc.gov

Brian H. Bird
bbbird@ucdavis.edu

Carol D. Blair
Carol.Blair@colostate.edu

Kim R. Blasdell
kim.blasdell@csiro.au

Dag-Ragnar Blystad
dag-ragnar.blystad@nibio.no

Jamie Bojko
J.Bojko@tees.ac.uk

Wayne B. Borth
borth@hawaii.edu

Steven Bradfute
sbradfute@salud.unm.edu

Rachel Breyta
rbjmax@uw.edu

Thomas Briese
tb2047@cumc.columbia.edu

Paul A. Brown
paul.brown@anses.fr

Judith K. Brown
jbrown@ag.arizona.edu

Ursula J. Buchholz
ubuchholz@niaid.nih.gov

Michael J. Buchmeier
m.buchmeier@uci.edu

Alexander Bukreyev
alexander.bukreyev@utmb.edu

Felicity Burt
burtfj@ufs.ac.za

Carmen Büttner
carmen.buettner@agrar.hu-berlin.de

Charles H. Calisher
calisher@cybersafe.net

Mengji Cao (曹孟籍)
caomengji@cric.cn

Inmaculada Casas
icasas@isciii.es

Kartik Chandran
kartik.chandran@einsteinmed.org

Rémi N. Charrel
remi.charrel@univ-amu.fr

Qi Cheng
2765227021@qq.com

Yuya Chiaki (千秋祐也)
chiakiy151@affrc.go.jp

Marco Chiapello
marco.chiapello@ipsp.cnr.it; chiapello.m@gmail.com

Il-Ryong Choi
icho51@hotmail.com

Marina Ciuffo
marina.ciuffo@ipsp.cnr.it

J. Christopher S. Clegg
cleggjcs@yahoo.fr

Ian Crozier
ian.crozier@nih.gov

Elena Dal Bó
elenadalbocastanion@gmail.com

Juan Carlos de la Torre
juanct@scripps.edu

Xavier de Lamballerie
xavier.de-lamballerie@univ-amu.fr

Rik L. de Swart
r.deswart@erasmusmc.nl

Humberto Debat
debat.humberto@inta.gob.ar

Nolwenn M. Dheilly
nolwenn.dheilly@anses.fr

Emiliano Di Cicco
edicicco@psf.ca

Nicholas Di Paola
nicholas.dipaola.ctr@mail.mil

Francesco Di Serio
francesco.diserio@ipsp.cnr.it

Ralf G. Dietzgen
r.dietzgen@uq.edu.au

Michele Digiaro
digiaro@iamb.it

Olga Dolnik
Dolnik@staff.uni-marburg.de

Michael A. Drebot
mike.drebot@canada.ca

J. Felix Drexler
felix.drexler@charite.de

William G. Dundon
W.Dundon@iaea.org

W. Paul Duprex
pduprex@pitt.edu

Ralf Dürrwald
duerrwaldr@rki.de

John M. Dye
john.m.dye1.civ@mail.mil

Andrew J. Easton
A.J.Easton@warwick.ac.uk

Hideki Ebihara (海老原秀喜)
Ebihara.Hideki@mayo.edu

Toufic Elbeaino
elbeaino@iamb.it

Koray Ergünay
ekoray@hacettepe.edu.tr

Hugh W. Ferguson
hf.fishpathology@gmail.com

Anthony R. Fooks
Tony.Fooks@apha.gov.uk

- Marco Forgia
marco.forgia@ips.cnr.it
- Pierre B. H. Formenty
formentyp@who.int
- Jana Fránová
jana@umbr.cas.cz
- Juliana Freitas-Astúa
juliana.astua@embrapa.br
- Jingjing Fu (付晶晶)
fujingjing6595@qq.com
- Stephanie Förl
stephie_fuerl@gmx.de
- Selma Gago-Zachert
selma.gago-zachert@bct.uni-halle.de
- George Fú Gão (高福)
gaof@im.ac.cn
- María Laura García
garcia_m@biol.unlp.edu.ar
- Adolfo García-Sastre
Adolfo.Garcia-Sastre@mssm.edu
- Aura R. Garrison
aura.r.garrison.civ@mail.mil
- Thomas Gaskin
Thomas.Gaskin@lflf.Brandenburg.de
- Jean-Paul J. Gonzalez
Jean.Paul.Gonzalez@georgetown.edu;
jpgonzalez2808@gmail.com
- Anthony Griffiths
ahgriff@bu.edu
- Tony L. Goldberg
tony.goldberg@wisc.edu
- Martin H. Groschup
Martin.Groschup@fli.de
- Stephan Günther
guenther@bni.uni-hamburg.de
- Roy A. Hall
roy.hall@uq.edu.au
- John Hammond
John.Hammond@usda.gov
- Tong Han (韩彤)
437828698@qq.com
- Jussi Hepojoki
jussi.hepojoki@helsinki.fi; jussi.hepojoki@uzh.ch
- Roger Hewson
roger.hewson1@lshtm.ac.uk
- Jiang Hong (洪健)
jhong@zju.edu.cn
- Ni Hong (洪霓)
whni@mail.hzau.edu.cn
- Seiji Hongo (本郷誠治)
shongou@med.id.yamagata-u.ac.jp
- Masayuki Horie (堀江 行)
mhorie@vet.osakafu-u.ac.jp
- John S. Hu
johnhu@hawaii.edu
- Tao Hu
taohu1989@zju.edu.cn
- Holly R. Hughes
ltr8@cdc.gov
- Florian Hüttner
baumflo@hotmail.com
- Timothy H. Hyndman
T.Hyndman@murdoch.edu.au
- M. Ilyas
milyassarwar@gmail.com; milyas2@ncsu.edu
- Risto Jalkanen
ristjal@gmail.com
- Dàohóng Jiāng (姜道宏)
daohongjiang@mail.hzau.edu.cn
- Gilda B. Jonson
G.Jonson@irri.org; jonson_gilda@yahoo.com
- Sandra Junglen
sandra.junglen@charite.de
- Fujio Kadono (上遠野富士夫)
acaritick@yahoo.co.jp
- Karia H. Kaukinen
Karia.Kaukinen@dfo-mpo.gc.ca
- Michael Kawate
mkawate@hawaii.edu
- Boris Klempa
boris.klempa@savba.sk
- Jonas Klingström
jonas.klingstrom@ki.se
- Gary Kobinger
gpkobinger@gmail.com
- Igor Koloniuk
koloniuk@umbr.cas.cz
- Hideki Kondō (近藤秀樹)
hkondo@rib.okayama-u.ac.jp
- Eugene V. Koonin
koonin@ncbi.nlm.nih.gov
- Mart Krupovic
mart.krupovic@pasteur.fr
- Kenji Kubota (久保田健嗣)
kubotak@affrc.go.jp
- Gael Kurath
gkurath@usgs.gov
- Lies Laenen
lies.laenen@uzleuven.be
- Amy J. Lambert
ahk7@cdc.gov
- Stanley L. Langevin
slangevi@uw.edu
- Benhur Lee
benhur.lee@mssm.edu

- Elliot J. Lefkowitz
elliottl@uab.edu
- Eric M. Leroy
eric.leroy@ird.fr
- Shaorong Li (李邵蓉)
Shaorong.Li@dfo-mpo.gc.ca
- Longhui Li (李龙辉)
871163211@qq.com
- Jiànróng Lǐ (李建荣)
li.926@osu.edu
- Huazhen Liu (刘华珍)
1369140609@qq.com
- Igor S. Lukashevich
isluka01@louisville.edu
- Piet Maes
piet.maes@kuleuven.be
- William Marciel de Souza
wmarciel@hotmail.com
- Marco Marklewitz
marklewitz@gmx.de; marklewitzm@who.int;
marco.marklewitz@charite.de
- Sergio H. Marshall
sergio.marshall@pucv.cl
- Shin-Yi L. Marzano
shinyi.marzano@usda.gov
- Sebastien Massart
sebastien.massart@uliege.be
- John W. McCauley
john.mccauley@crick.ac.uk
- Michael Melzer
melzer@hawaii.edu
- Nicole Mielke-Ehret
nicole_mielke@hotmail.com
- Kristina M. Miller
kmillersaunders@gmail.com
- Tobi J. Ming
Tobi.Ming@dfo-mpo.gc.ca
- Ali Mirazimi
Ali.Mirazimi@ki.se
- Gideon J. Mordecai
gidmord@gmail.com
- Hans-Peter Mühlbach
hpmuehlbach@gmx.net;
muehlbach@botanik.uni-hamburg.de
- Elke Mühlberger
muehlber@bu.edu
- Rayapati Naidu
naidu.rayapati@wsu.edu
- Tomohide Natsuaki (夏秋知英)
natsuaki@cc.utsunomiya-u.ac.jp
- José A. Navarro
janavarr@ibmcp.upv.es
- Sergey V. Netesov (Нетёсов Сергей Викторович)
netesov.s@nsu.ru
- Gabriele Neumann
gabriele.neumann@wisc.edu
- Norbert Nowotny
Norbert.Nowotny@vetmeduni.ac.at
- Márcio R. T. Nunes
marcionunesbrasil@yahoo.com.br
- Alejandro Olmedo-Velarde
aolmedov@hawaii.edu
- Gustavo Palacios
gustavo.f.palacios.civ@mail.mil
- Vicente Pallás
vpallas@ibmcp.upv.es
- Bernadett Pályi
palyi.bernadett@nnk.gov.hu
- Anna Papa (Άννα Παπά)
annap.med@gmail.com
- Sofia Paraskevopoulou (Σοφία Παρασκευοπούλου)
sofia.paraskevopoulou@charite.de; sofiapara@hotmail.com
- Adam C. Park
aycpark@hawaii.edu; Adam.Y.Park@hawaii.gov
- Colin R. Parrish
crp3@cornell.edu
- David A. Patterson
David.Patterson@dfo-mpo.gc.ca
- Alex Pauvolid-Corrêa
pauvolid@gmail.com
- Janusz T. Pawęska
januszp@nicd.ac.za
- Susan Payne
SPayne@cvm.tamu.edu
- Carlotta Peracchio
carlotta10029@gmail.com
- Daniel R. Pérez
dperez1@uga.edu
- Thomas S. Postler
tp2405@cumc.columbia.edu
- Liyang Qi (齐立莹)
qiliyang88@163.com
- Sheli R. Radoshitzky
SRadoshitzky@genevausa.org
- Renato O. Resende
rresende@unb.br
- Carina A. Reyes
carirey2306@gmail.com
- Bertus K. Rima
b.rima@qub.ac.uk
- Gabriel Robles Luna
garobles@gmail.com
- Víctor Romanowski
victor@biol.unlp.edu.ar; vromanowski@gmail.com

- Paul Rota
par1@CDC.GOV
- Dennis Rubbenstroth
Dennis.Rubbenstroth@fli.de
- Luisa Rubino
luisa.rubino@ipsp.cnr.it
- Jonathan A. Runstadler
Jonathan.Runstadler@tufts.edu
- Sead Sabanadzovic
SSabanadzovic@entomology.msstate.edu
- Amadou Alpha Sall
Amadou.SALL@pasteur.sn
- Maria S. Salvato
MSalvato@ihv.umaryland.edu
- Rosemary Sang
rsang@icipe.org
- Takahide Sasaya (笹谷孝英)
tsasaya@affrc.go.jp
- Angela D. Schulze
Angela.Schulze@dfo-mpo.gc.ca
- Martin Schwemmler
martin.schwemmler@uniklinik-freiburg.de
- Mang Shi (施莽)
shim23@mail.sysu.edu.cn
- Xiāohóng Shí (石晓宏)
Xiaohong.Shi@glasgow.ac.uk
- Zhènglì Shí (石正丽)
zlshi@wh.iov.cn
- Yoshifumi Shimomoto (下元祥史)
yoshifumi_shimomoto@ken2.pref.kochi.lg.jp
- Yukio Shirako
yshirako@mac.com
- Stuart G. Siddell
stuart.siddell@bristol.ac.uk
- Peter Simmonds
peter.simmonds@ndm.ox.ac.uk
- Manuela Sironi
manuela.sironi@bp.lnf.it
- Guy Smaghe
Guy.Smaghe@UGent.be
- Sophie Smither
sjsmither@mail.dstl.gov.uk
- Jin-Won Song (송진원)
jwsong@korea.ac.kr
- Kirsten Spann
Kirsten.Spann@qut.edu.au
- Jessica R. Spengler
JSpengler@cdc.gov
- Mark D. Stenglein
Mark.Stenglein@colostate.edu
- David M. Stone
david.stone@cefas.co.uk
- Jari Sugano
suganoj@ctahr.hawaii.edu
- Curtis A. Suttle
suttle@science.ubc.ca
- Amy Tabata
Amy.Tabata@dfo-mpo.gc.ca
- Ayato Takada (高田礼人)
atakada@czc.hokudai.ac.jp
- Shigeharu Takeuchi (竹内繁治)
s-takeuchi@jppa.or.jp
- David P. Tchouassi
dtchouassi@icipe.org
- Amy Teffer
akteffer@gmail.com
- Robert B. Tesh
rbtesh22@gmail.com
- Natalie J. Thornburg
nax3@cdc.gov
- Yasuhiro Tomitaka (富高保弘)
yasut@affrc.go.jp
- Keizō Tomonaga (朝長啓造)
tomonaga.keizo.5r@kyoto-u.ac.jp;
tomonaga@infront.kyoto-u.ac.jp
- Noël Tordo
ntordo@pasteur.fr
- Baldwyn Torto
btorto@icipe.org
- Jonathan S. Towner
jit8@cdc.gov
- Shinya Tsuda (津田新哉)
stsuda@hosei.ac.jp
- Changchun Tu (涂长春)
changchun_tu@hotmail.com
- Massimo Turina
massimo.turina@ipsp.cnr.it
- Ioannis E. Tzanetakis
itzaneta@uark.edu
- Janice Uchida
juchida@hawaii.edu
- Tomio Usugi (宇杉富雄)
rg288887@kc5.so-net.ne.jp
- Anna Maria Vaira
annamaria.vaira@ipsp.cnr.it
- Marta Vallino
marta.vallino@ipsp.cnr.it
- Bernadette van den Hoogen
b.vandehoogen@erasmusmc.nl
- Arvind Varsani
arvind.varsani@asu.edu
- Nikos Vasilakis (Νίκος Βασιλάκης)
nivasila@utmb.edu
- Martin Verbeek
martin.verbeek@wur.nl

Susanne von Bargen
susanne.von.bargen@agrar.hu-berlin.de

Jiro Wada (和田治郎)
wadaj@niaid.nih.gov

Victoria Wahl
victoria.wahl@st.dhs.gov

Peter J. Walker
peter.walker@uq.edu.au

Lin-Fa Wang (王林发)
linfa.wang@duke-nus.edu.sg

Guoping Wang (王国平)
gpwang@mail.hzau.edu.cn

Yanxiang Wang (王雁翔)
whni@mail.hzau.edu.cn

Yaqin Wang (王亚琴)
yaqinwang@zju.edu.cn

Muhammad Waqas
mwaqas223@outlook.com

Tàiyún Wèi (魏太云)
weitaiyun@fafu.edu.cn

Shaohua Wen (温少华)
33653989@qq.com

Anna E. Whitfield
awhitfi@ncsu.edu

John V. Williams
jvw@chp.edu

Yuri I. Wolf
wolf@ncbi.nlm.nih.gov

Jiangxiang Wu (吴建祥)
wujx@zju.edu.cn

Lei Xu (徐雷)
xulei_1209@163.com

Hironobu Yanagisawa (柳澤広宣)
hironobu_yanagisa090@maff.go.jp

Caixia Yang (杨彩霞)
xueyang27@126.com

Zuokun Yang (杨作坤)
408341001@qq.com

F. Murilo Zerbini
zerbini@ufv.br

Lifeng Zhai (翟立峰)
254524946@qq.com

Yong-Zhen Zhang (张永振)
zhangyongzhen@icdc.cn; zhangyongzhen@shphc.org.cn

Song Zhang (张松)
qq371260@email.swu.edu.cn

Jinguo Zhang (张靖国)
705868726@qq.com

Zhe Zhang (张哲)
2368188603@qq.com

Xueping Zhou (周雪平)
zzhou@zju.edu.cn

- 1 Integrated Research Facility at Fort Detrick, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Frederick, MD, USA
- 2 United States Department of Agriculture, Agricultural Research Service, US Horticultural Research Laboratory, Fort Pierce, FL, USA
- 3 Division Phytomedicine, Faculty of Life Sciences, Humboldt-Universität zu Berlin, Berlin, Germany
- 4 D.I. Ivanovsky Institute of Virology of N.F. Gamaleya National Center on Epidemiology and Microbiology of Ministry of Health of Russian Federation, Moscow, Russia
- 5 Department of Pathology and Immunology, Washington University School of Medicine, St. Louis, MO, USA
- 6 Faculty of Medicine, University of Ljubljana, Ljubljana, Slovenia
- 7 Centro de Biotecnología y Genómica de Plantas, Universidad Politécnica de Madrid—Instituto Nacional de Investigación y Tecnología Agraria y Alimentaria, Campus de Montegancedo, Pozuelo de Alarcón, Madrid, Spain
- 8 Center for Ecology of Infectious Diseases, Department of Infectious Diseases, Department of Epidemiology and Biostatistics, Institute of Bioinformatics, University of Georgia, Athens, GA, USA
- 9 Institute of Novel and Emerging Infectious Diseases, Friedrich-Loeffler-Institut, Federal Research Institute for Animal Health, Greifswald-Insel Riems, Germany
- 10 Department of Biological Sciences, Mississippi State University, Mississippi State, MS, USA
- 11 Center for Microbial Pathogenesis, Institute for Biomedical Sciences, Georgia State University, Atlanta, GA, USA
- 12 Edge BioInnovation Consulting and Mgt, Frederick, MD, USA
- 13 Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany
- 14 UFMa, INTA-CONICET, Cordoba, Argentina
- 15 Genomics and Bioinformatics Department, Biological Defense Research Directorate, Naval Medical Research Center—Frederick, Fort Detrick, Frederick, MD, USA
- 16 University of Texas Medical Branch, Galveston, TX, USA
- 17 Viral Special Pathogens Branch, Division of High-Consequence Pathogens and Pathology, Centers for Disease Control and Prevention, Atlanta, GA, USA
- 18 School of Veterinary Medicine, One Health Institute, University of California, Davis, Davis, CA, USA
- 19 Department of Microbiology, Immunology and Pathology, Colorado State University, Fort Collins, CO, USA
- 20 Commonwealth Scientific and Industrial Research Organisation (CSIRO), Australian Centre for Disease Preparedness, Geelong, VIC, Australia
- 21 NIBIO-Norwegian Institute of Bioeconomy Research, Oslo, Norway
- 22 School of Health and Life Sciences, Teesside University, Middlesbrough TS1 3BX, UK
- 23 University of Hawaii, Honolulu, HI, USA

- 24 University of New Mexico Health Sciences Center, Albuquerque, NM, USA
- 25 University of Washington, Seattle, WA, USA
- 26 Center for Infection and Immunity, and Department of Epidemiology, Mailman School of Public Health, Columbia University, New York, NY, USA
- 27 Laboratory of Ploufragan-Plouzané-Niort, French Agency for Food, Environmental and Occupational Health Safety ANSES, Ploufragan, France
- 28 School of Plant Sciences, University of Arizona, Tucson, AZ, USA
- 29 RNA Viruses Section, Laboratory of Infectious Diseases, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, MD, USA
- 30 Department of Molecular Biology and Biochemistry, University of California, Irvine, Irvine, CA, USA
- 31 Galveston National Laboratory, The University of Texas Medical Branch at Galveston, Galveston, TX, USA
- 32 Division of Virology, National Health Laboratory Service and Division of Virology, University of the Free State, Bloemfontein, Republic of South Africa
- 33 Colorado State University, Fort Collins, CO, USA
- 34 National Citrus Engineering and Technology Research Center, Citrus Research Institute, Southwest University, Beibei, Chongqing, People's Republic of China
- 35 Respiratory Virus and Influenza Unit, National Microbiology Center, Instituto de Salud Carlos III, Madrid, Spain
- 36 Department of Microbiology and Immunology, Albert Einstein College of Medicine, Bronx, NY, USA
- 37 Unité des Virus Emergents (Aix-Marseille Univ, IRD 190, Inserm 1207, IHU Méditerranée Infection), Marseille, France
- 38 State Key Laboratory of Rice Biology, Institute of Biotechnology, Zhejiang University, Hangzhou, People's Republic of China
- 39 Grape and Persimmon Research Station, Institute of Fruit tree and Tea Science, NARO, Higashihiroshima, Hiroshima, Japan
- 40 Institute for Sustainable Plant Protection, National Research Council of Italy (CNR), Strada delle Cacce 73, 10135 Turin, Italy
- 41 Plant Breeding Genetics and Biotechnology Division and International Rice Research Institute, Los Baños, Philippines
- 42 Les Mandinaux, Le Grand Madieu, France
- 43 Clinical Monitoring Research Program Directorate, Frederick National Laboratory for Cancer Research, Frederick, MD, USA
- 44 CIDEFI, Facultad de Ciencias Agrarias y Forestales, Universidad de La Plata, La Plata, Argentina
- 45 Department of Immunology and Microbiology IMM-6, The Scripps Research Institute, La Jolla, CA, USA
- 46 Department Viroscience, Erasmus MC, University Medical Centre Rotterdam, Rotterdam, The Netherlands
- 47 Centro de Investigaciones Agropecuarias, Instituto Nacional de Tecnología Agropecuaria (IPAVE-CIAP-INTA), Córdoba, Argentina
- 48 UMR 1161 Virology ANSES/INRAE/ENVA, ANSES Animal Health Laboratory, 94704 Maisons-Alfort, France
- 49 Pacific Salmon Foundation, Vancouver, BC, Canada
- 50 United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, MD, USA
- 51 Istituto per la Protezione Sostenibile delle Piante, Consiglio Nazionale delle Ricerche, Bari, Italy
- 52 Queensland Alliance for Agriculture and Food Innovation, The University of Queensland, St. Lucia, QLD, Australia
- 53 CIHEAM, Istituto Agronomico Mediterraneo di Bari, Valenzano, Italy
- 54 Institute of Virology, Philipps University Marburg, Marburg, Germany
- 55 Zoonotic Diseases and Special Pathogens, National Microbiology Laboratory, Public Health Agency of Canada, Winnipeg, MB, Canada
- 56 Institute of Virology, Charité-Universitätsmedizin Berlin, Corporate Member of Freie Universität Berlin, Humboldt Universität Berlin, Berlin, Germany
- 57 Animal Production and Health Laboratory, Joint FAO/IAEA Division of Nuclear Techniques in Food and Agriculture, Department of Nuclear Sciences and Applications, International Atomic Energy Agency, Vienna, Austria
- 58 School of Medicine, University of Pittsburgh, Pittsburgh, PA, USA
- 59 Robert Koch Institut, Berlin, Germany
- 60 School of Life Sciences, University of Warwick, Coventry, UK
- 61 Department of Molecular Medicine, Mayo Clinic, Rochester, MN, USA
- 62 Istituto Agronomico Mediterraneo di Bari, Valenzano, Italy
- 63 Virology Unit, Department of Medical Microbiology, Hacettepe University Faculty of Medicine, Ankara, Turkey
- 64 Animal and Plant Health Agency, Weybridge, Surrey, UK
- 65 Institute for sustainable plant protection, CNR, Turin, Italy
- 66 World Health Organization, Geneva, Switzerland
- 67 Plant Virology Department, Institute of Plant Molecular Biology, Biology Centre CAS, Ceske Budejovice, Czech Republic
- 68 Embrapa Cassava and Fruits, Cruz das Almas, Bahia, Brazil
- 69 College of Life Science and Engineering, Shenyang University, Shenyang, Liaoning, People's Republic of China
- 70 Albrecht Daniel Thaer-Institute for Crop and Animal Sciences, Division Phytomedicine, Humboldt-Universität zu Berlin, Berlin, Germany
- 71 Institute of Biochemistry and Biotechnology, Martin Luther University Halle-Wittenberg, Halle/Saale, Germany
- 72 Instituto de Biotecnología y Biología Molecular, Facultad de Ciencias Exactas, I, CONICET UNLP, La Plata, Argentina

- 73 Icahn School of Medicine at Mount Sinai, New York, NY, USA
- 74 Landwirtschaft und Flurneuordnung, Landesamt für ländliche Entwicklung, Frankfurt (Oder), Germany
- 75 Department of Microbiology and Immunology, Division of Biomedical Graduate Research Organization, School of Medicine, Georgetown University, Washington, DC 20057, USA
- 76 Department of Microbiology and National Emerging Infectious Diseases Laboratories, Boston University School of Medicine, Boston, MA, USA
- 77 Department of Pathobiological Sciences, School of Veterinary Medicine, University of Wisconsin-Madison, Madison, WI, USA
- 78 Institute of Novel and Emerging Infectious Diseases, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany
- 79 WHO Collaborating Centre for Arboviruses and Hemorrhagic Fever Reference and Research, Department of Virology, Bernhard-Nocht Institute for Tropical Medicine, Hamburg, Germany
- 80 Australian Infectious Diseases Research Centre, School of Chemistry and Molecular Biosciences, The University of Queensland, Brisbane, Australia
- 81 Floral and Nursery Plants Research Unit, United States Department of Agriculture, Agricultural Research Service, USNA, Beltsville, MD, USA
- 82 Department of Virology, University of Helsinki, Medicum, Helsinki, Finland
- 83 London School of Hygiene and Tropical Medicine, London, UK
- 84 Analysis Center of Agrobiological and Environmental Sciences, Zhejiang University, Hangzhou, People's Republic of China
- 85 Key Lab of Plant Pathology of Hubei Province, College of Plant Science and Technology, Huazhong Agricultural University, Wuhan, People's Republic of China
- 86 Hakubi Center for Advanced Research, Kyoto University, Kyoto, Japan
- 87 Centers for Disease Control and Prevention, Fort Collins, CO, USA
- 88 School of Veterinary Medicine, Murdoch University, Murdoch, WA, Australia
- 89 Entomology and Plant Pathology, North Carolina State University, Raleigh, NC, USA
- 90 Silva Lapponica, Rovaniemi, Finland
- 91 State Key Laboratory of Agricultural Microbiology, Huazhong Agricultural University, Wuhan, Hubei Province, People's Republic of China
- 92 Rice Breeding Innovations Platform, International Rice Research Institute, Los Baños, Laguna, Philippines
- 93 Institute of Virology, Charité-Universitätsmedizin Berlin, Corporate Member of Free University Berlin, Humboldt-University Berlin, and Berlin Institute of Health, Berlin, Germany
- 94 Department of Clinical Plant Science, Faculty of Bioscience and Applied Chemistry, Hosei University, Koganei, Tokyo, Japan
- 95 Pacific Biological Station, Fisheries and Oceans Canada, Nanaimo, BC, Canada
- 96 Institute of Virology, Biomedical Research Center, Slovak Academy of Sciences, Bratislava, Slovakia
- 97 Center for Infectious Medicine, Department of Medicine Huddinge, Karolinska Institutet, Karolinska University Hospital, Stockholm, Sweden
- 98 Institute of Plant Science and Resources, Okayama University, Kurashiki, Japan
- 99 National Center for Biotechnology Information, National Library of Medicine, National Institutes of Health, Bethesda, MD, USA
- 100 Archaeal Virology Unit, Institut Pasteur, Paris, France
- 101 Central Region Agricultural Research Center, NARO, Tsukuba, Ibaraki, Japan
- 102 US Geological Survey Western Fisheries Research Center, Seattle, WA, USA
- 103 KU Leuven, Rega Institute, Zoonotic Infectious Diseases unit, Leuven, Belgium
- 104 Department of Microbiology, University of Washington, Washington, USA
- 105 Department of Microbiology, Icahn School of Medicine at Mount Sinai, New York, NY, USA
- 106 The University of Alabama at Birmingham, Birmingham, AL, USA
- 107 MIVEGEC (IRD-CNRS-Montpellier university) Unit, French National Research Institute for Sustainable Development (IRD), Montpellier, France
- 108 Fisheries and Oceans Canada, Pacific Biological Station, 3190 Hammond Bay Road, Nanaimo, BC V9T 6N7, Canada
- 109 Department of Veterinary Biosciences, College of Veterinary Medicine, The Ohio State University, Columbus, OH, USA
- 110 Department of Pharmacology and Toxicology, School of Medicine, and the Center for Predictive Medicine for Biodefense and Emerging Infectious Diseases, University of Louisville, Louisville, KY, USA
- 111 Virology Research Center, University of São Paulo, Ribeirão Preto, Brazil
- 112 Pontificia Universidad Católica de Valparaíso, Campus Curauma, Valparaíso, Chile
- 113 United States Department of Agriculture, Agricultural Research Service, Washington, USA
- 114 Gembloux Agro-Bio Tech, TERRA, Plant Pathology Laboratory, Liège University, Liège, Belgium
- 115 Worldwide Influenza Centre, Francis Crick Institute, London, UK
- 116 Plant and Environmental Protection Sciences, University of Hawai'i at Mānoa, Honolulu, HI, USA
- 117 Biocentre Klein Flottbek, University of Hamburg, Hamburg, Germany

- 118 Molecular Genetics, Pacific Biological Station, Department of Fisheries and Oceans, Nanaimo, Canada
- 119 Folkhalsomyndigheten, Stockholm, Sweden
- 120 Department of Medicine, University of British Columbia, Vancouver, Canada
- 121 Department of Plant Pathology, Irrigated Agricultural Research and Extension Center, Washington State University, Prosser, WA, USA
- 122 School of Agriculture, Utsunomiya University, Utsunomiya, Tochigi, Japan
- 123 Instituto de Biología Molecular y Celular de Plantas, Universitat Politècnica de València-Consejo Superior de Investigaciones Científicas, Valencia, Spain
- 124 Novosibirsk State University, Novosibirsk, Novosibirsk Oblast, Russia
- 125 Influenza Research Institute, Department of Pathobiological Sciences, University of Wisconsin-Madison, Madison, WI, USA
- 126 Institute of Virology, University of Veterinary Medicine Vienna, Vienna, Austria
- 127 Instituto de Biología Molecular y Celular de Plantas (IBMCP), Consejo Superior de Investigaciones Científicas-Universidad Politécnica de Valencia, Valencia, Spain
- 128 National Biosafety Laboratory, National Public Health Center, Budapest, Hungary
- 129 National Reference Centre for Arboviruses and Haemorrhagic Fever Viruses, Department of Microbiology, Medical School, Aristotle University of Thessaloniki, Thessaloniki, Greece
- 130 Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt-Universität zu Berlin, and Berlin Institute of Health, Berlin, Germany
- 131 Baker Institute for Animal Health, College of Veterinary Medicine, Cornell University, Ithaca, NY, USA
- 132 Fisheries and Oceans Canada, Resource and Environmental Management, Simon Fraser University, Burnaby, BC, Canada
- 133 Department of Veterinary Integrated Biosciences and Department of Entomology, Texas A&M University, College Station, USA
- 134 Center for Emerging Zoonotic and Parasitic Diseases, National Institute for Communicable Diseases of the National Health Laboratory Service, Sandringham-Johannesburg, Gauteng, South Africa
- 135 Department of Veterinary Pathobiology, College of Veterinary Medicine and Biomedical Sciences, Texas A&M University, College Station, TX, USA
- 136 Department of Population Health, College of Veterinary Medicine, University of Georgia, Athens, GA, USA
- 137 Department of Microbiology and Immunology, Vagelos College of Physicians and Surgeons, Columbia University Irving Medical Center, New York, NY 10032, USA
- 138 Jiangxi Academy of Agricultural Sciences, Nanchang, Jiangxi, People's Republic of China
- 139 The Geneva Foundation, Tacoma, WA, USA
- 140 Departamento de Biología Celular, Universidade de Brasília, Brasília, Brazil
- 141 Instituto de Biotecnología y Biología Molecular, CCT-La Plata, CONICET-UNLP, La Plata, Buenos Aires, Argentina
- 142 Centre for Experimental Medicine, School of Medicine, Dentistry and Biomedical Sciences, The Queen's University of Belfast, Belfast, Northern Ireland, UK
- 143 Instituto de Biotecnología y Biología Molecular, Centro Científico Tecnológico-La Plata, Consejo Nacional de Investigaciones Científico Tecnológico—Universidad Nacional de La Plata, La Plata, Argentina
- 144 Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany
- 145 Consiglio Nazionale delle Ricerche, Istituto per la Protezione Sostenibile delle Piante, Bari, Italy
- 146 Department of Infectious Disease and Global Health, Tufts University Cummings School of Veterinary Medicine, 200 Westboro Road, North Grafton, MA 01536, USA
- 147 Department of Biochemistry, Molecular Biology, Entomology and Plant Pathology, Mississippi State University, Mississippi State, MS, USA
- 148 Institute of Human Virology, University of Maryland School of Medicine, Baltimore, MA, USA
- 149 International Centre of Insect Physiology and Ecology, Nairobi, Kenya
- 150 Institute for Plant Protection, National Agriculture and Food Research Organization, Tsukuba, Japan
- 151 Molecular Genetics Lab, Pacific Biological Station, Fisheries and Oceans Canada, Nanaimo, BC, Canada
- 152 Faculty of Medicine, University Medical Center-University Freiburg, Freiburg, Germany
- 153 Sun Yat-sen University, Shenzhen, People's Republic of China
- 154 MRC-University of Glasgow Centre for Virus Research, Glasgow, Scotland, UK
- 155 CAS Key Laboratory of Special Pathogens, Wuhan Institute of Virology, Center for Biosafety Mega-Science, Chinese Academy of Sciences, Wuhan, Hubei, People's Republic of China
- 156 Kochi Agricultural Research Center, Nankoku, Kochi, Japan
- 157 Asian Center for Bioresources and Environmental Sciences, University of Tokyo, Tokyo, Japan
- 158 School of Cellular and Molecular Medicine, University of Bristol, Bristol, UK
- 159 Nuffield Department of Medicine, University of Oxford, Oxford, UK
- 160 Bioinformatics Unit, Scientific Institute IRCCS "E. Medea", Bosisio Parini, Italy
- 161 Faculty of Bioscience Engineering, Department of Plants and Crops, Ghent University, Ghent, Belgium
- 162 CBR Division, DSTL, Porton Down, Salisbury, Wiltshire, UK

- 163 Department of Microbiology, College of Medicine, Korea University, Seoul, Republic of Korea
- 164 School of Biomedical Sciences, Faculty of Health, Queensland University of Technology, Brisbane, QLD, Australia
- 165 Viral Special Pathogens Branch, Division of High-Consequence Pathogens and Pathology, Centers for Disease Control and Prevention, Atlanta, USA
- 166 Department of Microbiology, Immunology, and Pathology, College of Veterinary Medicine and Biomedical Sciences, Colorado State University, Fort Collins, CO, USA
- 167 Centre for Environment, Fisheries and Aquaculture Science, Weymouth, Dorset, UK
- 168 Departments of Earth, Ocean and Atmospheric Sciences, Microbiology and Immunology, and Botany, and the Institute for Oceans and Fisheries, University of British Columbia, Vancouver, Canada
- 169 Division of Global Epidemiology, Research Center for Zoonosis Control, Hokkaido University, Sapporo, Japan
- 170 Japan Plant Protection Association Kochi Experiment Station, Konan, Kochi, Japan
- 171 Department of Forest Sciences, University of British Columbia, Vancouver, Canada
- 172 Department of Pathology, The University of Texas Medical Branch, Galveston, TX, USA
- 173 Centers for Disease Control and Prevention, Atlanta, GA, USA
- 174 Kyushu Okinawa Agricultural Research Center, NARO, Koshi, Kumamoto, Japan
- 175 Institute for Frontier Life and Medical Sciences (inFront), , Kyoto University, Kyoto, Japan
- 176 Unité des Stratégies Antivirales, WHO Collaborative Centre for Viral Haemorrhagic Fevers and Arboviruses, OIE Reference Laboratory for RVFV & CCHFV, Institut Pasteur, Paris, France
- 177 Viral Special Pathogens Branch, Division of High-Consequence Pathogens Pathology, National Center for Emerging and Zoonotic Infectious Diseases, Centers for Disease Control and Prevention, Atlanta, GA, USA
- 178 Changchun Veterinary Research Institute, Chinese Academy of Agricultural Sciences, Changchun, Jilin Province, People's Republic of China
- 179 National Institute of Optics, National Research Council of Italy (INO-CNR), Via Branze 45, 25123Brescia, Italy
- 180 Department of Entomology and Plant Pathology, Division of Agriculture, University of Arkansas System, Fayetteville, AR 72701, USA
- 181 Department of Viroscience, Erasmus MC, University Medical Centre Rotterdam, Rotterdam, The Netherlands
- 182 The Bidesign Center for Fundamental and Applied Microbiomics, Center for Evolution and Medicine School of Life Sciences, Arizona State University, Tempe, AZ, USA
- 183 Wageningen University and Research, Biointeractions and Plant Health, Wageningen, The Netherlands
- 184 National Biodefense Analysis and Countermeasures Center, Fort Detrick, Frederick, MD, USA
- 185 School of Chemistry and Molecular Biosciences, University of Queensland, St. Lucia, QLD, Australia
- 186 Programme in Emerging Infectious Diseases, Duke-NUS Medical School, Singapore, Singapore
- 187 Key Laboratory of Crop Disease Monitoring and Safety Control in Hubei Province, College of Plant Science and Technology, Huazhong Agricultural University, Wuhan, Hubei, People's Republic of China
- 188 Fujian Province Key Laboratory of Plant Virology, Institute of Plant Virology, Fujian Agriculture and Forestry University, Fuzhou, Fujian, People's Republic of China
- 189 Department of Entomology and Plant Pathology, North Carolina State University, Raleigh, NC, USA
- 190 School of Medicine, University of Pittsburgh, Pittsburgh, PA, USA
- 191 Narita Branch, Yokohama Plant Protection Station, Narita, Chiba, Japan
- 192 Departamento de Fitopatologia, Instituto de Biotecnologia Aplicada à Agropecuária, Universidade Federal de Viçosa, Viçosa, Minas Gerais, Brazil
- 193 Key Laboratory of Horticultural Plant Biology, Ministry of Education, Wuhan 430070, Hubei , People's Republic of China
- 194 National Sand Pear Germplasm Repository in Wuchang, Research Institute of Fruit and Tea, Hubei Academy of Agricultural Science, Wuhan, Hubei, People's Republic of China
- 195 State Key Laboratory for Biology of Plant Diseases and Insect Pests, Institute of Plant Protection, Chinese Academy of Agricultural Sciences, Beijing, People's Republic of China
- 196 Institut Pasteur de Guinée, Conakry, Guinea
- 197 Departamento de Biotecnología-Biología Vegetal, Escuela Técnica Superior de Ingeniería Agronómica, Alimentaria y de Biosistemas, Universidad Politécnica de Madrid, Madrid, Spain
- 198 National Horizons Centre, Teesside University, Darlington DL1 1HG, UK
- 199 US Geological Survey, Western Fisheries Research Center, Seattle, WA, USA
- 200 Unidad de Fitopatología y Modelización Agrícola, Consejo Nacional de Investigaciones Científicas y Técnicas (UFYMA-CONICET), Córdoba, Argentina
- 201 Centaurus Biotechnologies, CTP, Manassas, VA, USA
- 202 Institute of Veterinary Pathology, Vetsuisse Faculty, University of Zurich, Zurich, Switzerland
- 203 Division of Veterinary Sciences, Graduate School of Life and Environmental Sciences, Osaka Prefecture University, Izumisano, Japan
- 204 German Centre for Infection Research, Berlin, Germany
- 205 Department of Laboratory Medicine, University Hospitals Leuven, Leuven, Belgium

- ²⁰⁶ German Center for Infection Research (DZIF), Berlin, Germany
- ²⁰⁷ College of Medicine, Mohammed Bin Rashid University of Medicine and Health Sciences, Dubai, United Arab Emirates
- ²⁰⁸ Hawaii Department of Agriculture, Honolulu, HI, USA
- ²⁰⁹ Laboratory of Respiratory Viruses and Measles, Fiocruz, Rio de Janeiro, Brazil
- ²¹⁰ Structural Biology Research Unit, Department of Clinical Laboratory Sciences, University of Cape Town, Observatory, Cape Town, South Africa
- ²¹¹ Zoology Department, National Museums of Kenya, Nairobi, Kenya
- ²¹² Jomo Kenyatta University of Agriculture & Technology, Nairobi, Kenya
- ²¹³ School of Veterinary Medicine, St. George's University, True Blue, Grenada
- ²¹⁴ National Institute for Viral Disease Control and Prevention, Chinese Center for Disease Control and Prevention, Beijing, People's Republic of China
- ²¹⁵ Department of Infectious Diseases, Yamagata University Faculty of Medicine, Yamagata, Japan
- ²¹⁶ Department of Microbiology, Immunology and Infectious Diseases, Université Laval, Quebec City, Canada
- ²¹⁷ Evandro Chagas Institute, Ministry of Health, Pará, Brazil
- ²¹⁸ National Center for Immunization and Respiratory Diseases, Centers for Disease Control and Prevention, Atlanta, GA, USA
- ²¹⁹ Institut Pasteur de Dakar, Dakar, Senegal
- ²²⁰ National Institute for Communicable Disease Control and Prevention, Chinese Center for Disease Control and Prevention, Changping, Beijing, People's Republic of China
- ²²¹ Shanghai Public Health Clinical Center & Institutes of Biomedical Sciences, Fudan University, Shanghai, People's Republic of China